

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





COMPLETE ASSORTMENT OF KITCHEN GARDEN SEEDS FOR PRIVATE FAMILIES.

These assortments contain only the most approved and choicest sorts, such as we confidently recommend as sure to give satisfaction. The quantities in the various assortments are carefully arranged to suit large and small gardens, and purchasers may thus be free from the doubt often felt as to the proper quantity to buy.

		NO. 1.	NO. 2.	NO. 3. NO. 4.
		\$5. By Mail,	\$10. By Mail.	\$18. \$25. By Mail,
NAMES.	VARIETIES.	\$5.75.	\$11.50.	\$21.
Beans	New Stringless Green Pod	1 pt	1 qt	1 qt2 qt.
"	Marvel of Paris	1 nt	1 of	1 qt2 qt.
66	Lyonnaise		1 qt	1 qt2 qt.
44	Mont d'Or Pole		1 pt	1 at1 at.
	Challenger Limaof eacl	1 pt	1 pt	1 qt2 qt.
Beets	Columbian	11 OZ	2 oz	4 0Z 8 0Z
Broccoli	Purple Cape		1/4 oz	½ oz1 oz.
Brussels Sprouts.	Best Half-dwarf		07	2 02 4 02.
Cappage	Early Wakefield	1/4 OZ	1/4 OZ	1/2 0Z 1 0Z
66	Sure Head Phorburn Drumhead Savoy	1/4 oz	1/4 OZ	½ oz2 oz.
11	Jarge Flat Dutch		1/2 07	1 02 2 07.
Carnete	Thorburn Red Dutch Stone-head, for pickling Early French Forcing.	/4 OZ	1/2 OZ	2 0Z1 OZ.
" and the same of	Half-long Stump-rooted	½ oz	2 oz	4 oz8 oz.
Cauliflower	Thorburn Gilt-edge	1 pa	1/4 . OZ	1/4 oz 1/2 oz.
Colony	Fhorburn SnowballPerfection Heartwell	l pa	l pa	l pa½ oz.
"	White Plume and Golden Self-blanchingof each	h1 pa	1 pa	
Corn	White Plume and Golden Self-blanchingof each	1 pt	1 qt	1 qt2 qt.
"	Hickox Sugar	1 pt	1 pt	2 qt2 qt.
Corn-Salad	Evergreen Large-seeded	1 pt	1 oz	2 oz 4 oz
Cress, or	Pepper Grass	1 oz	2 oz	4 oz4 oz.
Cucumbers	Improved White Spine	½ OZ	1 oz	1 oz2 oz.
Econ Diane	Thorburn Commercial PickleImproved New York Purple	1 no	1/2 OZ	1/ 07 1 07.
ii iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	Long Purple	pa	/4 0/2	
Endive	Long PurpleGreen Curled and Broad-leavedof each	1/4 oz	½ oz	1 oz2 oz.
Kale	Dwarf Scotch Early White Vienna	1/ 00	½ oz	1 oz1 oz.
Leeks	Rest Flag	1 na	1 pa	1 071 02.
Lettuce	Early Buttercup Phorburn Maximum Trianon Cos	1/4 OZ	1/4 oz	½ oz1 oz.
	Phorburn Maximum	1/4 OZ	1/4 OZ	$1.1\frac{1}{2}$ oz1 oz.
"	Thanon Cos	1/4 07	½ 0Z	1 02 1 02
Melons	Orange Christina	1 pa	1/2 OZ	2 02 2 07
"	Long Island Beauty	1 pa	1 pa	2 oz4 oz.
Okra	Wonderful Sugar, and Cole's Earlyof each Density	1 0Z	1 OZ	4 OZ Q Q QZ
Onions	Yellow Danvers		2 oz	2 oz4 oz.
44	White Globe	1 oz	2 oz	4 oz4 oz.
"	Early White BermudaLarge Red Wethersfield	1/ 07	½ OZ	2 oz4 oz.
Parsley	Extra Curled		½ oz	1 oz2 oz.
Parsnips	Hollow Crown	1 oz	2 oz	4 oz8 oz.
	Thorburn Extra-Early Market			
	Nott's Excelsior			
"	Duke of York	1 pt	1 qt	2 qt4 qt.
Romana	Telephone Sweet Mountain		1/ 00	1 qt4 qt.
66	Cavenne			1/4 07. 1/4 07
Radishes	White-tipped Scarlet Turnip	1 oz	2 oz	4 oz4 oz.
66	Scarlet Turnip	1 oz	2 oz	4 oz8 oz.
"	Early White TurnipFrench Breakfast	1 02	2 oz	2 07 4 07
	Chinese Winter			
Salsify	Sandwich Island	1/20%	2 02	4 oz8 oz.
Squashee	Victoria Early Bush Crookneck	1/4 ID	1/2 Ib	½ lb1 lb.
a de la constante de la consta	Marblehead	1 na	1 na	1/2 02 1/2 02
	Boston Marrow	1/2 02	1/2 OZ	1 oz2 oz.
Tomatoes	Democrat Beauty	74 OZ	1/4 OZ	1/ 07 1/ 0z.
16	Stone	1/4 02	1/4 OZ	1/2 0Z1 0Z.
	Lemon Blush		1/4 oz	½ oz½ oz.
	Milan and Yellow Globeof each Thorburn Family Ruta-Baga			
	Five varietieseacl			
		100 may 9	TARREST SALE	

J. M. THORBURN & Co.

Annual Catalogue High-Class Seeds

HIS is our Ninety-eighth Annual Catalogue. We are growers of, and dealers in, High-Class Seeds only. Quality is our leading feature.

The Removal of Our Seed Warehouse.—Our well-known store in John street—a landmark in the history of New York—which we had occupied for the past 65 years, had served its time. We have therefore removed to the larger and more commodious building which

we now occupy, at 36 Cortlandt Street. The following sketch of the history of the firm of J. M. Thorburn & Co. has been kindly written for this Ninety-eighth Annual Catalogue by Professor L. H. Bailey, of the Cornell University:


The house of J. M. Thorburn & Co. was founded by Grant Thorburn, in the opening years of the century. Grant Thorburn was born in 1773 in Dalkeith, Scotland, and early came to New York to seek his fortune: His father was a wrought-nail maker, and the son engaged in the same trade in this country. He soon married, and his wife attended a store which he established in Nassau street, near Liberty, for the selling of "tape, ribbons, thimbles, thread, scissors, and Oxbery's needles." The living rooms were in connection. "A glass door opened opposite the fireplace, where she rolled the dumpling or broiled the steak with one eye, and kept a squint on the store with the other." The introduction of cut-nail machines deprived young Thorburn of his trade, and the establishment of a pretentious grocery business on the corner of Nassau and Liberty streets took away his customers. He therefore gave attention to other means of livelihood. The women of the city had begun to show a taste for flowers. These were grown in pots, and the pots were sold by grocers. In the fall of 1802, there being various pots in his stock, Thorburn thought to attract the attention of purchasers by painting the pots green. Four pots were first painted. They sold quickly. Then he painted twelve. They sold; and thus the pot business grew.

Thorburn had been in the habit of buying his meat at the Fly Market, at the foot of Maiden Lane. In April, 1803, he bought a rose geranium there, thinking to be able by its means to still further advertise his pots. But the next day a customer bought both pot and plant; and Thorburn quickly returned to the market and bought two more plants. These sold; and thus the plant business grew.

The man, George Inglis, of whom Thorburn bought the plants, was also a Scotchman, and it was soon agreed that one should grow the plants and the other sell them. But the customers also wanted to grow plants, and they asked for seed; and as there was no seed store in New York, it was arranged that Inglis should grow seeds also. This was in 1805; and in that year Inglis, as an experiment, had grown a lot of seeds. Thorburn bought these seeds for \$15; and thus arose the first regular seed store in New York, and one of the first in the United States.

The seeds and plants continued to sell, and Thorburn was obliged to import seeds. In 1805 or 1806 he obtained a catalogue of William Malcolm & Co., London, the first plant catalogue he had ever seen, and he then published one of his own. This led to more pretentious writing, and "The Gentleman and Gardener's Kalendar" was the first outcome. The third edition of this, in 1821, by "Grant Thorburn, Seedsman and Florist," contains the advertisement of "G. Thorburn & Son," dealers in seeds, implements and rural books.

Grant Thorburn was a prolific writer to the current press on a variety of topics, under the nom de plume of Laurie Todd. He was a unique character, and his history,—"mixed with much fiction," as he himself says,—was the basis of John Galt's tale in three volumes (London, 1830) of



"Lawrie Todd, or Settlers in the Woods." Thorburn left a most interesting autobiography, which was published in New York in 1852. He died in New Haven, Conn., January 21, 1863, at the age of 90.

The great business which Grant Thorburn founded has been ably continued by his son and grandson, the latter being the J. M. Thorburn of the present firm. The firm names have been following: Thorburn, until about 1821; G. Thorburn & Son, until about 1835; George C. Thorburn, until about 1843; Jas. M. Thorburn & Co. (the company being W. H.

Elphinstone), until about 1855; Jas. M. Thorburn & Co. (the company being Grant Thorburn, Jr., and F. W. Bruggerhof), until about 1884; Jas. M. Thorburn & Co. (the company being F. W. Bruggerhof), until 1894. In 1894 the firm was incorporated as J. M. Thorburn & Co., under the presidency of Mr. F. W. Bruggerhof, who for many years previously had been head of the house. Mr. Bruggerhof has been actively and continuously connected with the business for 49 years.

Cultural Directions.—These are the result of years of experience. They are applicable to the conditions of climate in the vicinity of New York. For more northern or southern localities the necessary changes in time of sowing, etc., will readily suggest themselves to gardeners. Our descriptions and illustrations of the articles catalogued may be relied upon. The Rural New-Yorker, in a recent review, said there was "not an exaggeration from cover to cover."

Whenever our Customers desire it, we will select an assortment of seasonable seeds suited to their wants. All such orders will receive especial care and attention. The only information we require is the size of the garden and the sum proposed to be expended for seeds. We would advise making an early test of seeds by sowing some of each variety in a flower pot, and keeping them warm and well watered.

Write orders upon a blank sheet, separate from letter. Orders from new customers should be accompanied by a remittance in the form of a Post Office or Express Money Order, if convenient, or bank bills, if the amount enclosed is not large. Address, always, J. M. Thorburn & Co., 36 Cortlandt St., New York.

Prices.—The prices quoted are those ruling at this date, and do not include free transit, except for flower seeds in packets. Please add for prepayment of postage or express, as below noted. All ordinary sorts of seeds can be had in 5-cent papers.

Seeds by Mail or Express.—8 cents per pound should be added for prepayment of postage, if wanted by mail or prepaid express. The express companies will generally be found the most economical mode of conveyance. In the absence of specific shipping directions, we shall send by the cheapest way. We do not guarantee the safe arrival of goods sent by mail; it is rarely, however, that seeds fail to reach their destination safely in that way.

It is very important that our customers send in their orders immediately on

receipt of this Catalogue, instead of waiting till the time when they wish to sow the seeds. To save time, seeds may be ordered by the numbers in the first column, if desired.

Name, Address, Etc.—We beg our correspondents to give us very exactly, on EACH of their orders, their name and address; also, to indicate very precisely the means of carriage which they prefer, whether by EXPRESS, FREIGHT, or MAIL, and the office or railroad station which best serves their locality. In case these directions are not followed out, or if they are not sufficient, we shall choose ourselves the most advantageous and convenient means, but entirely at the risk of the customer, avoiding ourselves all responsibility.

Shipments by Express, "C. O. D."—Unless otherwise instructed, we shall send all such goods as go by express C. O. D. Orders from unknown customers not desiring this mode of carriage should be accompanied by the cash.

Warranties. — Seeds of the best quality will often fail through improper treatment. Thus, if a small seed be sown so deeply that the young plant cannot reach the surface, the seed, however good, will fail. More failures result from a want of proper knowledge of conditions necessary to germination than from bad quality of seeds themselves. These conditions are: a proper temperature, sufficient moisture, and free access of air; besides these, the soil must be in proper condition, and present no physical obstacle to the growth of the young plant. If heavy rains have compacted the surface of the soil, and the sun has baked it to a hard crust, it will be impossible, even if all other conditions are favorable, for the seedling plants to force their way through it, and many perish from this cause alone. Seeds differ greatly as to the temperature required for germination. Beets, Cress, Peas, etc., germinate rapidly at a temperature of 45°; but if Melons and other seeds of that family, bush or pole Beans, and other plants of sub-tropical origin, are sown under the same conditions, they will be apt to decay, as for their prompt germination they require a heat of at least 60°. For this reason many seeds fail yearly from too early sowing. The second condition, proper moisture, is likely to be violated by an excess rather than by too little moisture. The proper amount is that which a well-drained soil will naturally hold. Free access of air is all-important, and this is interfered with by an excess of water in the soil. In germination complex chemical changes take place in the seeds, in which the air performs an important part. A portion of the seed is consumed, carbonic acid gas being given off in changing the starch and other constituents of the seed into nutriment to forward the growth of the germ or embryo plant, which depends upon the contents of the seed until it has formed roots below ground and leaves above, and is able to sustain itself. Besides these conditions, affecting the germination of the seed, the young plants, after they have made their way to the surface, are liable to various accidents: a sudden current of very cold air, or a continuous drying wind, may check their growth, or destroy the young plants altogether. In addition, there are numerous insects, both below and above ground, that may attack the plants, some of these being so small that they often destroy a crop before they are discovered. We may also mention the well-known tendency of many vegetables to revert to their original types, notwithstanding the care of the seed-grower; the yellow-podded wax Beans becoming green, the yellow and white Celery becoming more or less green, dwarf Peas becoming running sorts, etc., etc.

Messrs. J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants they send out, and they will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

J. M. THORBURN & CO.

Directions for the Cultivation of Vegetables.

To secure a good crop of vegetables, three things at least are necessary; viz., a suitable soil, pure seed, and clean culture; to which may be added as equally necessary, an abundant supply of good barnyard manure, supplemented, when this runs short, by artificial fertilizers. The exposure for a vegetable garden should be perfectly south or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being among the best. If the soil be stiff, it should be gradually mellowed by the free use of barnyard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be under-drained, preferably by tile; but if possible, a location should be selected naturally dry and free from surface water.

A dark colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or sub-soiling, unless manure and money both be abundant. A sandy soil may be greatly improved by adding more or less vegetable mould from the woods. To produce the best and most uniform results, the vegetable garden should have at least one

foot of good, rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, especially evergreens, sufficiently far off, afford a valuable protection on the north and west.

Mark the garden off into squares or beds of convenient size, to facilitate the practice of a rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Potatoes, onions, and a few other things may form an exception to this rule, but it is nevertheless better to keep up rotation. Every year these beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. Grow everything in drills or straight lines. Larger crops from a given surface are grown in this way, and cultivation becomes simple and comparatively easy. The space between the drills, and other special information, is given in the body of the Catalogue; the least distance is named, in order to economize space; it might be increased in some cases with advantage.

The ground should be frequently hoed, to kill the weeds and keep the soil mellow; and the proper time to hoe is just when the weeds appear above ground. Briefly, the proper way to kill weeds is never to let them grow. If the weeding be done at the time suggested, it can be mostly and quickly done by the use of a sharp-toothed steel rake.

Where the material and conveniences are at hand, much time may be gained by starting certain kinds of plants in a hotbed, or even in a coldframe, the latter being a very convenient thing, even on a small place. The hotbed is chiefly intended for raising early Tomatoes, Egg-plants, Peppers, Cabbage, Cauliflower, Lettuce, etc., but as all these plants can now be bought cheaply of the seedsmen at the proper time, the expense and labor of a hotbed can, in many cases, be dispensed with, especially on small places.

To Prepare a Coldframe. The coldframe is simply a frame set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with salt hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 or 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower and Lettuce plants are set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in the vicinity of New York, from the 15th to the 20th of September, but the very early kinds some 8 or 10 days later. The young plants will be ready to transplant in about 25 or 30 days. During cold nights and stormy days, the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage, as it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes the plants are in a forward state for setting out early crops. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a coldframe in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

Directions for Making a Hotbed.

In the vicinity of New York, from the first to the middle of March is quite early enough to make a hotbed, and even a little later will do well enough. The time must vary according to the latitude. Provide a quantity of fresh horse-manure from the stables, and add to this, if they can be had, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed, even in severely cold weather. In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain two or three days longer, or until the second fermentation commences. Make an excavation or pit $2\frac{1}{2}$ feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east, if Hotbed sashes are usually 6 x 3 feet, and one or two sashes will generally give early plants enough for a small family. The frame for sashes should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, 2 to $2\frac{1}{2}$ feet. Then put on the sashes, and keep the pit closed until the heat rises. At first it will probably be 100° or more, which is too hot to sow the seed in; but in two or three days it will subside to 90° or a little less, when the soil may be put on to the depth of 6 to 8 inches. The heat may be readily ascertained by plunging a thermometer in the manure. The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine, old manure, and in this the seeds may be sown thinly in drills 2 to 3 inches apart, and afterwards (as soon as out of the seed-leaf) either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever necessary, and during cold nights and snow storms keep covered with straw mats or board shutters. Tomatoes, Peppers and Egg-plants should be sown in a separate frame from the Cabbage, Cauliflower and Lettuce, as they require more heat than the latter. The same directions may apply to hotbeds made on the surface of the ground, except that the manure should be at least a foot wider on all sides than the frame.

New, Rare and Valuable Flower Seeds.

Adenophora Potanini.

Lovely new shrubby Campanulacea, producing its elegant and slender flower spikes, of 2 to 3 feet in height, during the months of July and August. They are garnished with numerous large, bell-shaped flowers, 1¼ inches in diameter,

during the months of July and August. They are garnished with numerous large, bell-shaped flowers, 1½ inches in diameter, and of a beautiful light blue color. Splendid new hardy perennial. Per pkt., 35 cts.

Aquilegias, [New Hybrids.

These beautiful new hybrid Columbines were obtained from crossing the Canadensis with the blue and white sorts. The seed produces double and single flowers, running from nearly like the scarlet Aquilegia Canadensis all through blue and purple, and nearly white, in numberless shades and forms. Per pkt., 25 cts.

Candytuft, "Little Prince."

A charming new dwarf variety obtained from the well-known Empress Candytuft. Though it grows only half the height of the parent, say 4 to 6 inches, it forms just as massive spikes of large pure white flowers. These stand erect above the foliage and are grouped candelabra-wise round the main stem, as shown in the illustration. It is very robust, and continues considerably longer in full bloom than the Empress. It is very effective for groups and borders, and it makes an excellent pot plant. Per pkt., 30 cts.



Helianthus Cucumerifolius "Orion."

Effective new variety of the Sunflower "Stella," introduced a few years ago. The petals of this novelty are twisted like those of the best cactus-shaped dahlias, as shown in our illustration. Excellent for bouquets. Per pkt., 25 cts.

Mignonette "Ruby."

A splendid novelty of the Machet class, from which it was obtained, and which it resembles in its dwarf and compact habit. Its chief characteristic is the very bright copper-red, almost scarlet, color of the flowers, contrasting strikingly with the rich green foliage. The flower-heads are borne on firm, straight stalks, and stand clear above the slightly wavy foliage. They are very large and finely rounded, and measure from 4½ to 5½ inches in circumference. It is suitable for growing in pots and for bedding and cutting. It was awarded a silver medal at the Hamburg International Horticultural Exhibition last year. Per pkt., 25 cts.

Imperial Japanese Morning-Glory.

A new class of Morning-Glory from Japan. The flowers are of

A new class of Morning-Giory from Japan.

HELIANTHUS CUCUMERIFOLIUS "ORION."

The flowers are of exquisite beauty in form and coloring, and of enormous size, often 5 to 6 inches in diameter.

inches in diameter. They are easily cultivated, and grow rapidly to a height of 30 or 40 feet. The colors vary from pure white to rose, crimson and carmine, through blues and purples to almost black, some being mottled, striped, penciled and bordered in infinite variety and diversity. The foliage also is often prettily variegated. Per pkt., 10 cts.



CANDYTUFT, "LITTLE PRINCE."

Dwarf Sweet Pea, PINK Cupid.


Like the dwarf White Cupid, this remarkable novelty has no tendency to climb, but branches from the root, growing from 6 to 8 inches high, and measuring about 20 inches in diameter. The stems are about 6 inches long, and bear in full bloom at once from three to four handsome blossoms, all close to the end of the stem. The standard of the flowers is bright rose-pink, while the wings are pure white or light pink. The plant is vigorous and hardy, and it will undoubtedly become very popular as a bedding and border annual. Per pkt., 10 cts.; per oz., 20 cts.; per lb., \$2.

WHITE Cupid Dwarf Sweet Pea. Per pkt., 5 cts.; per oz., 15 cts.; per lb., \$1.25.

Salvia splendens, Golden-foliaged.


There is no handsomer or more effective plant than the popular Scarlet Sage (Salvia splendens). In bril-

liancy it is equaled by few and surpassed by none. We have given much attention to its cultivation and improvement, and on page 101 of this Catalogue will be found a number of varieties perfected by us. But this is a novelty quite distinct and unique. The foliage, instead of being green, is fine golden yellow, which contrast finely with the intense scarlet flowers, and makes an exceedingly effective bedding plant. Per pkt.; 25 cts.



A most beautiful tricolor-leaved new Canna, imported from the Solomon Islands, and the most sterling novelty among this section of plants yet seen. Its large flowers are brilliant scarlet in color, and, combined with its handsomely variegated foliage, will make the plant a feature in sub-tropical gardening.

The leaves are of a light green, thickly splashed, lined and barred with red and yellow and margined with clear crimson, which color appears throughout their whole surface. It is as hardy as all other Cannas, and of a dwarf, spreading, ample habit. It cannot fail to make a very useful plant for all purposes of decoration. When grown in pots it will take rank among the leading foliage plants. It can, of course, be planted in the open, where, under the sun's influence, the variegation becomes lighter and still more beautiful, and presents a striking contrast when placed in conjunction with other varieties of Canna. Per



A superb novelty of the Perpetual class, originated by Mr. Chabaud, and now offered for the first time. The plants have all the admirable features of the class, and the flowers are very large, with the background beautiful, clear yellow, shading to salmon and bright cherry-red. Per pkt., 50 cts.



NEW VARIEGATED-LEAVED CANNA.

Carnation, New Giant Perpetual.

An improved giant-flowered strain of the Chabaud Perpetual Carnation, which we introduced to America three years ago, and which is now so deservedly popular. The plants grow from 16 to 20 inches high, are closely branched, and the straight, vertical flower-stems are covered with very double flowers of perfect form and of enormous size. They flower within seven months after being sown, and combine the perfection of form of the Perpetual with the earliness and hardiness of the Margaret Carnations. They are very fragrant, and excellent for cutting. We offer White, Yellow and Mixed. The yellow are reproduced 80 per cent true to color, and range from creamy yellow to golden yellow, both pure and striped.

Per pkt. Per pkt. \$0.50	Per pkt.
Giant Pure White\$0 50	Giant Mixed\$0 50
Giant Yellow 50	Mixed, same as offered last year

Carnation, New Giant Margaret.

A new very large-flowering strain of the popular Double Margaret Carnation, which begins blooming in four months from sowing, and produces its very sweet-scented flowers when other Carnations have ceased to bloom. They are perfectly hardy, in rich variety of colors, including yellow, and as high as 80 per cent come double from seed. Per pkt., 25 cts.

Chrysanthemum tricolor, "Chamæleon."

Large-flowered new variety of this showy hardy annual, so valuable for its yield of cut-flowers. The ground color of the flowers is a light, coppery-bronze with a bright purplish crimson zone during the first few days, the blackish purple disk being surrounded by a golden yellow circle; a few days later the coppery bronze changes into a clear isabel, while the colorings of the zone and circle remain. These four distinct colors on one flower, com-bined with the different colored flowers on one plant, produce a beautiful contrast. Exceedingly effective when planted in groups, and of great value for cutting purposes. Per pkt., 25 cts.

Double Allegheny Hollyhocks.

A new strain, remarkable for its enormous flowers, which average over five inches across, and are produced in great abundance and through the entire season. They are prettily fringed, chrysanthemum shaped, of the richest and most brilliant colors, and of very fine, almost transparent texture. Per pkt., 10 cts.



CHRYSANTHEMUM TRICOLOR, "CHAMÆLEON."

Dianthus Heddewigi albus, "Queen of Holland."

This is the first pure white Indian Pink ever introduced. Notwithstanding the great variety of colors displayed by the Dianthus Heddewigi, a white has hitherto been conspicuous by its absence, and everyone will welcome the introduction of this beautiful pure white Indian Pink. The result, so long desired, was obtained by fertilizing D. The Bride with pollen from the "Germania" Carnation. The variety is now pretty well fixed, at least two-thirds of the flowers being of a lustrous pure white. A certain percentage show a small ring, sometimes yellowish and sometimes rosy, round the center, but this rather enhances than detracts from the beauty of the flower. They are very effective in the garden and also excellent for cutting. Per pkt., 35 cts.

Eschscholtzia, "The Golden West."

A grand new Eschscholtzia, developed from *E. maritima*. The flowers measure from 4 to 6 inches in diameter; they have The flowers measure from 4 to 6 inches in diameter; they have very large overlapping petals, often delicately waved at the edges. They are beautifully and variously formed; some are flat and wide open, some saucer-shaped, others very deep, with flaring edges. The color is light canary yellow, with an orange blotch at the base of each petal, forming a Maltese cross in the center. In some the orange blotch almost suffuses the whole flower; in others it runs into the yellow in fine penciled lines; others again have an orange center with a margin of clear yellow, while the Maltese cross in some of the flowers is very distinct. These magnificent flowers, with their intense and shining colors, immense size and lovely forms, are extremely beautiful. They are especially adapted to the eastern climate, owing to their early and long-continued season of blooming. Per pkt., 25 cts.

Gaillardia grandiflora compacta.


New compact-growing varieties of the hardy perennial Gaillardias, forming round bushes of about 12 to 15 inches in trainardias, forming round busness of about 12 to 15 inches in height, and bearing their long-stemmed blossoms perfectly upright. The colorings of the flowers are exactly as rich and varied as those of the tall-growing varieties. As the plants produce their flowers most profusely and in constant succession from June to the autumn, this novelty, with its improved habit, will prove to be one of the most desirable of all hardy perennials grown for cut-flowers. Per pkt., 25 cts.



DIANTHUS HEDDEWIGI "QUEEN OF HOLLAND,"

New Aster, "Daybreak."

A splendid new Aster, of erect and graceful habit, producing large, perfectly globular, handsome flowers in



DAYBREAK" ASTER.

the greatest profusion. The color is a deli-cate sea-shell pink of exquisite beauty. The stems being very long, and the flowers so perfect in form and so exquisitely colored, make the plant one of the most valuable for cutting, as well as handsome when pot-grown. Our illustration shows its compact and floriferous habit. Per pkt., 10 cts.

Browallia speciosa major.

A superb new winter-blooming greenhouse plant, producing very large deep blue flowers, measuring about one inch in diameter. It grows about a foot high and is of neat, compact habit. Per pkt., 25 cts.

Celosia, Ostrich Feather.

Very large plumes, most of which are exquisitely curved and curled in exact resemblance of an ostrich feather. The plant grows about three feet high, and the numerous massive plumes waving gracefully above the foliage make it one of the most effective ornamental plants for either pot or outdoor culture. The most effective plumes are not developed until late in the season. The plumes, when cut, last a long time in water, and make a magnificent table decorative dis-In two colorsplay.

Crimson. Per packet, 10 cts.

Orange. Per packet, 10 cts.

Specialties and Novelties in Vegetable Seeds.

Cabbage, Thorburn Colossal.

Our Market-Gardeners' Private Stock Flat Dutch Cabbage, introduced several years ago, is the most popular sort with market-gardeners all over the country. Thorburn Colossal is a new strain of the Private Stock, which has been obtained by careful selection from immense heads only. It is an unfailing producer of heads of enormous size and of the finest quality. We recommend it as positively the finest winter Cabbage grown. Per mous size and of the finest quality. We rpkt., 10 cts.; oz., 40 cts.; ½lb., \$1.25; lb., \$4.

Carrot, Bellot.

A very fine French strain of superior quality, in size between the Extra-early Parisian Forcing and the Scar-Horn. It is very tender, and the best of all for stews and soups. Valuable for forcing or for outdoor cultivation. Per oz., 15 cts.; 1/4lb., 30 cts.; lb., 90 cts.

Celery, Rose-ribbed Golden Self-blanching.

This beautiful new Celery is a sport from the well-known Golden Self-blanching, and retains all the admirable qualities of that fine variety. It has the rich golden yellow color and is equally self-blanching. Its distinctive feature is the beautiful rose-tinted ribs, from which its name is derived. It is of the very finest table quality, and for this and its handsome appearance it is most highly recommended. Per pkt., 10 cts.; oz., 50 cts.

Celery, Thorburn Fin de Siecle.

In the course of the century that is now drawing to a close we have introduced many varieties of Celery, some of which have had their day, and others of which still hold their own among the best. But the one we are now entrusting with the reputation of a hundred years will, we are confident, justify its title to the distinction.

It is not a sport or hybrid, white or yellow, but a common green Celery of the old familiar kind. But it has a pedigree and breeding and traditions and a name which it must preserve. After growing to a great size, it lends itself readily to the blanching process, assuming a rich yellow tinge in

the heart, and presenting a very attractive appearance. As to its more important qualities, we may mention that a large Celery-grower, who had some of it for trial last year, pronounced it the very best for market purposes of all the sorts he grew. With ourselves it proved to be the largest, hardiest, solidest, crispest, best keeper and best shipping winter Celery we know of. Per pkt., 10 cts.; oz., 35 cts.; ¼1b., \$1; lb., \$3.50.

Lettuce, Thorburn Maximum.

The very handsome appearance of this new Lettuce is shown by our cut, which is accurately engraved from a photograph. Our crop inspector in France found it growing in one of the rural districts, recognized its exceptional merits, and procured for us some of the seed. It is wonderfully heat-resisting, remaining a long time, even in the hottest weather, without running up to seed. The out-side color is light green, but it becomes more and more yellow toward the heart. It is the *largest* and *solidest* of all our Head Lettuces, and its table quality is simply perfect, both as to tenderness and crispness. Per pkt., 10 cts.; oz., 40 cts.; 1/4lb., \$1.25.



THORBURN MAXIMUM LETTUCE.

New Pea, "Gradus."


This splendid novelty cannot be too highly praised. It is without doubt the finest extra-early Pea yet introduced, being as early as the earliest round varieties, and yet having pods as large as those of Telephone or Duke of Albany, well filled with large wrinkled Peas of a handsome deep green color and of the finest flavor and quality. Per qt., 60 cts.

Pea, Gregory Surprise.

A new variety obtained by crossing the "First-of-All" and the "American Wonder," the result being a wrinkled variety as early as the "First-of-All" and with the quality of the "American Wonder." It is the very earliest of all the wrinkled sorts—not excepting even the Station. The vines grow 24 inches high, and require no bushing. It is very prolific, pods are well filled, and the quality of the Peas is unsurpassed. Per qt., 35 cts.; ½pk., \$1.25; pk., \$2.25.

Rocky Ford Musk Melon.

An improved strain of the *Netted Gem* type, which has been grown on a very large scale, and to a wonderful degree of perfection, in Rocky Ford, Colorado. From that section it has been shipped to every city in the country,



ROCKY FORD MUSK MELON.

and sold in the markets under the name of the town from which it came. The Rocky Ford Melon is, therefore, already well known. It is by far the most popular sort on the market, and commands higher prices than any other variety. The true type is shown by our illustration, the shape being oval and the average length about five inches. It is very sweet and most delicately flavored, with exceedingly fine and smooth-grained flesh of a light green color. Per oz., 20 ets.; ½1b., 50 ets.; 1b., \$1.50.

New Pea, "St. Duthus."

A first-class, distinct, new wrinkled variety, growing about four feet high, with round, dark green pods measuring 4½ to 5 inches long, each containing 8 to 10 Peas of the very finest quality. It is very productive and free from mildew, and it can be highly recommended for a maincrop family variety. Per pt., 30 cts.; qt., 60 cts.

New Pea, "Daisy."

A new wrinkled, second-early variety, growing less than two feet high, with stout stems requiring no brush. It is exceedingly productive, the handsome bright green pods containing 8 to 10 large deep-colored Peas of very fine flavor. Per qt., 35 cts.; ½pk., \$1.25.

New Radish, "Triumph."

A White and Scarlet Striped Forcing Radish.

A very peculiar new Radish, with globe-shaped pure white roots, prettily striped horizontally with bright scarlet. The strain is not quite established, but a good percentage comes true from seed. Although it is suitable for open ground, it is best adapted for forcing, being quite short-leaved and of very rapid growth, and the hotbed cultivation renders its distinctive color more prominent. It is of the best table quality and of very ornamental appearance. Per pkt., 25 cts.

New Radish, "Icicle."

The name is given in allusion to the shape and the **transparent whiteness** of the root. The leaves are short, the flavor exceedingly fine, and it is about as early as the earliest *forcing* varieties. If well cultivated, it produces roots $3\frac{1}{2}$ to 4 inches long in twenty-two days from date of sowing. This is the first long white forcing Radish yet introduced. Per pkt., 25 cts.

New Tomato, Thorburn "Rosalind."

A valuable novelty, combining with its distinctive beautiful rose color all the good qualities of the best standard varieties. It is large and of uniform round shape, strictly smooth and solid, and of a fine, mild flavor; medium early, and very productive. It promises to become a standard main-crop Tomato of the highest class. Per pkt., 25 cts.; 5 pkts. for \$1.

CHINESE VEGETABLES.

Pe-Tsai, or Chinese Cabbage. The plant bears a loose, lettuce-like head of crisp leaves, which is used like cabbage. It does best in a rather cool, moist soil. Per pkt., 5 cts.; oz., 20 cts.

Chinese Mustard. An excellent plant for greens, producing an enormous amount of herbage. The leaves have an agreeable flavor when cooked like ordinary Spinach. Per oz., 10 cts.; lb., 75 cts.

Chinese Yam (Dioscorea batatas). The roots are used like potatoes. Roots, per doz., 60 cts.; per 100, \$3.50.

Zit-kwa (Benincasa cerifera). The Wax Gourd. The fruit is round or oblong, with solid white flesh. It is excellent for preserves or sweet pickles. It requires the same culture as the muskmelon. Per pkt., 10 cts.; oz., 60 cts.

La-kwa (Monordica charantia). The Balsam Pear is a favorite with the Chinese, who use it largely in salads, pickles and curries. It is necessary to boil it in water first, to remove bitterness. Per pkt., 5 cts.; oz., 25 cts.

Sing-kwa (Luffa acutangula, the Dish-cloth Gourd). The fruit is eaten before it is mature, either sliced like cucumbers, in soups, or cooked like squash. Per pkt., 5 ets.; oz., 30 ets.



CHINESE MUSTARD.

BOOKS FOR THE GARDEN.

We call attention to the fresh and valuable books included in the Garden-Craft Series and in the Rural Science Series. These works are either written or edited by Professor L. H. Bailey, of Cornell University. Other volumes are being rapidly added; all are fully illustrated and attractively printed.

THE GARDEN-CRAFT SERIES.

Manuals of practice, giving in plain terms up-to-date information and experience on the subjects treated. All are fully illustrated, and bound uniformly in flexible cloth, so that they may be readily carried in the pocket and conveniently referred to by busy men. They are all written by Professor Bailey.

- Garden-Making. Suggestions for the utilizing of home grounds. A guide to daily practice in the garden, giving in simple language just the information wanted by every one who buys a single packet of seed or grows one plant. This is the one book every grower needs. Fully illustrated. 8vo, cloth; \$1.
- The Horticulturist's Rule-Book. A compendium of useful knowledge for all who have to do with the garden, fruit-farm and glass-house. How to fight insects and plant diseases; details as to heating glass-houses; reliable information in most convenient and accessible shape. The book is a necessity to gardeners and growers. Fourth edition. 12mo, flexible cloth, 312 pages; 75 cents.
- The Nursery-Book. How to multiply plants, with complete details as to all forms of propagation, budding, grafting, seed-sowing, etc., and an extensive alphabetical nursery list of plants in both common and botanical names. Illustrated. Third edition. 12mo, flexible cloth, 365 pages; \$1.
- Plant-Breeding. Concerning variation and improvement of plants and the production of varieties; treats of crossing, hybridizing, pollination, etc. A most interesting and valuable work for those interested in new varieties of plants. 12mo, flexible cloth, 293 pages; \$1.
- The Forcing-Book. How to grow vegetables under glass, with complete details as to construction and management of forcing-houses. The best practice of successful growers, together with results of many interesting experiments. Includes instructions for combating insects and diseases. Valuable alike to the amateur or practical gardener. Fully illustrated. 12mo, flexible cloth; \$1.
- The Pruning-Book. A thorough manual of pruning and training, as observed from the best American practice. Both principles and methods are presented, with copious illustration. 12mo, flexible cloth, 540 pages; \$1.50.

THE RURAL SCIENCE SERIES.

The main inquiry of this series is as to the scientific facts of each subject. The volumes are written by acknowledged authorities, edited by Professor Bailey, and have elicited wide commendation. Others are to follow.

The Spraying of Plants. By Prof. E. C. Lodeman, of Cornell University. This important subject is exhaustively treated. It is, in fact, a complete manual for the application of fungicides and insecticides, and is invaluable in these days, when spraying is so necessary. Illustrated. 8vo, cloth, 399 pages; \$1.

The Soil. By Prof. Franklin H. King, of the University of Wisconsin. In this work are fully discussed the

The Soil. By Prof. Franklin H. King, of the University of Wisconsin. In this work are fully discussed the nature, relations and fundamental principles of management of the soil, in a manner which will prove most helpful to intelligent farmers and gardeners. Illustrated. 8vo, cloth, 303 pages; 75 cents.

The Fertility of the Land. The relationship of farm-practice to the maintaining and increasing of the productiveness of the soil. By Prof. I. P. Roberts, Cornell University. A most interesting volume, full of practical experience. Commended especially to the intelligent farmer. Fully illustrated; \$1.25.

Milk and its Products. A treatise upon the nature and qualities of dairy milk, and the manufacture of butter and cheese. By Prof. Henry H. Wing. A thorough statement of dairy work; up-to-date, bright and readable—is just the book for the dairy farmer. 280 pages, 33 illustrations; \$1.

The Principles of Fruit-Growing. By L. H. Bailey. The whole story in regard to fruit, both as to growing and marketing. Necessary to every American fruit-grower. Illustrated. 8vo, cloth, 508 pages; \$1.25.

The Survival of the Unlike. By L. H. Bailey. A collection of evolution essays suggested by the study of

The Survival of the Unlike. By L. H. Bailey. A collection of evolution essays suggested by the study of domestic plants. Extremely interesting to those who want to know the bottom facts. 8vo, cloth, 515 pages; \$2. Evolution of Our Native Fruits. By L. H. Bailey. Uniform with the preceding volume. Traces the origin and development of American fruits; very entertaining. Profusely illustrated. 8vo, cloth, 485 pages; \$2.

Bush-Fruits. By Prof. F. W. Card. Devoted to raspberries, blackberries, currants, etc., giving details as to varieties, culture, diseases and insects. Just published. Illustrated. 8vo, cloth, 537 pages; \$1.50.

Fertilizers. By Prof. E. B. Voorhees. A very practical discussion of this important subject; plain, clear, untechnical—no confusing formulæ. Should be in the hands of every grower. 8vo, cloth, 335 pages; \$1.

OTHER STANDARD BOOKS.

ASPARAGUS CULTURE. Barnes & Robinson\$0 50	PRACTICAL FORESTRY. By And. S. Fuller\$1 50
BROOM CORN AND BROOMS 50	THE GARDEN. As considered in literature by
FIRST LESSONS IN AGRICULTURE. By Prof. F. A.	certain polite writers. With a critical essay
Gulley, M. S	by Walter Howe 1 00
FOREST PLANTING. By H. N. Jarchow, LL.D 1 50	THE LEAF-COLLECTOR'S HAND BOOK AND HERBA-
FRUIT GARDEN. By P. Barry. New edition 2 00	RIUM. By Chas. S. Newhall. An aid in the
GRAPE CULTURIST. By A. S. Fuller. New edition. 1 50	classification of specimen leaves. Illustrated. 2 00
How Crops Grow. By Prof. S. W. Johnson 2 00	THE NEW ONION CULTURE. By T. Greiner 50
How to Destroy Insects 20	THE NEW POTATO CULTURE. By E. S. Carman 75
INSECTS AND INSECTICIDES. By Prof. C. M. Weed. 1 50	THE PRINCIPLES OF PLANT CULTURE. A first-class
LANDSCAPE GARDENING. By Samuel Parsons, Jr.	all-round instruction book in horticulture. By
Superintendent of Parks, New York City 3 50	Prof. E. S. Goff 1 00
LESSONS AND MANUAL IN BOTANY. By Prof. Asa	THE SUGAR BEET. By Lewis S. Ware 4 00
Gray. 800 pages. Illustrated 2 50	THE TREES OF NORTHEASTERN AMERICA. By
MUSHROOMS: How to Grow. By William Falconer. 1 50	Chas. S. Newhall. With illustrations 2 50
ORNAMENTAL GARDENING FOR AMERICANS. Long. 2 00	Tobacco Leaf. Its culture and cure, marketing
PEACH CULTURE. By Hon. J. Alexander Fulton 1 50	and manufacture. By J. B. Killebrew, Ph.D.,
SMALL-FRUIT CULTURIST. By And. S. Fuller 1 50	and Herbert Myrick, B.S 2 00
Sugar. The sugar industry of America, cane	TOBACCO CULTURE. Full practical details 25
sugar, beet sugar, culture of the sugar beet 50	TRUCK-FARMING AT THE SOUTH. By Dr. A. Oemler. 1 50
80 All Rooks Cant Posts	paid on Receipt of Price.

VEGETABLE SEEDS.


Please notice that our prices are quoted at the lowest New York figures, and do not include the prepayment of express or postage charges. If postage is to be prepaid, add 8 cents per pound.

**Esee inside front eover of this Catalogue for complete assortments of Vegetable Seeds of approved and choice sorts for from \$5 to \$25.

ASPARAGUS.

Asperge. Esparrago. Spargel.

CULTURE. - Sow the seed thinly in rows 1 foot apart in April or May (4 to 5 lbs. to the acre), and keep down



apart in April or May (4 to 5 lbs. to the acre), and keep down all weeds. To secure strong, healthy plants, thin out the seedlings to 3 or 4 inches in the rows, saving only the strongest. The 1-year-old plants should be set out in spring, in a rich, sandy loam, dug 18 inches deep, into which has been worked plenty of well-rotted manure. If a stiff clay soil is all that can be had, add plenty of sand and sifted coal ashes to loosen it up, and also see that it is well under-drained. In planting for private use, set out in beds 5 feet wide, three rows in a bed, the outer being each 1 foot from the edge, and allow 12 inches in the rows; set the plants at least 6 inches below the surface. If set out in autumn, top-dress with 6 inches of manure. For market on a large scale, set out 4 by 1% feet.

Every fall a good dressing of coarse manure should be applied after the tops have been cut, and in the spring forked in. Never cut too closely. The roots need the benefit of some foliage during the year, else they will weaken and die.

	ASPARAGUS.	Per oz.	1/4lb:	Lb.
15	Colossal. The most approved and standard sort. The famous Argenteuil of the Fre	nch		
	is identical with it	\$0 10	\$0 20	\$0 50
	Two-year-old roots	6		
16	Palmetto. Of southern origin; a very desirable bright green Asparagus	10	25	75
	Two-year-old roots	86		
17	Barr Mammoth. Two-year-old roots. Has very large, tender stalks of a very light co	lor.		
	per 100, 75 cts.; per 1,000, 8	86		
18	Columbian Mammoth White. A variety producing large white shoots		· 25	75
	Two-year-old roots	37		

ARTICHOKE.

ARTICHAUT. Alcachofa. Artischocke.

Culture.—Deep, rich, sandy loam, with plenty of well-rotted manure. Sow seeds in April and May, and then large enough transplant into rows 3 to 4

when large enough transplant into rows 3 to 4 feet apart and 2 feet in the rows. They reach maturity the second year. When cold weather sets in bank the earth to the top, first cutting off and tying up the leaves so that they will occupy less space, and in spring fork in a dressing of manure. Artichoke may also be treated as an annual by sowing the seed in hotbed during February and transplanting in May. The heads should be cut off and used as they get ready. If left to ripen on the plant they will exhaust it, and no more will be produced that season. Heads are unfit for culinary purposes after the flowers expand.

21	French Globe. The	⅓lb.	Lb.
	standard and best varietypkt., 10c\$0 30	\$0.85	\$3.00
22	Laon, or Paris Green.		
23	Large Green Naples.		

erusalem Ártichoke...qt., 20c.; bus., \$4.,



FRENCH ARTICHOKE.

BEANS.

As a farinaceous food for man, the Bean is considered far superior to any other legume, and next in impor-



THORBURN VALENTINE WAX BEAN.

tance to wheat. The modern varieties leave little to be desired; the great care given to their improvement has resulted in many superior sorts, greatly extending the season of use, as well as varying the quality of flavor.

CULTURE .- About the first of May select a warm, dry, sheltered spot; dig and manure slightly; make drills 2 inches deep and 18 inches to 2 feet apart; drop the Beans 3 inches apart in the drills, and cover not more than 2 inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks for a succession.

DWARF WAX BEANS.

- 30 Thorburn Valentine Wax. First in earliness, first in productiveness, and first in quality. A perfect Valentine Bean, with wax pods. Qt. 30 cts., ½pk. 90 cts., pk. \$1.50, bus. \$5.
- 31 Thorburn Refugee Wax. A perfect Refugee, with long, round, yellow wax pods. Suitable for early or late sowing, and an immense yielder. Qt. 30 cts., 1/2 pk. 90 cts., pk. \$1.50, bus. \$5.

1 00

3 00

32	Stringless Refugee Wax. A new strain of our celebrated Refugee Wax,	r qt.	½pk.	Pk.	Bus
34	claimed to be absolutely stringless	30	\$1 00	\$1 75	\$6 00
33	Black Wax, Improved Prolific. Very early and prolific. The pods are round,		·	·	
00	full, stringless, and of fine quality	30	90	1 50	5 00
34	" Challenge. An extra-early strain of the dwarf Black Wax	30	90	1 50	5 00
36	" Bismarck. Resembling in growth Wardwell Kidney Wax	30	90	1 50	5 00
38	" Currie Rust-proof. Flat pods; very early and productive	30	90	1 50	5 50
44	Detroit Wax. Very much like Golden Wax	25	75	1 25	4 50
46	Flageolet Red Wax. Flat, yellow, stringless pods of great size	30	90	1 50	5 00
48	Keeney Rustless Colden Wax. Productive; superior quality; golden yellow				
	stringless pods; somewhat inclined to run	30	90	1 50	5 00
54	Improved Golden Wax. Very early; round golden pods, long and stringless	30	90	1 50	5 00
56	Colden-eyed Wax. Very hardy and prolific, with flat, yellow pods; very early				
	and exceptionally free from rust; a very desirable and popular sort	30	90	1 50	5 00
62	Wardwell Kidney Wax. Early; long, flat, purely wax pods; fine shipper	30	1 00	1 75	6 00
65	White Wax. Flat, yellow pods	30	90	1 50	5 50
68	Yosemite Mammoth Wax. The largest podded of all the wax sorts	35	1 25	2 00	8 00
70	Roger "Lima Wax." Very broad, flat pods, glossy lemon wax color; fine flavor,				
	very productive. Excellent either as a Snap or Shell Bean	30	90	1 50	5 00

WHITE BEANS.

Cowing to the extremely dry season in California, all the Lima Beans are this year much smaller in

size	e than usual.			
71	Thorburn Dwarf Lima (Kumerle Strain). The dwarf form of our famous Chal-	½pk.	Pk.	Bus.
4.1.	Thorough Dwan Lima (Rumerie Strain). The dwarf form of our famous Char-			
	lenger Lima—the finest of all Limas. It possesses the flavor of the genuine			
	Challenger Lima, thus differing from all other Bush Limas. It is exceedingly			
	productive, bearing from 50 to 60 pods on the bush\$0 35	\$1 25	\$2 25	\$8 00
73	Burpee Bush Lima. A bush form of the large flat Pole Lima, growing only 18 or			
	20 inches high; it is an immense yielder	1 25	2 25	7 50
74	Henderson Bush Lima, or Sieva. Productive	1 00	1 75	6 00
77	White Valentine. Round Pod			
78	White Kidney. Excellent, either green or ripe; for baking	60	1 00	3 50

79 White Marrow. Good either green or ripe; for baking...... 20

DWARF GREEN-PODDED SNAP BEANS.

Frijoles.

Krup Bohnen.

Per qt. ½pk. Bus. Thorburn **Prolific** Market Bean. Enormously productive, the light green pods being borne in thick clusters; pods long, perfectly round, solid-fleshed......\$0 35 \$1 25 \$2 00 \$7 00 Marvel of Paris. Long, slender, round pods; early and remark-2.00 7 00 ably productive..... Triumph of the Frames, A dwarf green-seeded variety, which, by its extreme earliness and small size, is the best of all for growing in frames 2 00 7 00 Ne Plus Ultra. An extra-early sort; green, full, flat pods; exceedingly productive; also 5 00 suitable for forcing..... 90 1 50 Best of All. Early and superior;

1 25

4 00

01	Extra Early Valentine. Early
	strain of this popular round-
	pod Bean
88	Early Mohawk. Long, flat and
	straight pods; very hardy and
	productive

89

90

round green fleshy pods.....

tra Farly Valentine Early


bearing

30 1 00 1 75 6 00 30 1.00 1 75 5 50 Early China. White, with pink eye; early, continues long in

25

Dwarf Lyonnaise. A fine sort, with very long, roundish, slender pods......

HARICOTS NAINS.




30

90

1 50

5 50

94	Refugee	, Thorburn Extra Early. Has all the superior qualities of the famous		,		
		Refugee, and is fully two weeks earlier in podding	30	1 00	1 75	6 00
99	66	Late, or 1,000-to-1. Medium to late; very productive and tender;				
		largely grown for main crop; round pod	30	1 00	1 75	6 00
100	11	Golden. Has round pods of light green color; of strong growth, and				
		very productive. One of the best	30	1 00	1 75	6 00
101	66	Calega. An improved, large Late Refugee	30	90	1 50	5 00



DWARF LYONNAISE BEAN.

ENGLISH DWARF BEANS.

FEVE DE MARAIS. Haba. Große Bohnen.

CULTURE .- Sow in drills 2 feet apart, as early in the spring as the ground can be worked (these are as hardy as Peas), in order to get them into pod before the heat of summer. When in pod break off the top of the plant to check the growth. Plant and hoe same as for Dwarf Beans. A strong soil suits them best. These Beans are eaten shelled.

	Per	qt.	72pk.	PK.	bus.
106	Early Mazagan. The ear-				
	liest of this class\$0	25	\$0 75	\$1 25	\$4 00
108	Broad Windsor. The lar-				
	gest and best of the class				
	of English Dwarf Beans.	30	90	1 50	5 00
109	Sword Long Pod. A size				
	smaller than Windsor	25	75	1 25	4 50
110	Green Windsor. A green				
	"Long Pod"	30	90	1 50	5 00
112	Small Horse Bean. Half				
	the size of Mazagan	20	60	1 00	3 50

POLE OR RUNNING BEANS.

HARICOTS A RAMES. Frijole de Bejuco. Stangen-Bohnen.

Towing to the extremely dry season in California, all Lima Beans are much smaller than usual.

CULTURE.—Sow as the soil becomes warm and dry, from the first part of May (for all except Limas) to the latter part of May, in hills 4 feet apart each way. Limas should not be planted until warm weather has fairly set

in. One quart of Limas will plant about 100 hills, allowing four or five Beans to a hill, and of the smaller sorts about 200 hills. Poles 8 or 10 feet long should be firmly set in the center of the hills before putting in the seed.

- 114 Lima, Challenger. Thick and productive; the best of all. Qt. 35 ets., ½pk. \$1.25, pk. \$2, bus. \$7.
- 115 "Large White. Largely grown and highly esteemed. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.
- 120 "King of the Carden. Large in pod and Bean. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.
- 124 "Dreer. Thick, and of fine quality. Qt. 35 cts., \(\frac{1}{2} \) pk. \(\frac{1}{2} \), pk. \(\frac{2}{2} \), pk. \(\frac{2}{2} \), pk. \(\frac{2}{2} \), pk. \(\frac{2}{2} \),
- 126 "Early Jersey. Matures earlier than the large Lima. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 129 "Small White, or Sieva. Yery productive sort. Qt. 30 ets., ½pk. \$1, pk. \$1.75, bus. \$6.
- 130 "Willow Leaf. Very productive; of fine flavor. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 132 Horticultural, or Speckled Cranberry. Good as a Snap or as a Shell Bean. Qt. 30 cts., ½pk. 90 cts., pk. \$1.50, bus. \$5.50.
- 133 Speckled Cut-Short, or Corn-Hill. Used for planting among Corn. Qt. 30 ets.
- 134 Dutch Case-Knife. Pods long, green and flat; can be either snapped or shelled. Qt. 30 cts., ½pk. 90 cts., pk. \$1.50, bus. \$5.
- 135 Southern Prolific. A continuous bearer; of good quality. Qt, 30 cts., ½pk. 90 cts., pk. \$1.50, bus. \$5.50.
- 136 Scarlet Runner. A popular English Pole Bean; very ornamental. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 143 White Dutch Runner. Same habit as the Scarlet Runner. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 144 Kentucky Wonder (Old Homestead). Pods green, very long; very prolific. Qt. 30 cts., ½pk: \$1, pk. \$1.75, bus. \$6.
- 162 **Black German Wax.** Yellow pods. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 165 Fiageolet Wax Pole. Large yellow, stringless pods. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 173 Mont d'Or. Early, productive; golden wax pods. Qt. 30 ets., ½pk. \$1, pk. \$1.75, bus. \$6.
- 175 Golden Gluster White. Large golden yellow, flat, stringless pods; fine flavor. Qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.
- 179 French Yard Long. Pods sometimes grow from 2 to 3 feet long, and are very slender, like a pipe-stem; very curious; should be grown on pea brush. Per ½pt. 25 cts.



BURNET.



LIMA BEANS.

BORAGE.

The young leaves of this annual, which smell somewhat like a Cucumber, are used as a salad, or boiled like Spinach. Should be sown at intervals, as the leaves are palatable only when young. Sow in the spring, in light soil; transplant in shallow drills, a foot apart, when of six weeks' growth.

Per oz. 1/1b. Lb.

183 Borage\$0 15 \$0 40 \$1 25

BURNET.

PIMPERNELLA PETITE. Pimpinela. Pimpernell.

The leaves have a warm, piquant taste, and are useful for salads and soups. Sow early in the spring, half an inch deep, thinly in rows.

Per oz. 1/4lb. Lb.

191 Garden\$0 10 \$0 30 \$1 00


BEET.

BETTERAVE.

Remolacha.

Salatriibe.

CULTURE.—Sow as early in the spring as the ground can be worked (5 to 6 lbs. to the acre), and every two weeks after for a succession, up to the first week of July. For general crop sow about the middle of May.



The soil should be light, sandy loam, well enriched with stable manure, and plowed and harrowed until very fine. Sow in drills 1 foot to 15 inches apart, and when well up, thin from 4 to 6 inches. The young Beets pulled out of the row are excellent used as Spinach.

- 192 Extra-early Egyptian. Very early, and of dark blood color; rather flat in shape. Oz. 10c., ¼lb. 20., lb. 50c.
- 193 Crosby Egyptian. Extra early, round, dark red. Oz. 10 ets., ½1b. 20 ets., 1b. 50 ets.
- 194 Extra-early Eclipse. Very early; round rooted and bright red. Oz. 10 ets.; ¼1b. 20 ets., 1b. 50 ets.
- 195 Electric. Extra early, nearly round variety; bright red color and fine table quality. Oz. 10c., ¼1b. 20c., 1b. 60c.
- 196 Lentz Extra-early Turnip. A large, small-top, round Beet; light red. Oz. 10 cts., ½1b. 20 cts., lb. 50 cts.
- 97 Dewing Early. Of fine form and flavor, and good for market. Oz. 10 cts., ½1b., 20 cts., 1b. 50 cts.
- 198 Bastian. An early, light-colored turnip Beet; good. Oz. 10 cts., ¼1b 20 cts., 1b. 50 cts.
- 199 Columbia. A round, smooth-skinned variety, with deep blood-red flesh; it is very early, and of the finest quality. Oz. 10 cts., ½1b. 20 cts., lb. 60 cts.
- 213 Edmand Blood Turnip. A market-gardeners' strain of great regularity in shape, and very dark flesh of best quality. Oz. 10 cts., ½1b. 20 cts., 1b. 50 cts.
- 214 Early Blood Turnip. Dark red, and of fine flavor; good for winter. Oz. 10 cts., 1/4 lb. 20 cts., lb. 45 cts.

			/410.	
215	Bassano. Early, light color.	\$0 10	\$0 20	\$0 50
220	Early Yellow Turnip. Flesh yellow and tender	. 10		75
224	Half-long Blood. Fine dark strain, for winter	. 10	20	60
226	Black Queen. Very dark, half-long roots; leaves almost pure black	. 10	20	60
	Victoria. Metallic red foliage			1 25
	Dell. Black-leaved			1 25
234	Long Smooth Blood. A good late variety for winter	. 10	20	50

FOLIAGE BEETS.

Kinds of which the leaves only are used; very ornamental.


		Per oz.	⅓lb.	Lb.
247	Scarlet-ribbed Chilian	80 20	\$0 35	\$1 25
	Yellow-ribbed Chilian		35	1 25
	Crimson-veined Brazilian		35	1 25
	Golden-veined Brazilian		35	1 25
	Scarlet-veined Brazilian		35	1 25
253	Dracæna-leaved	20	40	1 50

Grown exclusively for their handsome foliage.

MANGEL-WURZEL, SUGAR BEETS, ETC.

Runkelrüben.

Culture.—As all Mangels require a deep soil in order to grow well, plow and subsoil at least a foot to 18 inches, and apply plenty of rich stable or Thorburn's Complete Manure. Sow in May or June (5 to 8 pounds to the acre), in rows 18 inches to 2 feet apart, and thin to 8 inches in the rows. Young plants may be transplanted to fill up vacancies. Sow in addition, when the plants are 3 to 4 inches high, at the rate of 200 lbs. Complete Manure, 200 lbs. bone flour, and 400 lbs. salt per acre. As soon as frost occurs, dig the crop. But in order to be well preserved for gradual consumption during the winter, Mangel-Wurzels should be heaped to a height of perhaps 6 feet, on a dry, sloping situation; cover at first with a piece of canvas, and as the cold increases this should be replaced by about 6 inches of either salt-hay, straw, sea-weed, or corn-stalks. Lest this covering be




GIANT YELLOW INTERMEDIATE MANGEL-WURZEL.

MANGEL-WURZEL, SUGAR BEETS, ETC .- continued.

displaced by the wind, a light layer of earth is necessary. As soon as this surface soil becomes frozen, about 6 or 8 inches more of earth should be placed over the entire heap. By following up this gradual process of covering, all danger of heating will be obviated, and the roots will keep in perfect order. Sow from

5 to 8 pounds to the acre.



MANGEL-WURZEL.

	Pe	er oz.	1/41b.	Lb.
262	Warmoth Long Red Mangel-Wurzel. Very large, selected strain; 10 lbs. and over, @ 25 cts. per lb	80 10	\$0 1 5	\$0 30
263	Long Yellow Mangel-Wurzel. A good main crop sort; 10 lbs. and over @ 25 cts.	10	15	20
265	yellow Ovoid Mangel-Wurzel. Of distinct shape; one of the most productive sorts.	10	15	30
270	10 lbs. and over @ 25 cts. per lb	10	. 15	30
0.70	yellow; handsome and sweet, and very productive. 10 lbs. and over @ 25 cts. per lb.	10	15	30
	Giant Yellow Intermediate. A very large, yellow sort. 10 lbs. and over@25c.perlb.	- 10	15	30
274	the Yellow Globe; productive. Similar to over @ 25 ets. per lb	10	15	30
276	Yellow Globe Mangel-Wurzel. Large and productive; keeps well, and is relished by stock. 10 lbs. and over @ 25 cts. per lb	10	15	30
278	* .			
	10 lbs. and over @ 25 cts. per lb	10	15	30

SUGAR BEET.

KLEIN WANZLEBEN IMPROVED SUGAR BEET.

In view of the increasing interest in the culture of the Sugar Beet, we have had grown for us, under the direction of men of long experience, a supply of the very choicest seeds of several highly improved varieties. On application we shall be pleased to mail circular giving directions for their culture. We recommend 20 to 25 lbs. of seed to the acre. We offer them, so long as unsold, at the following prices:

		1 to 5 lbs.			25 lbs. and over,
		per lb.	per lb.	per lb.	per lb.
280	Klein Wanzleben	. \$0 30	\$0 25	\$0 20	\$0 15
281	Klein Wanzleben Improved	. 40	35	30	25
282	Vilmorin	. 30	25	. 20	15
283	Vilmorin Improved	. 40	35	30	25
284	White Imperial (best for poor soil)	. 30	25	20	15
286	White French. Very large; for feeding stock	. 30	25	20	15

BROCCOLL.

Spargelfohl. Broccoli. Broculi.

CULTURE .- Sow early sorts as soon as the ground can be worked in the spring, in shallow drills, drawn 3 or 4 inches apart. Plant out 2 feet apart each way when the plants are about 4 inches high. Cultivate the same as Cabbage, in rich soil. Use the same remedies for insect attacks as are recommended for Cabbage.

The following are sorts best adapted to this climate, and the only ones which succeed generally; they are excellent, and deserve much wider culture than is usual in this country. We recommend No. 307 as the most certain to give satisfactory results.

	1	Per oz.	⅓lb.	Lb.
300	Early White	\$0 30	\$0 85	\$3 00
301	White Cape	. 40	1 25	4 50
302	Mammoth White	. 40	1 25	4 00
307	Early Purple Cape	. 40	1 25	4 50
313	Purple Sprouting St. Martin	. 25	75	2 50
314	Veitch Self-protecting	. 40	1 25	4 00
216	Chapel Cream	. 30		



BROCCOLI

45


BRUSSELS SPROUTS.

Berza de Brusels. Rosenkohl. CHOU DE BRUXELLES.

CULTURE. - Sow in May, in the same manner as Cauliflower, and transplant in July, 1 foot apart in the rows, which should be 11/2 feet apart. In gardens, both large and small, the Brussels Sprout is, without excep-

tion, the very best winter vegetable that can be grown. Not the least valuable point connected with the Brussels Sprout is that it is as hardy as the common Curled Greens. The common Cabbage is hardy enough in a young state, but when full grown and hearted, frost soon destroys the largest heads, which rot and fall to pieces. Not so the Brussels Sprout; being small and hard, it is not in the least affected by frost. The real Sprout is not much larger than a marble, and as firm and hard almost as the stalk itself. These are the sorts which cooks prefer. They strip off the outer covering, cook them whole, and serve them up artistically in that fashion. When cooked through and no more, such Sprouts melt in the mouth, like the tenderest Cauliflower, and are equally as good. If more widely known, the Brussels Sprout would be as popular as it is valuable; few people appreciate it at its full worth.

318	Best French, or Roseberry. Very	r oz.	⅓lb.	Lb.
	good\$0	20	\$0 50	\$1 75
319	Improved Half Dwarf. The very best and surest strain	20	60	2 00
320	Improved Dwarf. Compact heads of fine quality	20	60	2 00
321	Improved Long Island Strain	40	1 25	4 00



BRUSSELS SPROUTS

CARROTS.

CAROTTE.

Zanahoria.

Long White. Very large; for stock.....

Möhren.

CULTURE.—Sow No. 323 as early as the ground can be worked; or, for late crop, until the latter part of July.



340

342

343

344

345

346

For main crop, sow from the middle of May to the first of July. Thin out early crop to 5 inches in the row, main crop 6 to 7 inches; the rows 10 inches apart for early crop, 14 for main crop. Hoe often and deeply between the rows. Soil light, sandy loam, richly manured and deeply dug. Sow at the rate of 2 pounds to the acre.

Early Round Parisian. Small and very tender; for frames or open ground......\$0 15 \$0.30 \$1 00 324 Early Forcing. Tender and fine; best for early and late crops and frames..... 15 1 00 325 Bellot. Very early and tender French sort; valuable for 15 30 forcing or outdoors..... 90 326 Half Short Stump-rooted, Guerande Strain. Very thick and short าก 25 80 328 Early Scarlet Horn. Very thick roots..... 25 75 Half Long Pointed. A very well-known strain; pro-10 25 75 330 Half Long Stump-rooted. An excellent sort, of good quality 10 25 Haif Long Stump-rooted, Nantes Strain. A popular 332 10 75 market sort Half Long Stump-rooted, Chantenay Strain. Style of 334 10 25 Namtes; broader shoulder Carentan. Half long stump-rooted, coreless, red flesh; 336 25 75 fine quality..... 10 Half Long Stump-rooted, Luc. Useful main crop sort; early and productive, 30 1 00 Half Long Danvers. Thick; of good quality and exceedingly productive; one of the 25 most popular sorts.... Thorburn Intermediate Long Scarlet. Splendid strain..... 10 25 St. Valery. A thick intermediate long red..... 25 10 75 Long Orange. Best for stock-feeding .:.... 20 10 65 Altringham. Long red; productive 10 20 50

CABBAGE.

CHOU. Berza de repollo. Robi.

CULTURE. - Soil for Cabbage should be rich and heavy loam, with good drainage. On such a soil, with an



EARLY JERSEY WAKEFIELD

abundance of stable or Thorburn's Complete Manure, excellent crops are sure to be grown. For early spring, sow in fall; not too early, or the plants are liable to bolt in the spring instead of heading. In a month the plants will be fit to transplant to coldframes, where they are wintered, taking care, in planting, to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants 2 feet apart one way and from 12 to 18 inches the other, according to the variety. If it is desirable to economize space, Lettuce or Radish may be sown between the rows. as they will be out of the way before the Cabbage needs the room. For late or winter crops the seed is sown in May, and the plants set out in July. In this case they are set in rows 2 by 3 feet, so as to work them with a horse and cultivator. To destroy the green worm that is so

destructive to the leaves and heads of Cabbage and Cauliflower, an experienced grower says: "Take one ounce of saltpetre and dissolve it in 12 quarts of water; then take a short-handled whisk broom, dip it in the solution, and sprinkle the plants well. One application is sufficient, unless the stuff is washed off by heavy rains. The liquid, being perfectly clear, never colors the Cauliflower or Cabbage heads." To prevent the turnip flea attacking the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear above the ground.

		Per oz.	⅓lb.	Lb.
351	Early Spring. New, flat, extra early			
352	Express. The earliest of all; small, solid heads; fine quality		\$0 50	\$1 50
353	Etampes. A fine extra-early small French sort, with pointed heads	. 20	50	1 50
354	Early York. The standard English sort	. 15	40	1 25
355	Large Early York. Larger than the above	. 15	40	1 25
358	Early Jersey Wakefield. Well known, and most valuable for early	. 25	75	2 50
359	Charleston Wakefield. Very large strain of the above	. 30	85	3 00
360	Early Winnigstadt. A standard second-early variety	. 15	40	1 25
368	Stein Early Flat Dutch. A remarkably fine strain; a sure header, the heads weighin			
	from 10 to 12 pounds. Most valuable for forcing, or for general crop		75	2 50
370	Improved Early Summer. A superior second-early sort; produces large and solid heads	s. 25	75	2 50
371	Surehead Improved. Large, solid heads of fine quality	. 20	60	2 00
372	Selected All-Seasons. One of the finest for second-early or late, growing to a larg			
	size quickly and surely. The true sure-header		75	2 50
373	Succession Improved. An excellent second-early sort, on style of All-Seasons		75	2 50
374	Filder Kraut, or Pomeranian Pointed Head		60	2 00
376	Fottler Brunswick. Good solid heads, either for second-early or late		60	2 00
378	Large Late Drumhead. A standard winter Cabbage for main crop	. 20	. 60	2 00
380	Large Late Flat Dutch. Also a valuable main-crop sort for market	. 20	60	2 00
381	Vandergaw Quick-growing Flat Dutch. A sure-heading sort	. 25	75	2 50
382	Thorburn Market-Gardener's Private Stock Flat Dutch. Fine strain of the in			
	mense winter Cabbage grown on Long Island for market		85	3 00
383	Thorburn Colossal. Largest and finest of all. (See Novelties)		1 25	4 00
384	Luxembourg. Large, solid head, oval shape, short stem; very tender		75	2 50
385 388	Danish Ball Head Winter, or Hollander. Very round solid winter sort from Denmark		85 60	3 00 2 00
389	Green Glazed. Glossy green; suitable for hot climates		85	3 00
390	Savoy, Early Dwarf. The earliest Savoy variety; fine quality		50	1 75
391	"Early Vienna, Very small; delicate flavor		50	1 75
392	"Early Ulm. Small, round, deep green head; very early		50	1 75
393	Thorburn New Stock Drumhead. Very fine strain		60	2 00
394	Chinese Cabbage (Pe-Tsai). Grows like Cos Lettuce	. 20	. 60	2 00

CARDOON.

CARDOON. Cardo. Cardon.

CULTURE.—Sow early in spring, in rows where they are to stand, and thin them to 1 foot apart. When full size, bind the plants together with bast or raffia, and earth up like Celery to blanch. The stems of the leaves are used for salads, soups and stews.

Per oz. 141b. Lb.

480 Large Solid. Grows about 4 feet high; leaves nearly free from spines...per pkt., 10c...\$0 30 \$0 85 \$3 00

CAULIFLOWER.

CHOU-FLEUR. Coliflor.


Blumenkobl.

CULTURE. - The same as for Cabbage, except that extra manure and plenty of water will pay upon Cauliflower. If the soil be dry, water frequently, and if the plants could have a heavy mulch of hay or straw, it would keep the soil moist, and the plants would not suffer from drought. The early kinds should be strong enough to plant out not later than the middle of April; the late kinds may be planted out same time as for Cabbage. To destroy the Cauliflower-maggot, it is recommended to take 1 ounce of sulphuret of potassium and dissolve it in 1 gallon of water. Heat the liquid to about 100 degrees, take a large spoon, or something that will hold the 100th part of a gallon, and pour the liquid against the

482 Extra-Early Dwarf Erfurt. The very best and earliest for forcing under glass; very dwarf and compact, with short stem and small leaves. It should not be confounded with entirely different sorts advertised under the same name. Pkt. 50 cts., oz. \$6.

stalk of the plant just above the ground.

483 Thorburn Early Snowball. Our strain of this popular variety is unequaled. It is one of the best for forcing under glass or for the open ground; it is a very sure header, but not so large as our *Gilt-Edge*. Pkt. 25 cts., oz. \$2.25, ¼lb. \$7.50, lb. \$30.



THORBURN GILT-EDGE CAULIFLOWER.

484	Thorburn Gilt-Edge. Large, heavy sort,	Per oz.	1/4lb.	Lb.
	maturing immediately after our Snowball. It is, without any exception, the very best			
	and surest of all the sorts now in cultivationper pkt., 25 cts		\$7 50	\$ 30 00
485	Large Early Dwarf Erfurt. Finest strain	2 25	7 50	30 00
486	Denmark. On the style of Large Erfurt; very fineper pkt., 10 cts	1 50	5 00	20 00
489	Extra-early Paris. Heads of medium size; first-class	75	2 00	8 00
492	Lenormand Short Stem. Has very large heads; white and firmper pkt., 10 cts	75	2 00	8 00
494	Large Algiers. Market-gardener's popular late sort; enormous sizeper pkt., 10 cts	75	2 00	8 00
497	Early London. Large and hardy	40	1 00	4 00
499	Thorburn Nonpareil. A standard sort for general useper pkt., 10 cts	75	2 00	8 00
503	Autumn Giant. Vigorous in growth, and very large; late	40	1 00	4 00

TESTIMONIALS FROM LARGE CAULIFLOWER-GROWERS AND SEED MERCHANTS.

J. M. THORBURN & Co.

CUTCHOGUE, N. Y., July 13, 1898.

Gentlemen: I have used your Gilt-Edge, Snowball and Erfurt Cauliflowers for the last 16 years, and always with good success. I have also used other well-known kinds from other houses, but yours always came out ahead. I have also been selling different kinds of Cauliflower seeds for the three years past for the Southold Town Agricultural Society, and the demand is three to one in favor of yours.

Yours respectfully,

(Signed) Purchasing Agent Southold Town Agricultural Society.

J. M. THORBURN & Co.

CUTCHOGUE, L. I., July 11, 1898.

Gentlemen: In reply to your inquiry regarding the merits of your three popular varieties of Cauliflower, I beg to say that I have grown your Large Erfurt since 1876, and your Snowball and Gilt-Edge since they were introduced, and at this time I grow no other varieties. The Gilt-Edge produces very large, heavy heads, requires a long season, and is desirable for early setting to grow for pickling. It makes good heads in warm weather. The Large Erfurt has very fine white heads of large size. It is a sure header, but does not head all at one time, but follows along in succession. We consider it the best for setting from July 4 to 25. Your Snowball is a fine medium-sized variety, heads very clean and quickly, and nearly all at one time. It is, therefore, very valuable for late setting for storing for winter. We use it almost exclusively for the growing of winter Cauliflowers, taking up and storing small, half-grown heads in the latter part of November, in cool cellars or sheds, and holding for the good prices of Christmas and New Year.

(Signed)

WM. A. FLEET.

J. M. THORBURN & Co.

MATTITUCK, N. Y., July 13, 1898. Gentlemen: I have used your Gilt-Edge, Snowball and Large Erfurt Cauliflower seed for 20 years, and never had a poor ounce. You may use my name in support of your highest claims for them.

Yours respectfully.

(Signed)

GEO. C. COOPER.

J. M. THORBURN & Co.

INTERLACHEN, FLA., July 21, 1898.

Gentlemen: In reply to your favor, we would state that, in our opinion, based on our sales of it for the past five years, your Gilt-Edge Cauliflower is by far the best variety for the lower South, and for the past 2 years we have sold more of it than of all other varieties combined.

We are so well satisfied with it that we have no desire to list other new introductions, for they have not proved to be its equal in actual field tests. Yours truly, (Signed) H. G. HASTINGS & Co., Seedsmen.

CELERY.

CELERI. · Apios. Sellerie.

CULTURE. - Sow the seed in a light, rich, dry border, as early as the ground can be worked, in drills 8 or 10 inches apart, and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be



dry. When fairly out of the seed-leaf, they may be transplanted to another bed, or they may be thinned out to 6 or 8 inches apart, and let grow until wanted to plant out in beds or trenches. The beds should be kept well weeded, and an occasional soaking with water in dry weather will do the plants good. Early in July at the north, a month or six weeks later in the southern states, is the proper time to set the plants out in beds or trenches. Press the soil firmly against the roots. In the garden the better way is to set the plants in shallow trenches. We say shallow, for it is obviously a bad plan to remove all the good soil (as must be done in a deep trench) and put the plants in that which is poor. The plants must be set in a single row in a narrow trench, or the trench may be made into a bed wide enough to hold two, three or four rows, and in this case the plants are in a compact form to be covered for the winter where they grow. This will save much labor where there is no root-cellar for storage, as often happens to be the case. When grown in beds in this way, the rows should be 1 foot apart, and the plants about 8 inches apart in the rows. A bed 4 feet wide will take 4 rows of plants, leaving 6 inches space on the outside of the first and last rows.

The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times; and in doing this, eare should be taken not to let the earth get into the heart of the plant. In field culture the plants are set on the surface in rows 4 feet apart when the Celery is to be earthed up in the field for early use, and 2 feet apart when the plants are to be taken and blanched in the cellar for winter use. The plants are set 6 inches apart in rows. If not grown in beds, the best way to store is to dig trenches in a well-drained spot in the open ground, 1 foot wide, and of a depth a few inches less than the height of the Celery. The plants are then lifted and set close together. The edges of the trench should be made sloping from the tops of the plants. When severe cold weather comes on, cover gradually with leaves, hay or straw, and place boards on top. In such a trench the stalks will blanch perfectly, and may be taken out any time during the winter for use or sale as required. The turnip-rooted or "Knob" Celery needs no earthing up, and may be planted in rows 1 foot apart.

	Per	oz.	⅓lb.	Lb.
512	Thorburn Fin de Siecle. We consider this the largest, hardiest, solidest, crispest, best keeping and best shipping winter Celery we know ofper pkt., 10 cts\$0	35	\$1 00	\$3 50
514	Improved White Plume. Naturally white or light foliage; requires but little banking up to blanch; very early, and extensively grown for market	30	85	3 00
516	Golden Self-blanching. A grand variety, on the style of White Plume, except that it is golden yellow where the Plume is whiteper pkt., 10 cts	40	1 25	4 00
517	Rose-ribbed Colden Self-blanching. This beautiful new Celery is a sport from the well-known Golden Self-blanching, differing from that variety only in the handsome rose-tinted ribs, from which its name is derivedper pkt., 10 cts	50	1 50	5 00
518	Perfection Heartwell. One of the finest and largest of winter varieties, either for family or market-garden. The heart is golden yellow, and of superior quality	25	75	2 50
520	Thorburn's Shumacher. Immense size; solid and crisp; firm golden yellow heart; a fine keeper; highly recommended	30	85	3 00
521	Perle le Grand. A hightly recommended new variety. Full golden heart and rich flavor,			
	and an excellent keeper	25	75	2 50
522	Ciant Pascal. An easily bleached and fine keeping large late sort of good flavor	20	50	1 50
523	Large-ribbed Kalamazoo. A good half dwarf white solid Celery	20	50	1 50
528	Evans' Triumph. Fine, large, solid green variety	30	85	3 00
534	Crawford Half Dwarf, or Golden Heart. Of vigorous growth and excellent flavor	20	. 60	2 00
540	Sandringham Dwarf White. Small, white, solid	20	50	1 50
541	Pink Plume. The same as White Plume, except that the stalks are tinged with pink. It			
	is of very attractive appearance, and possesses the rich flavor and long-keeping quali-			
	ties for which the red Celeries are noted	35	1 00	3 50
546	CELERIAC, or Turnip Rooted. Has edible roots, used for soups and stews. If boiled			
	and served with white sauce, it makes an excellent dish	15	50	1 50
548				
	stews. The roots, when cooked and sliced like beets, make fine winter salad	25	75	2 50
550	Celeriac, Apple. Has small foliage and small, smooth roots; for soups	20	, 60	2 00

1 00

75

CHERVIL.

CERFEUIL. Perifollo. Bensenlauch.

CULTURE. - Cultivate and use the curled variety of Chervil like Parsley. Sow at any time in the spring, in shallow drills, 1 foot apart, in well-prepared ground. The seed of the Tuberous Chervil should be sown in August or September,

апи	treated like the Carrot.	1 07	⅓lb.	Lb.
552	Curled. The leaves of this are used	. 02.	/410.	110.
	for flavoring soups and stews, and			
	for garnishing, same as Parsley\$0	10	\$0 25	\$0.75
553	Tuberous. A variety which has edi-			
	ble roots	20	60	2 00



CURLED CHERVIL.

CITICONI.	HICORY.
-----------	---------

Common or Wild. Used in Barbe de Capucin, a salad much made in France. Sown in June, the roots are transplanted in autumn into sand in a cellar. The young shoots form the Barbe de Per oz. 1/4lb. Capucin.

Witloof. May be sown in May and June in drills. Transplanted or thinned to 6 inches,



COLLARDS.

are the Chicory of commerce.....

Cabu. Blatterkobl. CHOU CABU.

CULTURE. - Sow seed, as for Cabbage, in June, July and August, for succession. Transplant when one month old, in rows a foot apart each way, and hoe often.

Per oz, 1/41b. Lb. \$0 10 \\$0 25 \\$0 75

CORN-SALAD, or FETTICUS.

Macha o Valerianilla. Stecksalat. MACHE.

CULTURE. - Sow during August, or early in September, in drills ¼ inch deep and 6 inches apart. If the weather is dry when the seed is sown, tread it lightly to insure germination. Keep down weeds with hoe. Just before the winter, cover thinly with straw or leaves.

	CORN-SALAD, or FETTICUS.			
	Large-seeded	Per oz.	1/4lb.	Lb.
561	Large-seeded	. \$0 10	\$0 20	\$0 60
562	Small-seeded	. 10	25	75
	Green Cabbaging			
565	Lettuce-leaved	. 10	30	1 00

CRESS.

CRESSON. Berre o Mastuerzo. Rreffe.

CULTURE. - Sow Nos. 569 and 571 thickly, in shallow drills, every two or three weeks. No. 569 should be cut often, and it will continue to grow. It is useful not only for salad, but for the breakfast table and for garnishing. Nos. 575 and 576 should be sown in damp soil; or if a stream of water can be utilized, they would be much finer. They will also thrive well in damp hotbeds. Rightly managed, their culture is very profitable. The obstance of the control of profitable. To obtain early salad, it is a good plan to sow with water-cress seed a strip 4 inches wide on the outer margin of a hotbed, inside the frame, where it is always cool.

	Pe:	r oz.	741b.	Lb.
569	Curled or Pepper Grass\$0	10	\$0 20	\$0 50
571	Broad-leaved		20	50
573	Broad-leaved Winter	15	30	1 00
575	Erfurt Sweet Water Cress			
	per pkt., 10 cts	80		
576	True Water Cress	40	1 25	4 00





CORN, SWEET or SUGAR.

Maiz. Maiz. Maiz.

CULTURE.—Plant in hills 3 feet apart each way, and five or six kernels in a hill. Hoe often and draw soil up to the stem; break off side shoots. Make the ground rich with well-rotted manure. Sown in drills, a greater yield from a given surface will be obtained. The best fertilizer is Thorburn's Complete Manure. By sowing successive lots and properly selecting varieties, the supply of Sweet Corn can be kept up until hard frosts kill the plants.

	EXIRA EARLY.	_	-	-	***	-
580	Early Cory. A very early variety, with good-sized ears and large grains.	Per	Per qt.	Per ½pk.	Per pk.	Per bus.
	This is excellent for market, and has attained wide popularity\$		\$0 20	\$0 60	\$1 00	\$3 00
581	White Cory. Resembles the ordinary Cory, but with white cobs	05	25	75	1 25	4 00
582	Marblehead. One of the earliest; dwarf, with short, thick ears; of good quality for an early sort, which especially commends it	05	20	60	1 00	3 5 0
583	Minnesota. Nearly as early as Marblehead; of dwarf growth	05	20	60	1 00	3 50
584	Perry Hybrid. Very early and of large size; most valuable for market	05	20	60	1 00	3 00
585	Melrose. As early as the Perry Hybrid, and much larger; valuable	05	25	75	1 25	4 00
586	Burbank Early Maine. Large, pure white ears of fine quality; extra early.	05	25	.75	1 25	4 00
590	Extra-early Adams. Not a Sugar Corn, but largely grown for early use	05	20	60	1 00	3 00
	SECOND EARLY, OR INTERMEDIATE.					
593	Shaker Early. Very large, white grain, and quite early	05	20	60	1 00	3 50
599	Crosby. Matures after Minnesota; fair-sized ears of good quality	05	20	60	1 00	3 50
608	Pee and Kay. Ears large and thick; a desirable variety	05	20	60	1 00	3 00
609	Stabler Pedigree. A good main crop sort	05	20	60	1 00	3 50
610	Potter Excelsior. Good size, and a week earlier than Large Excelsior	05	20	60	1 00	3 50
611	Moore Concord. Of strong growth; ears large and well-filled	05	20	60	1 00	3 00
617	Early Adams. Not a Sugar Corn, but grown extensively for market	05	20	60	1 00	2 50
	GENERAL CROP.					
618	Large Eight-rowed. Very productive, and of superior richness	05	20	60	1 00	3 00
619	Asylum. Thick, 12-rowed	05	20	60	1 00	3 00
620	Triumph. Large ears, very white; productive	. 05	20	60	1 00	3 5 0
622	Hickox Improved. Handsome ears, very white and of rich flavor	05	20	60	1 00	3 00
624	Roslyn Hybrid. Large-growing variety of very fine quality	05	20	60	1 00	3 50
626	Stowell Evergreen. Remains green a long time, and is highly prized; one	05	20	60	1 00	3.00
627	of the most popular varieties	05	20	60	1 00	3 50
021	Early Mammoth. Very large and not very late	00	20	00	1 00	3 30
	LATE.					
630	Black Mexican. Very sweet and of superior flavor; grains black	05	20	60	1 00	3 50
634	Ne Plus Ultra or Shoe Peg. Small, but one of the sweetest sorts grown.	05	20	60	1 00	3 50
640	Late Mammoth. Rank in growth; large ears, rich and sweet	05	20	60	1 00	3 50
644	Egyptian. Large and of superior quality; largely used for canning	05	20	60	1 00	3 00
646	Country Centleman. Same as Ne Plus Ultra, but with large ears; of de-	0-	00	20	7 00	0.50
0=0	licious quality	05	20	60	1 00	3 50
650	Sweet Fodder Corn. For soiling and ensilage					2 50



THORBURN EVERBEARING CUCUMBER.

CUCUMBER.

CONCOMBRE. Pepino. Gurfe.

CULTURE.—For very early, sow seeds in hotbeds upon pieces of sod, or in small pots, and they can be readily transplanted with a gain of about six weeks before they can be sown in the open ground. Plant out in rich soil when danger of frost is over, or they may be protected by hand glasses, or even by paper held down at the corners with a handful of earth. For general crops, sow in the open ground as soon as the weather is settled and warm, and again every two weeks for a succession. For pickles, sow from the middle of June to the first week in July. Sod land, turned over in the fall, is the best for them. Plant in hills 4 feet apart, putting a shovelful of well-rotted manure in each hill.

WEII	Potted manure in each min.	er oz.	1/alb.	Lb.
660	Thorburn 1896 Pickler. In size, symmetry, slimness, color and productiveness, a per-	er oz.	7410.	шо.
000	feet pickling strain	0.10	\$0 25	\$0.80
662	Thorburn Commercial Pickle. A valuable sort of the White Spine type, retaining its	0 10	φυ 20	φυ ου
002	dark green color long after pickling; very handsome	10	25	80
663	Thorburn Everbearing. Small-sized; very early and enormously productive, and valu-	10	20	00
003	able as a green pickler. It continues to flower and produce fruit until killed by frost,			
		10	25	0.0
000	whether the ripe Cucumbers are picked off or not	10	25	80
663a	Fordhook Pickling. A first-class new pickling sort. It is wonderfully prolific, and con-			
	tinues to bear longer than all others. It is tender and crisp, and of the best size and	7.0	0"	0.0
001	shape for pickling Early Russian. Very early, short; is a valuable variety for small pickles	10	25	80
664	Early Russian. Very early, short; is a valuable variety for small pickles	10	20	60
665	Cool and Crisp. Extra early and very prolific; long, straight, slender, and very dark	7.0	0.5	0.0
0.0=	green; good either for pickling or slicing	10	25	80
667	Early Short Green. Good for pickling; productive	10	20	60
668	Early Green Cluster. Fruit small and in clusters; very prolific	10	20	60
669	New Orleans Market. Very productive, a good keeper and shipper; good for forcing			
	or open ground	10	25	75
670	White Spine Improved. A very handsome and uniform early variety. It is very pro-			
	ductive, crisp and of fine flavor. This is the sort that is so largely			
	grown in the South for early shipping to the northern markets	10	20	60
671	" Extra Long. A beautiful, large and well-shaped Cucumber, slightly			
	longer in maturing than the above	10	20	60
671a				
	for forcing or for outdoors	10	20	60
672	" Peerless. Very early strain	10	20	60
673	Evergreen. Very early and prolific; retains its fine, deep green color in all stages of			
	growth	10	20	60
674	Long Green. Long and crisp; a popular and reliable variety for pickles	10	20	60
675	Long Green Turkey. Fruit very long and rather slim	10	20	60
676	Ciant Pera. Very long, and one of the best for table use	15	30	1 00
678	Green Prolific Pickling. One of the best for pickling; dark green, very productive and			
	of uniform small size	10	20	60
679	Nichol Medium Creen. Most symmetrical, and a very fine table sort	10	20	50
680	Boston Pickling. A favorite eastern sort, of fine quality	10	20	60
681	Tailby Hybrid. Very long, and superior for table use	10	25	80
682	White Pearl. The best white sort; it ripens early and is very productive	10	20	60
683	Small Cherkin. Very small bur; used for pickles	10	30	1 00
684	Japan Climbing. Good for frames or open ground	10	25	80

ENGLISH CUCUMBERS FOR FRAMES.

(Concombre especes Anglaise pour Couches.)

CULTURE.—The following are for growing in hotbeds, or houses particularly constructed for forcing, so that a supply can be furnished during the winter months, at which time the prices are very remunerative. Sow seeds in October, November or December, according to the time they are wanted, in small pots, in fibrous loam lightened and enriched with old manure, taking care to give plenty of air and water. Robustness of habit is especially valuable in winter, and therefore the soil should not be too light. Plunge the pots in a frame near the glass, where there is a little bottom heat, and keep them covered with a sheet of brown paper until the seeds

CUCUMBERS-continued.

germinate. Afterwards uncover and ventilate, to insure steadiness of habit. More seeds should be planted than the number of plants required, as some may fail to grow, and others that germinate may be weaklings. None but strong plants should be employed. It will be necessary to fertilize the pistillate flowers with the staminate, in order to render the vines productive, as owing to the absence of insects, they will not produce a crop under glass the same as in the open ground.

Packets contain from 5 to 15 seeds each, according to sort.

	The I wonder contain from a to to becar ouch, weeding	TP 00 1	30101	
	Per pkt.	1	Per	r pkt.
699	Prescott Wonder. Rapid growing and	705	Improved Sion House. A popular and	
	very prolific; long, dark green fruit, pro-		valuable variety	\$0.25
	duced in clusters \$0 25	706	Goliath. Very prolific	25
700	Duke of Edinburgh. Very large and	1	V 2	
	long; dull green; quite smooth 25	708	Telegraph. Free-bearing, long and exten-	
-07	, 1		sively grown; handsome	25
101	Giant of Arnstadt. Good bearer 25	700	Laskiela Daufastian Pino colon	25
702	Sutton's Progress. Rich, dark green 25	109	Lockie's Perfection. Fine color	20
	Swan's Neck	711	Tender and True. Fine form; good color.	25
	Noa's Forcing. Very productive 25	712	Cuthill's Black Spine	25

DANDELION

PISSENLIT. Amargon. Bardeblum.

CULTURE. - The Dandelion is a hardy perennial plant, and one of the most desirable early spring salads. Sow in early spring, in drills 1/2 inch deep and 18 inches apart; thin out the plants to 12 inches. Keep clear of weeds during the summer. and the ensuing spring the leaves will be fit to cut. They are best, however, when blanched, which makes them tender, and destroys to some extent their bitter taste, without in any way impairing the qualities which make them desirable as greens. The blanching may be done by placing a couple of boards over the rows thus: A This excludes the light and improves the greens, rendering them far superior to those found growing wild in the grass without cultivation, which are almost sure to be bitter, and are often unsightly and tough as

*** ****	Pe	r oz.	⅓1b.	Per lb.
737	French Carden\$0	20	\$0 60	\$2 00
738	Improved Thick-leaved	40	1 25	4 00
739	Endive-leaved. New	50	1 75	6 00



IMPROVED THICK-LEAVED DANDELION

EGG-PLANT.

AUBERGINE. Berengena. Cierpflanze.



IMPROVED NEW YORK EGG-PLANT.

3 feet by 2. Per oz. 1/4lb. 740 Improved New York Spineless. The standard, largest and best; large, oval, deep purple; early and productive; grown more extensively than any other sort .. \$0 35 \$1 00 \$3 50 741 Early Dwarf Purple. Dwarf, very early; small-sized, ovoid fruit of good quality 3 50 1 00 Long Purple. Of distinct shape and fine quality ... 2 00 743 Round French. Medium size, pear-shaped, pale purple; good 2 50 quality ... Black Pekin. Round, blackish purple fruit; has dark foliage. Round, blackish 3 00 Scarlet Chinese. 745 Small and ornamental 30 3 00 85 746 Round White. Small and ornamental. 3 00 747 ong White. Small and orna-

3 00

3 00

mental.....

Striped. Fruit is striped purple and white

ENDIVE.

CHICOREE.

Escarola o Endivia. Endivie.

CULTURE.—Sow in June, July and August; cover lightly; when up, thin out to 8 inches apart, and water well afterward, if dry. When the leaves are 6 or 8 inches long, blanch by gathering in the hand and tying together

near the top with yarn or bast. This must be done when quite dry, or they will rot. At the approach of winter, take up carefully, with a ball of earth to each plant, and place close together in frame or cellar for use. They must be kept dry, and have plenty of air, or they will rot.

Per oz. 3/1b. Lb.

	Per	oz.	$\frac{1}{4}$ lb.	Lb.
750	Green Curled Winter. Standard	90	\$0 60	\$2 00
	sort for fall and winter crop\$0	20		'
751	White Curled. For early use	20	60	2 00
752	Laciniated. A fine French sort	25	75	2 50
753	Broad - leaved (Escarolle). A sweet variety; fall and winter	20	60	2 00
754	Large Green Curled (de Ruffec). Broad ribs; fine for fall and winter	25	75	2 50
755	Savoy-leaved Self-blanching	25	75	2 25



BROAD-LEAVED ENDIVE.

FENNEL, FLORENCE or NAPLES.

FENOUIL DE FLORENCE. Finocchio di Napoli.

CULTURE.—Sow in spring, in rows 16 to 20 inches apart. Thin out so as to have the seedlings 5 or 6 inches apart, and water as plentifully as possible. The plant is usually eaten boiled. In flavor it resembles Celery, but with a sweet taste and a more delicate odor. Per oz., 15 cts.; per 1/41b., 50 cts.; per 1b., \$1.50.

KALE, or BORECOLE.

CHOU VERT FRISE. Col. Rrausfohl.

CULTURE.—Nos. 759 to 773 are cultivated and grown exactly like Cabbage. No. 777 sow in September for early greens. Sow 780 early in the spring in a hotbed, and when from 1 to 2 inches high transplant into a bed or border that has been highly manured and deeply dug. The plants should stand 2 feet apart in rows 3 feet apart. The soil should be kept mellow and free from weeds. Cover with litter or leaves during the winter. Plants started and grown in this way should be fit to blanch the following spring. The seed may also be sown early, in the open border, and transplanted in rows (as directed above), as soon as out of the seed-leaf; but they will need to be a year older than the hotbed plants before being fit to blanch. Sea Kale is not fit to eat until it has been blanched, either under large pots, or by banking up with sand. The midribs are the parts eaten. They are cooked like Asparagus, and usually served with drawn butter.

		/410.	140.
		\$0 20	\$0 60
		20	60
11 Dwarf Brown. Very hardy	15	30	1 00
" Tall Brown. Very hardy	15	35.	1 25
" Striped and Variegated. For garnishing	20	60	2 00
	10	20	60
Sea Kale. Very fine; resembles Celery in appearance	25	75	2 50
Pe-tsal. (The Chinese Cabbage.) Grows like Cos Lettuce; delicate cooked as Spinach			
or raw for salad; best as a fall crop.	20	60	2 00
Jersey Winter Kale, or Cow Cabbage. Said to be hardy from New Jersey southward.			
The leaves make valuable winter cattle-feed.	10	30	1 00
	Curled Dwarf Creen Scotch. Very dwarf and spreading; best strain	"Tall Green Scotch. A taller growth of the above. 10 "Dwarf Brown. Very hardy. 15 "Tall Brown. Very hardy. 15 "Striped and Variegated. For garnishing. 20 "Siberian, Thorburn Improved. Uniformly dwarf, green curled; hardy. 10 Sea Kale. Very fine; resembles Celery in appearance. 25 Pe-tsal. (The Chinese Cabbage.) Grows like Cos Lettuce; delicate cooked as Spinach or raw for salad; best as a fall crop. 20 Jersey Winter Kale, or Cow Cabbage. Said to be hardy from New Jersey southward.	Curled Dwarf Creen Scotch. Very dwarf and spreading; best strain



KOHLRARI.

KOHLRABI.

CHOU-RAVE. Colinabo. Robirabi.

CULTURE.—This is an excellent vegetable, and should be grown in every garden. Sow in spring, in rows 18 inches apart, afterwards thinning the plants to 8 or 10 inches. If the weather is suitable the thinnings may be planted, but it is considered difficult to transplant. Keep the weeds down, and when the thickened stems above ground are 2 or 3 inches through they are fit to eat, and should be used at once, being tough when old. They are cooked same as Turnips, and when well grown and used at the proper stage, are tender and very palatable.

794	Early White Vienna. Handsome and	er oz.	¼lb.	Lb.
104	delicate; white ball\$6	25	\$0 75	\$2 50
785	Early White Vienna. For frames	35	1 00	3 50
789	Early Purple Vienna. Purple ball; a			
	very good sort	30	85	3 00
790	Early Purple Vienna. For frames	35	1 00	3 50
791	Large White, or Green. Forms a larger			
	ball; not so fine, but more productive.	15	50	1 50

LETTUCE.

LAITUE. Lechuga. Salat.

CULTURE.-Sow Nos. 799, 803, 806 and 807 in hotbeds in March, and in the open ground as soon as it can be



THORBURN MAMMOTH BUTTER LETTUCE.

worked, and transplant to rows 8 inches apart. Sow in two weeks' time same varieties again, as also Cos, for a succession. In August sow any of the varieties. In October some of these may be planted in frames, to head in winter and early spring. Always sow thin, and thin out well, or the plants will not be strong. The last spring sowing had better be grown where sown, being thinned out to 6 or 8 inches apart. To have Cos in good order, they must be sown in a hotbed early in the year, and transplanted to a coldframe, so as to have good plants to set out at the opening of the ground. They require tying for a few days, when grown, to blanch. Lettuce requires good ground, enriched with thoroughly rotted manure and well pulverized. The afterculture should be close and careful, to secure the best results.

Thorburn Maximum. (New.) For description, see Novelties.....per pkt., 10 cts...\$0 40 \$1 \$4 00 Emperor Forcing. Yellow, earliest of all; suited only for frame..... 2 00 Selected Buttercup. Yellow, solid, small heads; for forcing or outdoors..... 797 1 25 Thorburn Market-Gardener's Private Stock. A selected strain; solid, large heads, 799 resisting the sun for a long time before shooting up. Valuable also as an early sort, to be started under glass for early spring transplanting into open ground....... 60 1 75 Coldframe White Cabbage. For starting in coldframes and setting out early...... 1 50 800 Hubbard Market. A large, white Cabbage variety; for forcing or open ground...... 801 30 1 00 Big Boston. Fine for forcing in coldframes or for open ground 1 50 803 804 Large Boston. Very large, solid heads; fine for forcing..... 1 50 805 Prize Head. Large, loose heads, tinged with brown 30 1 00 806 Early Curled Simpson. A leading early sort; very tender; white seed 30 1 00 807 Black-seeded Simpson. A superior variety; large, and of light color 1 00 809 American Cathering. Twisted and curled leaves; fine for early or late sowing...... 50 1 50 810 Reichner. Large, white, solid heads; good for forcing or outside...... 15 30 1 00 811 Sensation. A fine, solid, head variety; for forcing or open ground...... 30 1 00 812 Thorburn Glass-house. For forcing under glass 20 60 2 00 815 Tennisball White Seed. A well-known forcing variety..... 30 1 00 817 Stone Tennisball Black Seed. Forms close, hard heads; for forcing..... 30 1 00 829 White Summer Cabbage. Close heads, of good size; fine for summer..... 30 1 00 50 831 New York Cabbage. Large, solid heads; dark green color..... 1 50 20 50 1.50 837 Golden Stone Head. A handsome Head Lettuce; small and solid; for forcing 50 1 50 840 Improved Salamander. Fine, compact heads, which resist the summer heat admirably. 841 Thorburn Mammoth Butter, Black Seed. A selected strain, with large, solid yellow 2 00 The favorite variety of New York market-gardeners..... 20 60 1 00 843 Large Yellow Butter, Gray Seed. One of the best; large head 15 30 1 00 Grand Rapids Forcing. Large, tender; one of the best for early forcing..... 30 1 00 Deacon. A large, solid Cabbage Lettuce for summer 15 30 846 2 50 Shotwell Brown Head. Large, handsome, tender heads; very hardy...... 25 75 847 2 00 -848 Trocadero. Hardy and early; for spring or summer; green leaves, tinged russet...... 60 1 50 849 Hardy Creen Hammersmith 20 50 30 1 00 850 Improved Hanson. Very large and solid; withstands the hot sun well..... 1 25 40 860 White Cos Romaine. Fine, if sown very early; requires tying up to blanch...... 15 1 50 862 Trianon Self-closing Cos. The finest of all the Cos sorts, resisting warm weather.... 50

ICE-PLANT.

FICOIDE GLACIALE. Escarchosa.

CULTURE.—Sow in good garden soil as soon as the ground becomes warm in spring, in shallow drills 1 foot apart. Thrives well in hot, dry climates. Desirable for boiling like Spinach, or for garnishing. Pkt. 5c., oz. 40c.


LEEK.

POIREAU. Puerro. Borro.

CULTURE.—Sow very early in the spring in drills 6 inches apart and 1 inch deep. Thin out to 1 inch. When about 7 inches high, transplant them in rows 12 inches apart, and as deep as possible, but do not cover the young center leaves. Water thoroughly, if dry when planted out. Draw earth up to them as they grow; rich soil is required. Take up and store in earth in a cool cellar before winter weather. The seeds may also be sown in September, and the young plants transplanted in spring to where they are

to remain.

	Pe	r oz.	1/4lb.	Lb.
869	Best Large Flag Winter. Hardy and productive\$	0 20	\$0 60	\$2 00
872	Large Rouen Winter. A standard sort; remains long in good condition	20	60	2 00
873	Large Carentan, or Mussel- burgh. A superior variety with distinct and dark-colored leaves; stout in habit, and hardy	20	. 60	2 00
874	London Summer	15	50	1 50



MARTYNIA.

(For Pickles.) Gemfenhorn.

CULTURE.—Sow in May in the open ground, 3 feet apart in each direction, where the plants are to remain; or the seed may be sown in a hotbed, and the seedlings afterwards transplanted. These varieties are productive, and fine for pickles. Pick when small and tender, and preserve the same as Cucumbers.

Per oz. ½1b. Lb. Craniolaria, Proboscidea, Lutea (three varieties)......each...\$0 30 \$0 75 \$3 00

MUSHROON SPAWN.

BLANC DE CHAMPIGNON. Seta. Champignonbrut.

CULTURE.—Mushrooms may be grown in cellars, under benches of greenhouses, or in sheds, wherever the temperature of 50 degrees can be kept up through the winter. The beds should be made from November to February, according to the time the Mushrooms are wanted, and it requires about two months for them to begin bearing. Secure fresh horse-dung, free from straw and litter, and mix an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed of the required size. Three or 4 feet wide, 8 inches deep, and any length desired, are the proper proportions for a bed; but these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to heat through for a



MUSHROOMS.

few days, and as soon as the heat subsides to 90 degrees, make holes in the bed about a foot apart each way, into which put pieces of the spawn 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or 10 days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth of 2 inches, and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. Take special care, however, when water is given, that it be at a temperature of about 100 degrees.

From experience with French and English Spawn, we find there is an important difference between them. If the manure in the bed is in proper condition, the French Spawn will take hold and grow fully as well as the English; but if the bed is not in the right state, it will often rot. The English Spawn, on the contrary, after starting a little, will remain in a comparatively dormant state for a long time without losing its vitality. It is well to keep these points in mind in ordering spawn.

English Spawn. 15 cts. per lb., 10 lbs. for \$1, 100 lbs. for \$9.

French Spawn. Per 3-lb. box, \$1.20; in bulk, per lb., 45 cents.

881

882

883

884

885 886

891

892 893

894

895

896

897

898

900

902

904

913 915

916

917

918


919

921

MELON, MUSK.

MELON MUSCADE. Melon Muscatel. Cantalupe.

CULTURE.—Select a light, sandy, rich soil and after all danger of frosts is over, and the ground has become warm and dry, plant in hills 4 to 6 feet apart each way, 6 to 12 seeds to a hill. When up, and all danger of insects



936 Bishop's Favorite.....

has passed, pull out all but 3 plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime, or even dry road-dust, is excellent to sift over the young plants when the dew is on, to prevent the attacks of insects. A few hills for early use may be had by sowing in hotbeds, on pieces of sod or in pots. The seed may also be started out of doors under hand frames or

It is quite important that proper soil be selected for growing Muck Molone of on hoomy goil the quality will be no

Musk Melons, as on heavy soil the quality wi	ll be	poor.	
878 Long Island Beauty. On style of Hackensack. The earliest and finest in quality, and the most beautiful		⅓lb.	
Musk Melon	10	\$0 25	\$0 80
879 Champion Market. Of large size, slightly elongated, densely netted; flesh light green and very sweet; early.	10	20	60
880 Netted Cem Round. Very early; small and of fine flavor; green flesh.	10	20	60
LONG ISLAND BEAUTY MUSK MELON. 880a Netted Gem Oblong. Same as			
above save in shape	10	20	60
The Surprise. Early; oblong, with rich orange flesh of good quality	10	20	60
Melrose. Oval, dark green, densely netted; flesh thick, light green, shading to salmon.	10	20	60
White Japan. Early, with light green flesh and white skin	10	20	60
Rocky Ford. For description, see Novelties	20	50	1 50
Nutmeg. Named from its shape; green flesh, sweet; good for main crop; early	10	20	60
Chicago Nutmeg. Of fine quality, and larger in size than the foregoing	10	20	60
Hackensack. Large, round and of good quality; a popular variety; early	10	20	60
Extra-early Hackensack. Ripens 10 days earlier than the Hackensack; very early	10	. 20	60
Osage. Cocoanut-shaped; yellow flesh; light green, netted skin; good quality	10	20	60
Hybrid Bay View. Very prolific, and of great size; oblong; green flesh; late	10	20	60
Perfection. Salmon flesh, very sweet; round, netted	10	20	60
Orange Christina. One of the finest orange sorts; round, very sweet, and very early	10	20	60
The Banquet. Beautifully netted, medium sized; flesh rich salmon; fine quality	10	25	75
Ward Nectar. Small, finely netted; green flesh; fine flavor; early	10	20	60
Cosmopolitan. Round, densely netted; green flesh; very sweet	10	20	60
Baltimore Market. Oblong; orange flesh, of fine quality; intermediate	10	20	60
Newport. Extra early, small, round; green flesh, of fine flavor	15	30	1 00
Emerald Cem. Small, extra early; dark green skin, orange flesh; very sweet	10	20	60
Perfected Delmonico. Heavily netted, orange-pink flesh, fine flavor; small, round	10	20	60
Casaba. Green flesh, large size; good quality	10	20	60
Green Montreal. Large, round, netted; flesh thick and light green; late	10	20	60
Jersey Belle. Deeply ribbed, heavily netted green flesh, fine quality	10	20	60
Banana Citron. Cucumber-shaped, highly perfumed; of indifferent quality; late	10	20	60
Pomegranate. Ornamental; for perfume; late	15	40	1 25
Mango Melon, or "Vine Orange." (Also called "Vegetable Peach.") Size, shape and color of an orange; thick, meaty flesh. Fine for preserving or pickling	15	30	1 00
Pineapple. Medium-sized, oval-shaped; flesh green; intermediate	10	20	60
Winter Pineapple. An extraordinary melon, which can be kept in splendid condition for months after being pulled. Suitable for the South only; very late	20	50	1 50
New Giant. Round shaped; light green color; skin smooth, with little netting; flesh deep salmon color, thick, fine-grained, and not stringy; very late	10	20	60

IMPORTED VARIETIES.

	ENGLISH FRAME SORTS.			Pkt.
928	Invincible Scarlet\$0 25	937		
930	Monroe's Little Heath	938	Green-fleshed Provence	25
931	Blenheim Orange	939	Orange-fleshed Trevoux	25
934	Gilbert's Green-flesh	940	Nevers Warted	25
935	Lord Beaconsfield			

MELON, WATER.

MELON D'EAU. Zandia. Baffermelone.

CULTURE.—Treat the same as Musk Melon, except that they should be planted 8 or 10 feet apart, according to variety. Light soil is best.

- 950 Vau Cluse Red-seeded-Very early; shape elongated; flesh bright crimson. Per oz., 15 cts.; ¼lb., 30 cts.; lb., \$1.
- 966 Hungarian Honey. A very early sort. Fine for northern latitudes; perfectly round; flesh brilliant red. Per oz., 15 cts.; 1/4lb., 30 cts.; lb., \$1.
- 968 Jordan Gray Monarch. Largest grown; crimson flesh; late. Ber oz., 10 cts.; ½1b., 20 cts.; lb., 50 cts.
- 970 Kolb Gem. Large, bright red flesh of fine quality, and a good shipper; intermediate. Per oz., 10 ets.; 1/41b., 20 ets.; lb., 50 ets.
- 970*u* Pride of Georgia. Round, large, crisp; bright red flesh; intermediate. Per oz., 10 cts.; ½1b., 20 cts.; 1b., 50 cts.



	0Z., 10 cts.; 41b., 20 cts.; WATER MELONS.			
		er oz	. 1/4lb.	Lb.
971	The Boss. Oblong, dark green; flesh deep scarlet, and rind thin; intermediate\$0	10	\$0 20	\$0 50
975	Dark Icing. Solid, with thin, dark green skin; of superior quality; white seed; early.	10	20	50
976	Light Icing. Round, pink flesh of fine quality.	10	20	50
978	Mammoth Ironclad. Long, very large, late; red flesh; good shipper	10	20	60
979	White-seeded Ice Cream. Very early; red flesh	10	20	50
981	Phinney. Early, and of fine quality; red flesh	10	20	50
982	Volga. Pale green skin; red flesh; late	10	25	75
983	Dixie. Excellent quality; very large and solid; flesh red; intermediate	10	20	50
984	Kentucky Wonder. Oblong; dark green skin, scarlet flesh	10	20	60
986	Seminole. Very large; quality first-rate; intermediate	10	20	50
987	Cuban Queen. Solid and heavy; skin marked regularly; excellent quality; early	10	20	50
990	Black Spanish. Large, roundish, nearly black; dark red flesh; early	10	20	50
996	Mountain Sweet. An old and reliable sort; flesh red; late	10	20	50
1000	Florida Favorite. A superior strain; improvement on Rattlesnake; intermediate	10	20	50
1003	Coodwin Imperial. Crimson flesh, fine quality; small, nearly round; extra early	10	25	75
1025	Southern Rattlesnake. Oblong, dark and striped; bright red flesh; late	10	20	50
1026	Cole Early. Medium size; red flesh, green skin	10	. 20	60
1027	Sweetheart. Very large; bright skin; fine quality	10	20	50
1028	Maule Wonderful Sugar. Very sweet; handsome, oblong shape	10	25	75
1029	Apple Pie, or Colorado Citron. Used for preserves; green seed	10	20	50
1030	Citron. Round and handsome: for preserving: red seed	10	20	50

MUSTARD.

MOUTARDE. Mostaza. Senf.

C	CULTURE.—Sow thickly during early spring, in shallow drills, and press the earth wel	l dow	n. Fo	r fall
salad	, sow in September, or in frames or boxes during winter.	er oz.	1/4lb.	Lb.
1035	Black. These seeds form the mustard of commerce\$	05	\$0 10	\$0 25
1036	White London. Leaves used for salad while young; grows very rapidly	05	10	25
1038	Giant Southern Curled. Very large leaves	10	20	50
1039	Chinese Broad-leaved. Leaves of agreeable flavor when cooked like Spinach	10	25	75

NASTURTIUM.

CAPUCINE. Maraneula. Nasturtium.

CULTURE.—Sow as soon as all danger of frost is past, in drills about an inch deep. The tall kinds require fences or poles on which to climb. The seeds are used in flavoring pickles, or as a substitute for Capers.

	Pe	r oz.	1/4lb.	Lb.		Pe	r oz.	1/4lb.	Lb.
1041	Tall Crimson\$	15	\$0 30	\$1 00	1043	Tall Mixed\$	0 10	\$0 25	\$0 75
1042	Tall Yellow	15	30	1 00	1044	Dwarf Mixed	10	30	1 00

ONION.

OIGNON. Cebolla. Zwiebel.

CULTURE. — Sow in rich, sandy soil, in drills 1 foot apart, as soon as the ground can be worked in spring. Thin to 3 or 4 inches, using the rake and hoe frequently to keep down the weeds.



- 1045 White Early Barletta. A small white Italian sort; earliest of all. Oz. 20 cts., ¼ lb. 60 cts., lb. \$2.
- 1047 White Queen. Pure white; small; flat; extra early; fine for pickling. Oz. 20 cts., ½ lb. 50 cts., lb. \$2.
- 1048 White Pearl, American grown. Extra early; round; pure white; fine flavor. Oz, 25 cts., ½ lb. 75 cts., lb. \$2.50.
- 1049 White Pearl, Italian grown. Extra early; round; white; fine flavor. Oz. 20 cts., ¼ lb. 60 cts., lb. \$2.
- 1053 White Victoria. Italian, white, globular sort; very large; mild flavor. Oz. 25 cts., 1/4 lb. 75 cts., lb. \$2.50.
- 1054 White Large Portugal. The standard large flat sort. Oz. 30 cts., ¼ lb. 85 cts., lb. \$3.

	Per oz.	1/41b.	Lb.
1055 White Large Clobe (Southern strain). Very large and handsome	\$0 30	\$0 85	\$ 3 00
1056 "Tripoli. Very large, white Italian variety	20	60	2 00
1057 "Mammoth Carganus, or Silver King. Silvery white Italian	25	75	2 50
1057a Maggiajola. Large size; flat; silver-skinned Italian variety	20	60	2 00
1058 "Bermuda (Teneriffe grown). Very early	30	85	3 00
1059 " Dutch Round Hard. One of the best white pickling sorts	20	60	`2 00
1060 "Thorburn Excelsior Pickling. One of the best whites for pickling	20	60	2 00
1061 Yellow Danvers. A standard sort; early, and a good keeper	15	50	1 50
1062 "Globe Danvers. Of more globular shape; keeps well	15	50	1 60
1063 "Strasburg, or Dutch. Fine keeper; flat; yellow skin, white flesh	15	50	1 50
1064 "Large Globe (Southern strain). The finest large yellow	25	75	2 50
1066 "Globe Spanish, or Prizetaker. Immense size; globe-shaped; light yellow	25	75	2 50
1067 "Globe Spanish, or Prizetaker. Italian-grown seed	25	75	2 50
1069 " Giant Rocca. Productive and mild; of very large size	15	50	1 50
1072 Red Large Wethersfield. Half-early, and a good keeper; large size	15	50	1 60
1074 " Large Clobe (Southern strain). The finest large red sort	30	85	. 3 00
1075 "Early Globe. Like above, but earlier, and not so large	20	60	2 00
1075a "Early Flat. Medium size; very early; deep red; mild flavor	15	50	1 60
1076 " Giant Rocca. Productive and mild; of very large size	15	50	1 50
1078 " Globe Madeira. Light red	20	60	2 00
1080 " Mammoth Carganus. Very large Italian sort	20	60	2 00
1081 "Victoria. Italian, red, globular sort; very large; mild flavor	20	60	2 00
1082 "Bermuda (Teneriffe grown). Very early		85	3 00
1084 "Ætna. A fine Italian variety		60	2 00
1085 "Bassano. Dark blood-red Italian sort		50	1 75
1086 Welsh. The leaves are used for salad early in spring. Sow early in fall	15	50	1 50
1088 Imported Shallot Seedper pkt., 10 cts.			

ONION SETS, ETC.

Onion Sets and Tops should be planted near the surface, in drills about 12 inches apart and 4 inches in the rows. They must have high culture for the best results. They are valuable for early use, and where Onions from seed cannot be raised the first year, they are essential.

These are the prices ruling in January; later on they may be higher, owing to shrinkage and rotting.

Yellow Onion Sets	Per qt.	½pk.	Pk	Bus.
Yellow Onion Sets	.\$0 20`	\$0.80	\$1 00	\$3 00
White Onion Sets	. 25	75	1 25	4 00
Red Onion Sets.	. 20	60	1 00	3 50
Red Top Onions	. 20	60	1 00	3 00
White Potato Onions	. 30	90	1 50	5 00
Garlic Sets				



OKRA.

Per oz. 1/4lb.

10

10

10

\$0 20

20

20

20

keep down weeds.

1111

Thorburn Hollow Crown. market - gardener's strain.....\$0 10

Long White, A standard variety.

Maltese. One of the best sorts; not quite as

long as the Long

White

1110 Abbott Improved. Smooth and quite large; fine sort...

1112 Early Round.....

OKRA, or GUMBO.

Quimbombo.

CULTURE. - Sow late in the spring, after the ground has become warm, in drills 3 feet apart, where the plants are to remain. Thin out to from 9 to 12 inches. They should be well manured. They may also be raised in pots or a hotbed, and transplanted.

1007	Dwarf Green Density. Very tender, long	er oz.	⅓lb.	Lb.
1097	pods\$	0.10	\$0.20	\$0.60
1098	Dwarf Green	10	20	
	White Velvet. Tender white pods		20	50

ORACH, or FRENCH SPINACH.

ARROCHE. Armuella.


CULTURE. - Sow early in spring; cultivate and use like Spinach.

PARSNIP.

PANAIS. Chirijia. Bastinafe.

1103 White. Pale green leaves, almost yellow.. 15

CULTURE. - Sow as early in the spring as the ground can be worked, in rich soil, in drills 18 inches apart. The ground should



PARSNIPS.

PARSLEY.

PERSIL. Perijil. Beterfilie.



EXTRA-CURLED PARSLEY.

CULTURE. - Soak the seeds a few hours in lukewarm water, and sow early in spring, and until the middle of July, in drills 1 foot apart. Thin out the plants to 4 inches. To preserve in winter, transplant to a light cellar or coldframe. No. 1122 should be thinned out while young, and managed in after cultivation the same as Carrots and Parsnips.

	arous und a miship.			
	Pe	r oz.	1/4lb.	Lb.
1115	Extra Curled.			
	Superior\$	0 10	\$0 25	\$0 75
1116	Moss Curled.			
	Very pretty	10	25	75
1117	Fern-leaved.			
****	Fine curled	10	25	75
1118	Plain. The or-	4.0		4.0
1100	dinary form	10	15	40
1120	Beauty of the			
	Parterre.			
	Most beauti-			
	ful for edg-			
	ing, and equally good			
	as a condi-			
	ment	15	40	1 25
1122	Hamburg, or	10	40	1 20
1122	Rooted. Ed-			
	ible roots	10	20	60
	1010 10005	10	20	00



PEAS.

Pois. Chicharos o Guisantes. Erbjen.

Culture.—A week may be gained in earli-

ness by sowing a quantity in moist sand placed in a box in the cellar, and planting outside when well sprouted. Light, dry soil, not over rich, suits the Pea. Sow as early as the ground can be worked, and again every ten days for succession. Peas may be sown in this vicinity as late as 20th of August. Sow in single or double rows, from 4 to 6 inches apart, according to the different heights, about an inch apart in the rows (except such sorts as we note to sow thinly), and 4 inches deep. In this climate the O'Rourke Peas, if planted from the 10th to the last of August, will produce a fair crop for fall picking, when Peas will be most acceptable. Hoe often, and keep the ground clean and fine. The tall sorts can be made to bear more freely by pinching-in. The dwarf varieties may be grown in beds like bush beans, with rows about the same distance apart. The holes which are sometimes found in Peas are caused by the pea weevil (Bruchus pisi). This insect is a native of this country, but, as usual with such pests, has spread rapidly, and is now found nearly all over the world. The beetles lay their eggs on the young pods, and the larvæ, as soon as hatched, make their way through the pods into the nearest Peas. They do not, as is sometimes supposed, destroy the germ, for Peas will grow if they are infested, but the plant is likely to be more feeble, and for this reason will not produce as large a crop as if free from the weevil.

EXTRA EARLY PEAS Height in feet		Per	Per pk.	Per bus.
1141 Thorburn Extra-early Market. Our standard market-garden extra-early Pea; productive and profitable to grow				\$3 50
1143 'First-of-All. First-class selected strain of extra earlies	25	75	1 00	3 50
1144 Philadelphia. Resembling First-of-All	20	60	1 00	3 25
1145 Daniel O'Rourke Improved. Extra-early; favorite market-gardener sort21/2	25	75	1 00	3 50
1146 Alaska. One of the very earliest blue Peas; quite productive	20	60	1 00	3 25
1147 Gradus. Without doubt the finest extra-early Pea yet introduced; it ripens almost as early as our Extra-early Market. The pods are large, and well-filled				
with large wrinkled deep green Peas of the very finest quality	60			
1148 *Exonian. A new extra-early wrinkled sort; very productive; finest quality21/2	35	1 25	2 25	8 00
1149 *American Wonder. Extra-early and productive; fine quality	25	75	1 25	4 50
1150 *Nott Excelsior. A splendid extra-early wrinkled sort; very prolific	25	75	1 25	4 50
1151 *Alpha. An extra-early wrinkled Pea; sow thickly	25	75	1 25	4 00
1152 *Premium Cem. Extra-early; straight pods, well-filled	25	75	1 25	4 00
1153 *McLean Little Gem. Extra-early; straight pods	25	75	1 25	4 00
1154 Blue Beauty. Pods medium size; Peas of fine flavor	25	75	1 25	4 00
1156 Gregory's Surprise. For description, see Novelties	35	1 25	2 25	8 00
1162 *Station. Extra-early wrinkled, very productive; large pods, well-filled, and	- 1			
ripening but a few days later than the very earliest2	25	75	1 25	4 50

EXTRA-EARLY PEAS—continued. Height in feet		Per ½pk.	Per pk.	Per bus.
1164 *Duke of York. Very large, long, full pods, and Peas of finest flavor; very	ቀበ ግበ	φΩ ΩΕ	φ1 F0	φ= = 0
early and productive; one of the finest Peas grown	\$0 30 25	\$0 85 75	1 25	\$5 50 4 00
1168 Blue Peter. Extra-early; very dwarf; round blue Peas'	25	75 75		4 00
1100 Bide Peter. Extra-early; very dwart; round bide reas	20	19	1 40	4 00
EARLY AND MEDIUM PEAS.				
1180 Daisy. A new dwarf wrinkled second early variety, bearing large, well-filled pods, each containing 8 to 10 deep colored Peas of the finest flavor	35	1 25	2 00	7 00
1185 *The Admiral. Small, early wrinkled variety; very prolific	20	60		3 00
1186 *McLean Advancer. A fine, standard sort, of excellent quality	20	60	1 00	3 50
1187 *Abundance. Long, round, well-filled pods; sow thinly	25	75	1 25	4 00
1188 *Horsford Market-Garden. On the style of Advancer; very prolific	20	60	1 00	3 50
1200 *Everbearing. Long pods and large Peas; sow thinly	20	60	1 00	3 50
1201 Pride of the Market. Very large pods, green Peas; sow thinly	30	85	1 50	5 50
1203 *Prince of Wales. Heavy cropper; Peas of fine flavor	25	75	1 25	4 00
1206 *Champion of England. A well-known, standard variety; sow thickly	25	75	1 25	4 00
1210 *Duke of Albany (American Champion). Immense pods on style of Tele-				
phone; very superior5	30	85	1 50	5 00
1212 *Heroine. Large, full pods; enormously productive	25	75	1 25	4 00
1213 Improved Fillbasket. Of excellent flavor; one of the best	30	85	1 50	5 00
1214 *Shropshire Hero. Very productive; fine flavor; long, handsome pods2½	20	60	1 00	3 50
1216 Yorkshire Hero. A spreading variety; very productive; sow thinly2½	20	60	1 00	3 50
1232 French Canner. Very productive; the best canning sort	20	50	75	2 50
MAIN AND LATE CROP PEAS.				
1235 St. Duthus. A fine new wrinkled main-crop variety; round dark green pods, well filled with very sweetly and finely flavored Peas	60			
1236 *Juno. Large straight pods; fine quality; very productive	25	75	1 25	4 50
1239 *John Bull. On the style of Stratagem, but a little taller; fine quality21/2	20	60	1 00	3 50
1240 *Stratagem Improved. Very large pods; Peas of first quality	25	75	1 25	4 50
1242 *Queen. Very large, handsome pods, filled with large, dark green Peas of				
finest flavor; first-class main-crop variety	25		1 25	4 50
1246 Telegraph (L. I. Mammoth). Very large pods and Peas of excellent flavor4	25	75	1 25	4 50
1248 *Telephone. Enormous pods and Peas of first-class quality	25	75	1 25	4 50
1251 White Marrowfat. A favorite; heavy yielder	20	50	75	2 50
1256 Black-eyed Marrowfat. Very hardy and prolific	20	50	75	2 50
SUGAR PEAS. (EDIBLE PODS.)				
Sugar Peas have edible pods, which are eaten when young.				
1260 Giant White. Very large; fine quality	30	1 00	1 75	6 00
1263 Melting Sugar. One of the best edible-pod sorts4	30	1 00	1 75	6 00
1266 Mammoth Crey-seeded Sugar. Immense pods		1 00		6 00
Those marked with a star (*) are wrinkled marrows, and, unless otherwise stated	, shou	ld be	sown t	hicker


Those marked with a star (*) are wrinkled marrows, and, unless otherwise stated, should be sown thicker than the round Peas, and not till the ground has become warm, as they are more liable to rot. They are the finest flavored of all Peas.

PUMPKIN.

Potiron. Calabaza. Große Kürbiß.

CULTURE.—May be planted middle of spring, among the Indian corn or in the field or garden, in hills 8 or 10 feet apart each way, four seeds in a hill. In other respects, are cultivated in the same manner as melons and cucumbers. Avoid planting them near other vines.

		Per oz.	$\frac{1}{4}$ lb.	Lb.	
1300	Large Cheese. Flat; one of the best varieties for family use	\$0 10	\$0 20	\$0 60	
1302	Early Sugar. Fine-grained, sweet and prolific	10	20	60	
1304	Quaker Pie. Fine for pies, very prolific and a good keeper	10	20	60	
1305	Winter Luxury. A fine keeper and one of the best for pies	10	25	75	
1306	Black Negro. New Hampshire Pumpkin	10	20	60	
1308	Colden Oblong. Orange skin, light yellow flesh, fine quality, good keeper		20	60	
1310	White Cushaw. A pure white, crookneck variety of excellent quality		20	60	
1312		10	20	60	
1314			25	80	
1316			20	60	
1318			20	60	
1320	Mammoth Globe. Very large, globe-shaped; thick yellow flesh, of good quality		50	1 50	
1322	Mammoth King. Grows to an enormous size		50	1 50	
1324	, , , , , , , , , , , , , , , , , , ,		20	60	
1326	Mammoth Tours. A very large French variety		25	75	
	Tennessee Sweet Potato. Bell-shaped; thick, white flesh; fine for pies		20	60	
1330	Connecticut Field. Grown for stock; productive		10	25	



CARMAN NO. 1 POTATO.

SEED POTATOES.

Grown Expressly for Seed.

POMME DE TERRE.

Kartoffeln. Patatas.

CULTURE.—In order to have the best success in growing Potatoes, it is necessary to plant as early as the CULTURE.—In order to have the best success in growing Potatoes, it is necessary to plant as early as the ground can be made ready. Select a rich soil, and plant in rows 3 feet apart, and the sets I foot in the rows. If wood ashes and plaster can be procured, sow a good dressing over the field after the Potatoes are up. If a very early crop is desired, it will be necessary to sprout the Potatoes before planting. Cut the Potatoes into pieces of any size desirable, and place in a warm, light room for four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that, as soon as planted, they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hotbed two weeks before they are wanted, and then lift carefully and set out on fresh horse-dung, so that the heat will cause them to start at once. If the Colorado potato-beetle makes its appearance, the vines must be dusted with Paris green mixed with about 80 parts of plaster; or, what is better, mix the Paris green in water, one small tablespoonful to a pail, and apply with a small brush or broom. Take care to stir the mixture often, or else the Paris green will settle to the bottom. Two or three applications during the season will usually suffice to clean off all the beetles.

These are the prices ruling in January; later on they may be higher.

	EARLY VARIETIES. Per	∕₂pk.	Pk.	Bus	. I	bl.
1349	The Thorburn. We recommend it as positively the best for first crop. It is the earliest of all, and the best in quality, and is also very productive and of good size and form.	50 \$6	85	\$ 2 5	0 \$	5 00
1350	Thorburn's Beauty of Hebron. Slightly flesh-colored skin, with pure white flesh. Very productive and of the finest quality; a first-class early variety	40	70	2 0	0 4	1 00
1363	True Early Rose. Very early, fine quality; very productive	40	70	2 0	0 4	4 00
1365	Early Maine. Smooth; extra early; very productive	40	70	2 0	0 4	4 00
	INTERMEDIATE AND LATE VARIETIES.					
1367	Thorburn New White Peach-blow. A seedling of the old Excelsior, and like that variety, it is distinguished for its very fine table qualities. The flesh and skin are pure white, and though very dry when cooked, it does not fall to pieces as most dry sorts do. One of the best for keeping for winter use	50	85	2 5	0 4	4 50
1368	Carman No. 1. This most valuable Potato was introduced by us in 1894, and it is now a recognized high-class standard sort the world over. It is in every respect the finest second-early Potato ever offered; enormous yielder, handsome and uniformly large; peculiarly white skin and flesh; perfect in quality and very dry	50	75	2 2	5 4	1 50
1369	Carman No. 3. One of the best late Potatoes; the greatest yielder ever introduced; very large tubers; of handsome form and few and shallow eyes; fine quality. Best of all for field culture.	50	75	2 2	5 4	£ 50
1384	State of Maine. Very productive; white skin and flesh; free from rot and of superior quality; a fine late variety.	50	85	2 5	0 :	5 00
1394	Delaware. Large, and of fine quality; in color white; an immense yielder	50	75	2 2		1 50
2001	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -		,,,			

PEPPER.

PIMENT.

Bfeffer.

CULTURE.—Sow in hotbeds in March, and when the soil has become warm set in rows 2 feet apart and 18 inches in the rows; hoe frequently, and keep down all weeds. The plants may also be forwarded in small pots. Don or 1/1h

1412	Ruby King. Beautiful bright red	oz.	/41b.	Lb,	
	fruits, 4 to 6 inches long; very		==	40 50	
	mild; one of the best for stuffing\$0	25	\$0.75	\$2 50	
1413		20	60	2 25	
1414	Long Red Cayenne. Bright red; very productive	20	60	2 00	
1415	Large Beli. Large and mild; bright red; standard sort	20	60	2 00	
1416		30	85	3 00	
1417	Procopp Giant. Very large size and brightly colored; fine flavor	40	1 25	4 00	
1420	Sweet Golden Dawn. Very hand- some and distinct, and of mild flavor.	20	60	2 00	
1421	Mammoth Golden Queen. Very large fruits; rich, golden yellow	30	85	3 00	
1423	Red Cherry. Cherry-shaped; for pickles, for which they are largely	25	75	2 50	
1425	Red Chili. Very productive; very	25	75	2 50	
1426	Red Cluster. A new type of Chili, with upright, bright red fruits	25	75	2 50	
1427	Monstrous. Very large French sort.	25	75	2 50	
1428	Sweet Spanish. Large, mild; used for salad	25	75	2 50	
1429	Sweet Mountain. Large, regular, and of mild flavor	20	60	2 00	RUBY KING PEPPER. Per oz. ¼lb. Lb.
1430	Celestial. At first fruit is yellow, but	wher	n fully	matur	ed it becomes a deep scarlet\$0 25 \$0 75 \$2 50
1432					ephant's trunk



RAMPION.

RAIPONCE.

Reponche,

Rapunzel=Rübe.

CULTURE.—Sow in the open ground early in May, either broadcast or in drills 10 inches apart. As the seed is very fine, it merely requires to be pressed firmly into the soil. Thin out the seedlings if they come out too thick, and water frequently during hot weather. The roots may be gathered for use from October onward throughout the winter.

Rampion. The roots and leaves are excellent as salad......\$0 30 \$0 85 \$3 00

ROQUETTE.

ROQUETTE.

Jaramago.

CULTURE.—Sow early in spring, in rows, and thin out to 8 or 10 inches. If kept well scuffled and watered, the tart flavor of the leaves is greatly diminished. This flavor is not pronounced in the small leaves, which are used for salad. The flowers, appearing from May to June, have very much the odor of orange blossoms.


MESSRS. J. M. THORBURN & Co.

RAMPION.

EL PASO, TEXAS, July 27, 1898.

Dear Sirs: I consider it my duty to inform you about the results I had with the seeds I bought of your firm. The Jute seed gave an enormous amount of plants. The same is the case with your Cotton, and the Honduras Tobacco, which is a broad-leaved kind, is doing extremely well in this climate, far superior to the Havana Tobacco. The Sunflowers came up exceedingly well. Alfalfa, which I sow in poor, sandy soil, can be cut already, after three months, being 2 feet high. As for Muskmelon, Long Island Beauty is a kind that cannot be praised enough, on account of earliness, productiveness, and size. In all, I must thank you for the honest way you treated me, and cannot omit to recommend the southern farmer to buy your northern-grown seeds, as they never fail to give satisfaction and to yield immense crops.

Very respectfully yours, (Signed) E. Schmidt.



SCARLET TURNIP WHITE-TIPPED RADISH.



SCARLET TURNIP FORCING RADISH.



FRENCH BREAKFAST RADISH.



OLIVE-SHAPED GOLDEN YELLOW RADISH.



WHITE SUMMER TURNIP RADISH



THORBURN IMPROVED BLACK SPANISH RADISH.

RADISH.


RADIS ET RAVE. Rabanos y Rabanitos. Rabies und Rettig.

CULTURE.—Sow as soon as the ground is dry in the spring, in rows 8 to 12 inches apart, every week or ten days for a succession, up to the middle of June, after which they are but little used, unless a cool northern spot can be had, where the ground is shaded during part of the day. They should be sown in light, rich soil, as a crisp radish cannot be produced in heavy soils. Sow also in early fall for late crops and winter use. Sow 8 to 10 pounds to the acre. Radishes should be eaten when quite small; it is a mistake to let them grow too long and too large. This applies particularly to the French Breakfast.

Those marked with the asterisk (*) are best suited for market-gardeners.

Ų	E LIOUS III	Per	07	⅓lb.	Lb.
1440	*Turnin Ea	rly French Scarlet. Very early		30 20	\$0.50
1442	" "		10	25	70
1444	66 66		10	20	50
1446	66 66		10	25	70
1447			10	20	50
1448	66 66		10	25	70
1451	66 66		10	25	75
1454	66 60		10	25	70
1456	66 66	• 0,	10	25	75
1458			10	20	60
1462	" La	rge White Summer. Of large size and roundish form	10	20	60
1464	" * Y el	low Summer. Dull yellow; fine flesh; popular in New York market	10	20	60
1466	" *Go	Iden Summer. Smooth and bright skin	10	20	60
1468	Round Sca	arlet China. Fine for winter or summer; grows in six to eight weeks	20	50	1 50
1470	*Olive-shap	ed, French Breakfast. Pink and white; early	10	20	50
1471	66	Golden Yellow. A new sort of very fine quality	10	25	75
1472	66	White. Mild and fine for summer	10	25	70
1473	44 , 1	Deep Scarlet	10	20	60
1474	Half-long	Deep Scarlet. Flesh bright and crisp	10	20	60
1476	*Long Scar	elet Short Top. Very long and crisp; for frames or open ground	10	20	50
1477	" Brig	htest Scarlet White Tipped	10	20	60
1478			10	20	50
1480		· · · · · · · · · · · · · · · · · · ·	10	20	50
1482	" Whit	te Naples. Slender; for summer use	10	20	50
1484	" Whit	e Vienna, or Lady Finger. Crisp and tender in summer	10	20	50
1488		2	10	20	50
1490			10	20	60
			10	20	60
1494		ng Black Spanish. The popular winter sort	10	20	50
1495			10	20	60
1496		und Black Spanish. Fine for winter	10	20	50
1502			10	20	60
1504			10	25	75
1506		caudatus (Edible-pod Radish; Rat-tailed Radish). Has edible seed pods;			
	used raw	or pickledper pkt., 10 cts	50		







NON PLUS ULTRA RADISH.

RHUBARB.

RHUBARB. Ruibarbo. Rhabarber.

CULTURE.—Sow seed in a coldframe, in a fine, rich, sandy loam, about the first of March, in drills 4 inches



SALSIFY.

a coldrame, in a fine, rich, sandy loam, about the first of March, in drills 4 inches apart. Keep the frame covered during nights and cold days, so that the soil will not freeze, and in six to eight weeks the plants will be large enough to set in the open ground. Transplant to a rich soil, and set in rows 12 inches apart and 12 inches in the row. The following spring transplant again to 4 or 5 feet apart each way, and the next spring the stalks will be large enough to pull. When roots are set out, plant them 4 or 5 feet apart each way, and keep the weeds down. If roots are used, a crop may be had after one season, which is much better than sowing seeds where only a few plants for family use are needed. In the fall the bed should have a thick dressing of coarse manure, to be spaded under in spring.

			rer	7410	. LD.
1514	Linnæus.	The earliest	\$0	20 \$0 5	50 \$1 50
1515	Victoria			20 5	0 1 50
	Rooms		each 10 ets · ner doz \$1		

SALSIFY, or VEGETABLE OYSTER.

Salsifis. Ostion Vegetal. Haferwurzel.

CULTURE.—Sow as early as the ground can be worked in the spring, in drills 12 inches apart, 1 inch deep, and thin out to 6 inches in the row. Keep them free from weeds. Cultivate the same as for Carrots and Parsnips. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces ½ inch long, boiled until tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like Parsnips, and have a sweet, agreeable flavor. Mashed and fried, the flavor is much like that of the oyster. Sow 8 to 10 lbs. to the acre.

Per oz. ½lb. Lb.

1528	Long White French\$0	10	\$0 30	\$1	00
1529	Improved French. Very thick and smooth	25	75	2	50
1530	Mammoth Sandwich Island. Large and superior	15	50	1	50

SCOLYMUS.

A vegetable from Spain. The roots resemble a small Parsnip, and will keep through the winter like a Turnip. It is cultivated exactly like the Carrot, except that it should be grown in rows 3 feet apart and 18 inches in the rows. It is eaten boiled, like Salsify.

SWISS CHARD, or SILVER BEET.

This is a Beet producing leaves only, of a superior quality to those of the ordinary Beet, and excellent as greens. Cultivate about the same as Spinach, by sowing the seed in early spring, in drills about a foot apart. As it grows, thin out for use, and keep clear of weeds if success is desired. Good cultivation will greatly increase the delicacy and tenderness of the leaves.

Per oz. ¼1b. Lb. 1536 Swiss Chard......\$0 10 \$0 20 \$0 50

SPROUTS.

CHOUX VERTS NON POMMES.

CULTURE.—Sow No. 1537 very early in spring, and Winter Kale in September. Full directions for growing the latter will be found on page 25, under head of Kale.

1537 Spring Sprouts, or English Rape. Per lb., 15 cts.; per 100 lbs., \$7.

1538 Winter, or Siberian, Thorburn Improved. Per oz., 10 cts.; per ¼1b., 20 cts.; per 1b., 60 cts.



SCORZONERA.

Scorzonera. Escorzonera. Scorzionwurzel.

CULTURE.—Cultivate the same as Salsify. It is cooked in the same manner, but on account of it being somewhat more difficult to raise, is seldom seen in cultivation. Considered by many superior to Salsify. It is also called Black Salsify.

SORREL.

Oseille. Acedera. Sauerampfer.

CULTURE.—Sow in spring in drills 18 inches apart, in a rich soil, and keep the flower-stems cut off as they appear. It remains in the ground year after year, and only needs to be taken up and divided once in four or five years. To be cut and cooked precisely like Spinach; or it is excellent cooked with it, one-third Sorrel to two-thirds Spinach. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable.

 1544
 Garden, Large French
 Per oz. %1b. Lb. %0 40 \$1 25

 1545
 Mammoth Lyons. Extra-large improved strain
 20 60 2 00



SCORZONERA

SKIRRET.

CHERVIS. Zuckerwurzel.


CULTURE.—Sow in drills ½inch deep, a foot apart; thin out to 8 inches in the row; keep down the weeds.

Take up the roots before winter, and store in sand or earth.

is eaten like Scorzonera or Salsify.

Per oz.\$0 40

It is a plump, fleshy root, containing a quantity of sugar, and



EPINARD. Espinaca. Spinat.

CULTURE.—Sow in early spring, in drills a foot apart (10 to 12 lbs. to the acre), every two weeks, for a succession, and as it grows, thin out for use. For fall use sow in August, and for winter crop in September. Cover that which is left out over winter with straw or leaves, after the weather becomes quite cold. Keep clear of weeds. Sow the seed of New Zealand (which must be scalded and soaked in hot

water before sowing) in hills 3 feet apart each way, three or four seeds in a hill. This is fit for cutting all summer.

Per oz. ¼lb. Lb.

1566 Round Viroflay (Thick-leaved). Has very large, thick, dark green leaves; the favor-1570 Round-leaved Flanders. A standard sort..... 10 15 1573 Curled-leaved Savoy, or Blooms- Per oz. 1/4lb. Lb. dale. Large curled and wrinkled leaves; tender, and of the finest flavor......\$0 10 \$0 15 \$0 35 1575 Lond-standing (Round Thick-leaved). Dark green; leaves large and thick; very long-standing before running to seed. The best for spring growing..... 15 1576 Victoria (new). Extra dark blackgreen color. Two or three weeks later than the ordinary "Longstanding." A fine variety for 15

Spinach cannot be had

SORREL

10 30 1 00

LONG-STANDING SPINACH.

SQUASH.

COURGE.

Calabaza.

Speise Kürbiß.

CULTURE.—Sow in hills in the same manner and at the same time as Cucumbers and Melons, the bush varieties 3 to 4 feet apart, and the running kinds from 6 to 9 feet apart.

BUSH VARIE	TIES.	
Pe	roz. 1/4	
1583 Early Colden Bush. Fine for summer use;		
not as early as the		
White Bush\$(10 \$0	20 \$0 50
1584 Golden Custard.		
Mammoth strain of the Golden Bush. A		
valuable new bush		
variety; golden yellow flesh; fine quality	10	20 60
1585 Early White Scallop	10	20 60
Bush. A good early		
shipping variety	10	20 50
CONTRACTOR OF STATE O		
mammoth strain of Early White Bush.		
It is very large, and		
VARIOUS SQUASHES. the flesh is of fine	10	00 00
quality	10	20 66
1588 Summer Crookneck. Yellow fruit; distinct; best for summer	10	20 50
1589 Giant Summer Crookneck. Double the size of the above	10	20 60
1590 Egg-Plant Bush Squash. White flesh; suitable for frying, like egg-plant	10	25 75
1590a Cocozell Bush. A fine variety; oblong shape; skin smooth, dark green, marbled yellow or pale green.	15	30 1 00
,		
RUNNING VARIETIES.		
1591 Early Orange Marrow. Quite distinct; very early, and of most delicate flavor; suitable		
1591 Early Orange Marrow. Quite distinct; very early, and of most delicate flavor; suitable for fall or winter	10	20 60
1593 Boston Marrow. Oval; bright orange; flesh yellow and fine	10	20 60
1594 Hubbard. Well known, and liked for late use; of superior quality; large size; color	10	20 00
green, marked with orange; flesh dry, fine-grained, and of fine quality	10	25 75
1594a Mammoth Warted Hubbard. Immense size, and completely covered with warts. Of		
fine table quality	10	25 80
1595 The Faxon. Medium size; very early and productive; orange flesh of fine quality	10	25 75
1596 Turban. Orange-yellow flesh; good flavor	10	20 60
1599 Pike's Peak. Thick, bright orange flesh; fine winter sort		20 60
1600 Essex Hybrid. A good fall and winter sort	10	25 75
1601 Marblehead. Resembling the Hubbard, but has gray skin; very productive, and a fine keeper; dry, sweet, and of the finest flavor	10	25 75
1604 Cocoanut. Of first-rate quality, and very prolific		25 75
1605 White Chestnut. Like the Hubbard; dry as a boiled chestnut.		25 75
1606 Delicata. Orange-yellow, striped green; small size, but very prolific; it is extra-early,	10	20 10
very solid, and a good keeper; flesh dry and of fine quality	10	20 60
1607 Red China. Small size; red skin and orange-yellow flesh	10	25 75
1607a Fordhook. One of the best winter sorts; fine quality	10	25 75
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10	20 60
1610 Canada Crookneck. Small, well-known winter sort; green skin	10	20 60
1610a Winter Crookneck. One of the best winter sorts	10	20 60
1611 Der Wing. Light yellow flesh; very sweet; small, warty, winter sort	10	20 60
1612 The Warren. A new type of the Essex Hybrid; of superior quality	10	20 60
1613 Mammoth Chili. Grows to an enormous size; rich, orange-yellow	20	50 1 50
VECETADLE MADDOW		
VEGETABLE MARROW.		
1614 English. The true English strain; cream-color, merging into deep yellow; white flesh;		
about 9 inches long	10	25 75
1615 Italian (Cocozella di Napoli). Grows about 20 inches long, with a diameter of 3 or 4		
inches. Skin smooth, dark green, marbled yellow or paler green. In Italy it is eaten when quite young	15	30 1 00
and days loane		100

TOMATO.

Tomato. Tomates. Liebesapfel.

CULTURE.—Sow in a hotbed in early spring, or the seed may be sown in shallow boxes and placed in a window, when one does not wish to have the trouble of making a hotbed.

of frost is past, setting the plants 3 or 4 feet apart each way. Vines, to keep the fruit from touching the ground. (See the tomato supports illustrated on page 57 of this Catalogue.) Fruit may be had several weeks earlier by sowing seed quite early, and transplanting to small pots; when these are filled with roots, shift to a larger size, and transplant to open ground when the weather is warm and settled, shading from the sun for a day or so. As the roots are not disturbed in taking plants from the pots, the plants suffer no check, but grow right on.

Skilful cultivators, by selecting and hybridizing, have greatly improved the Tomato.

Per oz. 1/4lb. Lb.

1616 Thorburn Novelty. A large, solid,
rich, deep scarlet, new sort, globular shape, fine flavor. Highly
recommended either for growing
under glass or outdoor..pkt., 10c...\$0 35 \$1 00 \$3 50

1617 The Waldorf. (Thorburn.) Perfect




1014	shape, large, smooth, fine quality;			
	11.1 1 1 1 1 to our control of the c	Per oz.	⅓lb.	Lb.
	medium early; very productive	.\$0 30	\$0 85	\$3 00
1618	The Democrat. (Thorburn.) The finest large Tomato; bright roseper pkt., 10c		1 25	4 50
1619	The Autocrat. (Thorburn.) Very large, solid and productive; color of Acme	. 25	75	2 50
1620	The Aristocrat. Medium size; rich glossy red; smooth, solid	. 25	75	$2\ 25$
1621	Thorburn Terra Cotta. Quite distinct in color, form, skin and flesh; pure terra cotta	ı. 30	85	3 00
1622	Thorburn Lemon Blush. Skin and flesh bright lemon, with a faint rose blush; large	. 30	85	3 00
1623	Thorburn Long Keeper. Bright red, early, very productive; fine keeper	. 25	75	2 50
1624	Thorburn New Jersey. One of the finest sorts; large, solid, smooth, bright scarlet		75	2 50
1625	Freedom. A new variety, ripening a large proportion of fruit earlier than other sorts strictly smooth, very regular and uniform; bright scarletper pkt., 10 cts	. 40	1 25	4 00
1626	Matchless. Extra large; smooth and handsome; bright red; very solid		85	3 00
1627	Early Ruby. Very early; large size; bright scarlet color		75	2 50
1628	Ponderosa. The largest variety in cultivationper pkt., 10 cts		1 25	4 50
1629	Crimson Cushion. Extra large; handsome; bright crimsonper pkt., 10 ets		1 75	6 00
1630	Ignotum. Very prolific; earliest of the large, deep red, smooth varieties		60	2 25
1631	Sutton's Best of All. Highly recommended for growing under glass.per pkt., 10 cts		1 75	6 00
1633	Dwarf Champion. Quite distinct, early; resembles the Acme in appearance		75	2 25
1634	" New Scarlet. Light scarlet color; prolific, early; good quality		85	3 00
1635	Imperial. Early, large, smooth, solid; fine quality; color of Beauty		75	2 25
1636	Atlantic Prize. The earliest of all; smooth, bright red and of good size		75	2 25
1638	Perfection. Early, regular and productive; reddish scarlet		60	2 00
1640	Favorite. Large, smooth, productive, and a good shipper		60	2 00
1641	Beauty. Large, smooth, dark, pinkish red; thick flesh; regular form		60	2 00
1642	Stone. Very large, perfectly smooth; fine bright scarlet		60	2 00
1643	Fordhook. Extra early, fine, smooth, solid; medium size		85	3 00
1645	Acme. Medium size; smooth and good; purplish pink color		60	2 00
1646	Paragon. Bright red, round; very productive		60	2 00
1647	Buckeye State. Very large and productive; smooth, uniform, good quality		85	3 00
1648	Honor Bright. Rich, bright red; long keeper and fine shipping sort		85	
1649	Royal Red. Intense bright red color; good main crop variety		75	2 50
1650	Horsford Prelude. Bright crimson, round, smooth; very early		75	2 50
1651	Mikado. Very large, smooth, solid; purplish red		75 75	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$
1653 1654	Lorillard. Bright, glossy red, smooth; of fine flavor, and very early		75	2 50
1656	Golden Queen. About size and form of Beauty; smooth, golden yellow		75	2 50
1659	Yellow Plum-shaped. Round and regular; bright yellow; used for pickles		75	2 50
1660	Yellow Pear-shaped. Handsome, yellow, pear-shaped fruits		75	2 50
1664	Peach. Resembling a peach; for preserves, pickles and exhibition; quality excellent.		75	2 50
1668	Yellow Peach. Very handsome in form and of a beautiful clear yellow color		75	2 50
1675	Yellow Cherry. Similar to preceding, save in color		75 75	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$
1678 1682	Red Pear-shaped. Fruit handsome and solid; fine for preserves		75 85	3 00
1685			85	3 00
4000	The charge of the control of the con		- 00	0 00

TURNIP.

NAVET. Nabo. Rübe.

CULTURE.—For early Turnips sow as soon as ground opens in spring. Nos. 1766 to 1774 should be sown from any time in July to first of August; but the other kinds, for winter use, may be sown from middle of July to end





Seeds of Pot, Sweet and Medicinal Herbs.

Agrimony. For medicinal purposes Agrimonio officinalis 5 15 \$1 \$2 Angelica, Garden. For flavoring wine and cakes Archangelica officinalis 5 15 \$1 \$2 Anses. Seeds aromatic and carwinative. Pimpinella Anisum. 05 10 80 Arnica. Tincture of Arnica is made from it. Arnica montana. 10 12 15 Basil, Dwarf or Bush. Culinary perb. used for flavoring soups, etc. Oeymum basiliem. 65 20 150 "Sweet. Culinary herb, used for flavoring soups, etc. Oeymum basiliem. 65 20 125 Beltadonna. Used in medicine. Atropa Belladonna. 10 65 20 125 Bene. The seeds yield a good oil. The leaves are used for flavoring properties. Expatorium perfoliatum. 65 10 76 Borage. Leaves used as a salad. Borage officinalis. 65 10 10 10 10 40 40 Charmy. Used in flavoring iliquors and bread. Carum Carui. 65 10 17 5 61 10 75 Caraway. Used in medicinal qualities. Neptacataria.		pkt.	Oz.	Lb.
Anise. Seeds aromatic and carminative. Pimpinella Anisum. 05 10 80 Arnica. Tincture of Arnica is made from it. Arnica montana. 10 1 25 Balm. For culinary purposes. Melissa officinalis. 05 30 Basil, Dwarf or Bush. Culinary herb. Seeds officinalis. 05 20 1 50 "Sweet. Culinary herb, used for flavoring soups, etc. Ocynum bailieum. 05 20 1 25 Belladonna. Used in medicine. Atropa Belladonna. 10 6 Bene. The seeds yield a good oil. The leaves are used for children for dysentery and diarrhoca. Sesamum orientale 05 15 100 Boneset. Eupatorium perfoliatum 05 60 Borage. Leaves used as a salad. Borago officinalis. 05 15 135 Caraway. Used in flavoring liquors and bread. Carum Carui. 05 10 75 Caraway. Used in flavoring liquors and bread. Carum Carui. 05 10 75 Caraway. Used in flavoring liquors and bread. Carum Carui. 05 10 75 Caraway. Used in flavoring liquors and bread. Carum Carui. 05 10 75 Coriander. Seeds aromatic. Coriandrum sativum. 05 10 75 Dill. Seeds used for flavoring vinegar. Anethum graveolens. 05 10 60 "New Mammoth. Much larger than the above. 05 15 15 15 Elecampane. Has tonic and expectorant qualities. Inula Helenium. 10 75 Fennely, Sweet. Seeds aromatic; for flavoring. Anethum Feniculum. 05 10 75 Forgiove, Purple. Has medicinal qualities. Digitalis purpurea. 05 20 150 Forgiove, Purple. Has medicinal qualities. Digitalis purpurea. 05 20 150 Forgiove, Purple. Has medicinal qualities. Marrubium vulgare. 05 20 20 150 Forgiove, Purple. Has medicinal qualities. Hysosynomicinalis. 05 10 75 Gromwell. A medicinal qualities. Hysosynomicinalis. 05 10 75 Gromwell. A medicinal qualities. Hysosynomicinalis. 05 10 75 Gromwell. As medicinal qualities. Hysosynomicinalis. 05 20 20 00 Marshmallow. Has medicinal qualities. Hysosynomicinalis. 05 10 150 Marigold, Pot. Used in soups. Calendula officinalis. 05 10 150 Marigold, Pot. Used in seasoning. Origanum Majorana. 05 20 20 150 Marshmallow. Has medicinal qualities. Reasoning. Origanum Majorana. 05 20 20 150 Marshmallow. Has medicinal qualities. Roman decimal solitics. 05 10 150 Pe	Agrimony. For medicinal purposes	10	\$0.75	
Balm	Angelica, Garden. For flavoring wine and cakesArchangelica officinalis	05	15	\$1 25
Basil, Dwarf or Bush. Culinary herb Ocymum minimum 05 20 150	Anise. Seeds aromatic and carminative	05	10	80
Basil, Dwarf or Bush. Culinary herb.		10	1 25	
Sweet. Culinary herb, used for flavoring soups, etc. Ocymum basilieum. 05 06 06	Baim. For culinary purposes	05	30	
Belladonna. Used in medicine. Atropa Belladonna 10 60	Basil, Dwarf or Bush. Culinary herbOcymum minimum	05	20	1 50
Bene. The seeds yield a good oil. The leaves are used for children for dysentery and diarrhœa. Seamum orientale 05 15 100	Sweet. Culinary herb, used for flavoring soups, etcOcymum basilicum	05	20	1 25
Children for dysentery and diarrhose. Sesamum orientale O5 15 1 00	Belladonna. Used in medicine	10	60	
Boneset		05	15	1 00
Borage Leaves used as a salad Borago officinalis 05 15 1 25	Boneset Eupatorium perfoliatum	05	60	
Catnip. Has medicinal qualities. Nepeta cataria. 10 40 4 00 Chamomile. Matricaria Chamomilla. 10 75 Coriander. Seeds aromatic. Coriandrum sativum. 05 10 75 Dill. Seeds used for flavoring vinegar. Anethum graveolens. 05 10 60 " New Mammoth. Much larger than the above. Anethum graveolens. 05 10 75 Elecampane. Has tonic and expectorant qualities. Inula Helenium. 10 75 Fennel, Sweet. Seeds aromatic; for flavoring. Anethum Fœniculum. 05 10 75 Foxglove, Purple. Has medicinal qualities. Digitalis purpurea. 05 20 150 Foxglove, Purple. Has medicinal qualities. Fumaria officinalis. 10 75 Fumitory. A medicinal herb. Luthospermum officinale. 05 20 150 Hemlock. Has medicinal qualities. Hyoseyamus niger. 05 20 150 Hernbane. Has medicinal qualities. Hyoseyamus niger. 05 20 20 150 Hyssop. Has medi	Borage. Leaves used as a salad Borago officinalis.	05	15	1 25
Chamomile	Caraway. Used in flavoring liquors and bread	05	10	75
Coriander. Seeds aromatic. Coriandrum sativum. 05 10 75 Dill. Seeds used for flavoring vinegar Anethum graveolens. 05 15 10 60 "New Mammoth. Much larger than the above. 05 15 12 5 Elecampane. Has tonic and expectorant qualities. Inula Helenium. 10 75 Fennel, Sweet. Seeds aromatic; for flavoring. Anethum Feniculum. 05 10 75 Forglove, Purple. Has medicinal qualities. Digitalis purpurea. 05 20 1 50 Foxglove, Purple. Has medicinal qualities. Digitalis purpurea. 05 20 1 50 Fumitory. A medicinal herb. Lithospermum officinale. 05 20 1 50 Hemlock. Has medicinal qualities. Conium maculatum. 10 75 Henbane. Has medicinal qualities. Hyssopus officinals. 05 20 1 50 Hermore. Has medicinal qualities. Hyssopus officinalis. 05 20 2 0 Hyssop. Has medi	Catnip. Has medicinal qualities. Nepeta cataria.	10	40	4 00
Dill. Seeds used for flavoring vinegar Anethum graveolens 05 10 60 " New Mammoth. Much larger than the above 05 15 1 25 Elecampane. Has tonic and expectorant qualities. Inula Helenium. 10 75 Fennel. Sweet. Seeds aromatic; for flavoring. Anethum Fœniculum. 05 10 75 "Fennels. For collaboration. Anethum Fœniculum. 05 15 15 15 Foxglove, Purple. Has medicinal qualities. Digitalis purpurea. 05 20 150 Fumitory. A medicinal qualities. Lithospermum officinalis. 05 25 Hembane. Has medicinal qualities. Conium maculatum. 10 75 Herbane. Has medicinal qualities. Marusum niger. 05 20 1 50 Hendoud. Has medicinal qualities. Marusum niger. 05 20 2 0 Lavendur. For oil and distilled water. Lavendula vera. 05 20 1	Chamomile Matricaria Chamomilla.	10	75	
"New Mammoth. Much larger than the above. 05 15 1 25 Elecampane. Has tonic and expectorant qualities. Inula Helenium. 10 75 Fennel, Swect. Seeds aromatic; for flavoring. Anethum Fœniculum. 05 10 75 "Forglove, Purple. Has medicinal qualities. Digitalis purpurea. 05 15 1 50 Foxglove, Purple. Has medicinal qualities. Fumitory. A medicinal herb. Lithospermum officinale. 05 20 1 50 Gromwell. A medicinal herb. Lithospermum officinale. 05 25 Henlock. Has medicinal qualities. Conium maculatum. 10 75 Henbane. Has medicinal qualities. Myoscyamus niger. 05 20 1 50 Horehound. Has medicinal qualities. Mysopus officinalis. 05 20 2 00 Hyssop. Has medicinal qualities. Hysopus officinalis. 05 20 2 0 Lovage. Has medicinal qualities. Lavendula vera. 05 20 20 20 Lovage.	Coriander. Seeds aromatic	05	10	75
"New Mammoth. Much larger than the above. 05 15 1 25 Elecampane. Has tonic and expectorant qualities. Inula Helenium. 10 75 Fennel, Swect. Seeds aromatic; for flavoring. Anethum Fœniculum. 05 10 75 "Forglove, Purple. Has medicinal qualities. Digitalis purpurea. 05 15 1 50 Foxglove, Purple. Has medicinal qualities. Fumitory. A medicinal herb. Lithospermum officinale. 05 20 1 50 Gromwell. A medicinal herb. Lithospermum officinale. 05 25 Henlock. Has medicinal qualities. Conium maculatum. 10 75 Henbane. Has medicinal qualities. Myoscyamus niger. 05 20 1 50 Horehound. Has medicinal qualities. Mysopus officinalis. 05 20 2 00 Hyssop. Has medicinal qualities. Hysopus officinalis. 05 20 2 0 Lovage. Has medicinal qualities. Lavendula vera. 05 20 20 20 Lovage.	Dill. Seeds used for flavoring vinegar	05	10	60
Elecampane. Has tonic and expectorant qualities. Inula Helenium. 10 75		05	15	1 25
Fennel, Sweet. Seeds aromatic; for flavoring. Anethum Fœniculum. 05 10 75 16 175	<u> </u>	10	75	
## Florence. In flavor resembling celety		05		75
Foxglove, Purple. Has medicinal qualities. Digitalis purpurea. 05 20 1 50 Fumitory. A medicinal herb. Fumaria officinalis. 10 75 Gromwell. A medicinal herb. Lithospermum officinale 05 25 Hemlock. Has medicinal qualities. Conium maculatum. 10 75 Henbane. Has medicinal qualities. Hyoscyamus niger. 05 20 1 50 Horehound. Has medicinal qualities. Marrubium vulgare. 05 20 2 00 Hyssop. Has medicinal qualities. Hyssopus officinalis 05 20 2 00 Lavender. For oil and distilled water. Lavendula vera. 05 20 1 50 Lovage. Has medicinal qualities. Levisticum officinale. 05 30 3 00 Marshmallow. Has medicinal qualities. Althea officinalis. 05 40 Marigold, Pot. Used in soups. Calendula officinalis. 05 40 Marigold, Pot. Used in seasoning. Origanum Onites 10 50 5 00 "Sweet. Used in seasoning. Origanum Majorana 05 20 1 50 Peony officinalis. Has medicinal qualities. Hedeoma pulegeoides. 10 60 60 Pepepermint. Mentha piperita. 25 Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis. 05 15 1 50 Saffron. Used in medicine, and also in dyeing Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb. Satureja montana 05 26 2 00 Savory, Summer. Used as a culinary herb. Satureja montana 05 20 2 00 Tarasgo. True. Does not produce seed. Roots in fall and spring. 35 cts. each, \$3.50 per doz. Artemisia Dracunculus. Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris. 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring. 35 cts. each, \$3.50 per doz. Artemisia Dracunculus. Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris. 05 30 3 05		05	15	
Fumitory. A medicinal herb.				
Cromwell		10		
Hemlock. Has medicinal qualities. Conium maculatum. 10 75 Henbane. Has medicinal qualities. Hyoscyamus niger. 05 20 1 50 Horehound. Has medicinal qualities. Marrubium vulgare. 05 20 2 00 Hyssop. Has medicinal qualities. Hyssopus officinalis 05 20 2 00 Lavender. For oil and distilled water Lavendula vera. 05 20 1 50 Lovage. Has medicinal qualities. Levisticum officinale. 05 30 3 00 Marshmallow. Has medicinal qualities. Althæa officinalis. 05 40 Marigold, Pot. Used in soups. Calendula officinalis 05 15 1 25 Marjoram, Pot. Used in seasoning. Origanum Onites 10 50 5 00 "Sweet. Used in seasoning. Origanum Majorana 05 20 1 50 Pæony officinalis. Has medicinal qualities. Pæonia officinalis 05 15 1 50 Pennyroyal. Has medicinal qualities. Hedeoma pulegeoides. 10 60 6 00 Peppermint. Mentha piperita. 25 Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis 05 15 1 50 Saffron. Used in medicine, and also in dyeing Carthamus tinctorius 05 10 75 Sage, Common. A culinary herb, and also in medicine. Salvia officinalis 05 15 1 50 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum 05 20 2 00 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum 05 20 2 00 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum 05 20 2 00 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum 05 20 2 00 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum 05 20 2 00 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum 05 20 2 00 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring. 35 cts. each, \$3.50 per doz. Artemisia Dracunculus. Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris. 05 30 2 50		05	25	
Henbane. Has medicinal qualities. Hyoscyamus niger. 05 20 1 50 Horehound. Has medicinal qualities. Marrubium vulgare. 05 20 2 00 Hyssop. Has medicinal qualities. Hyssopus officinalis 05 20 2 00 Lavender. For oil and distilled water. Lavendula vera. 05 20 1 50 Lovage. Has medicinal qualities. Levisticum officinale. 05 30 3 00 Marshmallow. Has medicinal qualities. Althæa officinalis. 05 40 Marigold, Pot. Used in soups. Calendula officinalis. 05 15 1 25 Marjoram, Pot. Used in seasoning. Origanum Onites. 10 50 50 "Sweet. Used in seasoning. Origanum Majorana 05 20 1 50 Pæony officinalis. Has medicinal qualities. Pæonia officinalis. 05 15 1 50 Pennyroyal. Has medicinal qualities. Hedeoma pulegeoides. 10 60 6 00 Peppermint. Mentha piperita. 25 Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis. 05 30 3 00 Rue. Said to have medicinal qualities. Ruta graveolens. 05 15 1 50 Saffron. Used in medicine, and also in dyeing. Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia officinalis. 05 15 1 50 "Peruple. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb. Satureja montana 05 26 2 00 Tansy. Generally used in bitters. Tanaectum vulgare 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring		10		
Horehound. Has medicinal qualities. Marrubium vulgare. 05 20 2 00 Hyssop. Has medicinal qualities. Hyssopus officinalis 05 20 2 00 Lavender. For oil and distilled water. Lavendula vera. 05 20 1 50 Lovage. Has medicinal qualities. Levisticum officinale. 05 30 3 00 Marshmallow. Has medicinal qualities. Althæa officinalis. 05 40 Marigold, Pot. Used in soups. Calendula officinalis 05 15 1 25 Marjoram, Pot. Used in seasoning. Origanum Onites 10 50 5 00 "Sweet. Used in seasoning. Origanum Majorana 05 20 1 50 Pæony officinalis. Has medicinal qualities. Pæonia officinalis 05 15 1 50 Pennyroyal. Has medicinal qualities. Hedeoma pulegeoides. 10 60 6 00 Peppermint. Mentha piperita. 25 Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis 05 30 3 00 Rue. Said to have medicinal qualities. Ruta graveolens. 05 15 1 50 Saffron. Used in medicine, and also in dyeing. Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia officinalis 05 15 1 50 "Red. Used as a culinary herb, and also in medicine. Salvia Horminum 05 20 2 00 "Purple. Used as a culinary herb, and also in medicine. Salvia Horminum 05 20 2 00 Savory, Summer. Used as a culinary herb. Satureja Hortensis. 05 15 15 80 "Winter. Used as a culinary herb. Satureja montana 05 20 2 00 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring. 35 cts. each, \$3.50 per doz. Artemisia Dracunculus. Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris. 05 30 2 50		05	20	1 50
Hyssop. Has medicinal qualities. Hyssopus officinalis 05 20 2 00 Lavender. For oil and distilled water. Lavendula vera. 05 20 1 50 Lovage. Has medicinal qualities. Levisticum officinale. 05 30 3 00 Marshmallow. Has medicinal qualities. Althæa officinalis. 05 40 Marigold, Pot. Used in soups. Calendula officinalis. 05 15 1 25 Marjoram, Pot. Used in seasoning. Origanum Onites 10 50 5 00 "Sweet. Used in seasoning. Origanum Majorana 05 20 1 50 Pæony officinalis. Has medicinal qualities. Pæonia officinalis. 05 15 1 50 Pennyroyal. Has medicinal qualities. Hedeoma pulegeoides. 10 60 6 00 Peppermint. Mentha piperita. 25 Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis. 05 30 3 00 Rue. Said to have medicinal qualities. Ruta graveolens. 05 15 1 50 Saffron. Used in medicine, and also in dyeing Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia officinalis. 05 20 2 00 Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb and also in medicine. Salvia florminum. 05 20 2 00 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring. 35 cts. each, \$3.50 per doz. Artemisia Dracunculus. Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris. 05 30 2 50		05	20	2 00
Lavender. For oil and distilled water Lavendula vera. 05 20 1 50 Lovage. Has medicinal qualities. Levisticum officinale. 05 30 3 00 Marshmallow. Has medicinal qualities. Althæa officinalis. 05 40 Marigold, Pot. Used in soups. Calendula officinalis. 05 15 1 25 Marjoram, Pot. Used in seasoning. Origanum Onites 10 50 5 00 "Sweet. Used in seasoning. Origanum Majorana 05 20 1 50 Pæony officinalis. Has medicinal qualities. Pæonia officinalis. 05 15 1 50 Pennyroyal. Has medicinal qualities. Hedeoma pulegeoides 10 60 6 00 Peppermint. Mentha piperita. 25 Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis. 05 30 3 00 Rue. Said to have medicinal qualities. Ruta graveolens. 05 15 1 50 Saffron. Used in medicine, and also in dyeing Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia officinalis. 05 20 2 00 "Red. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 "Purple. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb. Satureja Hortensis. 05 15 80 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring. 35 cts. each, \$3.50 per doz. Artemisia Dracunculus Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris. 05 30 2 50	·	05	20	2 00
Lovage. Has medicinal qualities. Levisticum officinale. 05 30 3 00 Marshmallow. Has medicinal qualities. Althæa officinalis. 05 40 Marigold, Pot. Used in soups. Calendula officinalis. 05 15 1 25 Marjoram, Pot. Used in seasoning. Origanum Onites 10 50 5 00 "Sweet. Used in seasoning. Origanum Majorana 05 20 1 50 Peony officinalis. Has medicinal qualities. Pæonia officinalis. 05 15 1 50 Pennyroyal. Has medicinal qualities. Hedeoma pulegeoides. 10 60 6 00 Peppermint. Mentha piperita. 25 Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis. 05 30 3 00 Rue. Said to have medicinal qualities. Ruta graveolens. 05 15 1 50 Saffron. Used in medicine, and also in dyeing Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia officinalis. 05 15 1 50 Safton. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 "Red. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb. Satureja Hortensis. 05 15 80 "Winter. Used as a culinary herb. Satureja Hortensis. 05 15 80 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring		05	20	1 50
Marshmallow. Has medicinal qualities.Althæa officinalis.0540Marigold, Pot. Used in soups.Calendula officinalis.05151 25Marjoram, Pot. Used in seasoning.Origanum Onites10505 00"Sweet. Used in seasoning.Origanum Majorana05201 50Pæony officinalis. Has medicinal qualities.Pæonia officinalis.05151 50Pennyroyal. Has medicinal qualities.Hedeoma pulegeoides.10606060Peppermint.Mentha piperita.25Rosemary. Yields an aromatic oil and water.Rosmarinus officinalis.05303 00Rue. Said to have medicinal qualities.Ruta graveolens.05151 50Saffron. Used in medicine, and also in dyeingCarthamus tinctorius.051075Sage, Common. A culinary herb; also used in medicine.Salvia officinalis.05151 50"Red. Used as a culinary herb, and also in medicine.Salvia Horminum.05202 00"Purple. Used as a culinary herb, and also in medicine.Salvia Horminum.05202 00Savory, Summer. Used as a culinary herb.Satureja Hortensis.051580"Winter. Used as a culinary herb.Satureja Hortensis.051580"Tansy. Generally used in bitters.Tanacetum vulgare.05353 50Tarragon. True. Does not produce seed. Roots in fall and spring.35 cts. each, \$3.50 per doz. Artemisia Dracunculus.Thyme, Broad-leaved, Englis	Lovage. Has medicinal qualities	05	30	3 00
Marjoram, Pot. Used in seasoning. Origanum Onites 10 50 5 00 "Sweet. Used in seasoning. Origanum Majorana 05 20 1 50 Pæony officinalis. Has medicinal qualities. Pæonia officinalis. 05 15 1 50 Pennyroyal. Has medicinal qualities. Hedeoma pulegeoides. 10 60 60 Peppermint. Mentha piperita. 25 Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis. 05 30 3 00 Rue. Said to have medicinal qualities. Ruta graveolens. 05 15 1 50 Saffron. Used in medicine, and also in dyeing. Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia officinalis. 05 15 1 50 "Red. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb. Satureja Hortensis. 05 15 80 "Winter. Used as a culinary herb. Satureja montana 05 20 2 00	-	05	40	
Marjoram, Pot. Used in seasoning. Origanum Onites 10 50 5 00 "Sweet. Used in seasoning. Origanum Majorana 05 20 1 50 Pæony officinalis. Has medicinal qualities. Pæonia officinalis. 05 15 1 50 Pennyroyal. Has medicinal qualities. Hedeoma pulegeoides. 10 60 60 Peppermint. Mentha piperita. 25 Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis. 05 30 3 00 Rue. Said to have medicinal qualities. Ruta graveolens. 05 15 1 50 Saffron. Used in medicine, and also in dyeing. Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia officinalis. 05 15 1 50 "Red. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb. Satureja Hortensis. 05 15 80 "Winter. Used as a culinary herb. Satureja montana 05 20 2 00	·	05	15	1 25
Weet. Used in seasoning. Origanum Majorana O5 20 1 50 Pæony officinalis. Has medicinal qualities. Pæonia officinalis. O5 15 1 50 Pennyroyal. Has medicinal qualities. Hedeoma pulegeoides. Hedeoma pulegeoides. Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis. Ruta graveolens. Said to have medicinal qualities. Ruta graveolens. Saffron. Used in medicine, and also in dyeing. Carthamus tinctorius. Sage, Common. A culinary herb; also used in medicine. Salvia officinalis. Red. Used as a culinary herb, and also in medicine. Salvia Horminum. Savory, Summer. Used as a culinary herb, and also in medicine. Salvia Horminum. Savory, Summer. Used as a culinary herb. Satureja Hortensis. Savory, Summer. Used as a culinary herb. Satureja montana Savory Generally used in bitters. Tanacetum vulgare Tarragon. True. Does not produce seed. Roots in fall and spring. 35 cts. each, \$3.50 per doz. Artemisia Dracunculus. Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris. O5 35 35 0		10		
Pæony officinalis. Has medicinal qualities.Pæonia officinalis.05151 50Pennyroyal. Has medicinal qualities.Hedeoma pulegeoides.10606 00Peppermint.Mentha piperita.25Rosemary. Yields an aromatic oil and water.Rosmarinus officinalis.05303 00Rue. Said to have medicinal qualities.Ruta graveolens.05151 50Saffron. Used in medicine, and also in dyeing.Carthamus tinctorius.051075Sage, Common. A culinary herb; also used in medicine.Salvia officinalis.05151 50"Red. Used as a culinary herb, and also in medicine.Salvia Horminum.05202 00"Purple. Used as a culinary herb, and also in medicine.Salvia Horminum.05202 00Savory, Summer. Used as a culinary herb.Satureja Hortensis.051580"Winter. Used as a culinary herb.Satureja montana05262 00Tansy. Generally used in bitters.Tanacetum vulgare05353 50Tarragon. True. Does not produce seed. Roots in fall and spring.35 cts. each, \$3.50 per doz. Artemisia Dracunculus.Thyme, Broad-leaved, English. Used as a seasoning.Thymus vulgaris.05302 50"French.Thymus vulgaris.05302 50		05	20	1 50
Peppermint.Mentha piperita.25Rosemary. Yields an aromatic oil and water.Rosmarinus officinalis.05303 00Rue. Said to have medicinal qualities.Ruta graveolens.05151 50Saffron. Used in medicine, and also in dyeingCarthamus tinctorius.051075Sage, Common. A culinary herb; also used in medicine.Salvia officinalis.05151 50"Red. Used as a culinary herb, and also in medicine.Salvia Horminum.05202 00"Purple. Used as a culinary herb, and also in medicine.Salvia Horminum.05202 00Savory, Summer. Used as a culinary herb.Satureja Hortensis.051580"Winter. Used as a culinary herb.Satureja montana05262 02Tansy. Generally used in bitters.Tanacetum vulgare05353 50Tarragon. True. Does not produce seed. Roots in fall and spring.35 cts. each, \$3.50 per doz. Artemisia Dracunculus.Thyme, Broad-leaved, English. Used as a seasoning.Thymus vulgaris.05353 50"French.Thymus vulgaris.05302 50	Pæony officinalis. Has medicinal qualities. Pæonia officinalis.	05	15	1 50
Peppermint.Mentha piperita.25Rosemary. Yields an aromatic oil and water.Rosmarinus officinalis.05303 00Rue. Said to have medicinal qualities.Ruta graveolens.05151 50Saffron. Used in medicine, and also in dyeingCarthamus tinctorius.051075Sage, Common. A culinary herb; also used in medicine.Salvia officinalis.05151 50"Red. Used as a culinary herb, and also in medicine.Salvia Horminum.05202 00"Purple. Used as a culinary herb, and also in medicine.Salvia Horminum.05202 00Savory, Summer. Used as a culinary herb.Satureja Hortensis.051580"Winter. Used as a culinary herb.Satureja montana05262 02Tansy. Generally used in bitters.Tanacetum vulgare05353 50Tarragon. True. Does not produce seed. Roots in fall and spring.35 cts. each, \$3.50 per doz. Artemisia Dracunculus.Thyme, Broad-leaved, English. Used as a seasoning.Thymus vulgaris.05353 50"French.Thymus vulgaris.05302 50	Pennyroyal. Has medicinal qualities	10	60	6 00
Rosemary. Yields an aromatic oil and water. Rosmarinus officinalis 05 30 3 00 Rue. Said to have medicinal qualities. Ruta graveolens. 05 15 1 50 Saffron. Used in medicine, and also in dyeing Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia officinalis. 05 15 1 50 "Red. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 "Purple. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb. Satureja Hortensis. 05 15 80 "Winter. Used as a culinary herb. Satureja montana 05 20 2 00 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring 35 cts. each, \$3.50 per doz. Artemisia Dracunculus. Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris. 05 35 3 50 "French. Thymus vulgaris. 05 30 2 50		25		
Rue. Said to have medicinal qualities. Ruta graveolens. 05 15 1 50 Saffron. Used in medicine, and also in dyeing Carthamus tinctorius. 05 10 75 Sage, Common. A culinary herb; also used in medicine. Salvia officinalis. 05 15 1 50 "Red. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 "Purple. Used as a culinary herb, and also in medicine. Salvia Horminum. 05 20 2 00 Savory, Summer. Used as a culinary herb. Salvie Hortensis. 05 15 80 "Winter. Used as a culinary herb. Satureja Hortensis. 05 15 80 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring 35 cts. each, \$3.50 per doz. Artemisia Dracunculus. Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris 05 35 3 50 "French. Thymus vulgaris 05 30 2 50		05	30	3 00
Sage, Common. A culinary herb; also used in medicine		05	15	
Sage, Common. A culinary herb; also used in medicine	Saffron. Used in medicine, and also in dyeing	05	10	75
"Purple. Used as a culinary herb, and also in medicine. Salvia Horminum		05	15	1 50
Savory, Summer. Used as a culinary herb. Satureja Hortensis. 05 15 80 "Winter. Used as a culinary herb. Satureja montana 05 20 2 00 Tansy. Generally used in bitters. Tanacetum vulgare 05 35 3 50 Tarragon. True. Does not produce seed. Roots in fall and spring. 35 cts. each, \$3.50 per doz. Artemisia Dracunculus. Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris. 05 35 3 50 "French. Thymus vulgaris. 05 30 2 50	Red. Used as a culinary herb, and also in medicineSalvia Horminum	05	20	2 00
"Winter. Used as a culinary herb	a de processor de la constant y more, and a modification control months and a control months a control months and	05	20	2 00
Tansy. Generally used in bitters				
Tarragon. True. Does not produce seed. Roots in fall and spring				
spring		05	35	3 50
Thyme, Broad-leaved, English. Used as a seasoning				
Wormwood. Has medicinal qualities. Thymus vulgaris. 05 30 2 50 Artemisia Absinthium. 05 30 2 50	Thyme, Broad-leaved, English. Used as a seasoning Thymus vulgaris	05	35	3 50
Wormwood. Has medicinal qualities	FrenchThymus vulgaris	05	30	2 50
	Wormwood. Has medicinal qualitiesArtemisia Absinthium	05	30	2 50

BURBANK'S NEW HYBRID WALNUT, "ROYAL."

Juglans nigra X Juglans Californica.

We have purchased the entire crop of this most interesting and valuable hybrid Walnut from the celebrated originator, Mr. Luther Burbank, and we offer the limited supply at the moderate prices mentioned.



"Royal" is a cross between Juglans nigra and Juglans Californica, and produces nuts in abundance and of the largest size, as may be seen from the life-size engraving, from a photograph. The quality is very much superior to that of either parent. The meat, which is very large, and parts more readily from the shell, has none of the disagreeable strong taste of the common American Black Walnut, and much more sweetness and character than the California Walnut.

In foliage, growth and general appearance the characteristics of both parents are about equally combined in the hybrid. Bearing nuts when young, and abundantly as it does, a promising new field is open for producing still other variations.

The nuts germinate freely, and, though varying within certain limits, yet reproduce the rapid-growing parent hybrid form with only an occasional reversion.

PRICE — Sample package for 75 cts.; in lots of 1 pound and upwards, \$1.25 per pound.

HYBRID WALNUT, "ROYAL" (life size).

FRUIT SEEDS.

" " Domestic	\$0 30 30 25 30 20 20 2 00 2 00	\$20 00 25 00 15 00	Peach Pits (nat'l pits) per bus., \$2. \$0 10 Pear Seed, German \$0 20 1 50 " Japan 40 4 50 Plum Pits, Green Gage 25 \$18 00 " Warney Damson, for grafting 25 18 00 "" Myrobolan 30 25 15 00 Quince Seed 20 2 00 Raspberry Seed pkt. 10c 20 2 00
	4 00		

NATIVE GRAPE SEEDS.

	Per	oz.	Lb.		Per	oz.	Lb.
Vitis	Æstivalis (Summer Grape)\$0	25	\$2 50	Vitis	monticola (Texas Mountain Grape)\$0	25	\$2 50
	Californica (California Wild Grape).	25	2 50	44	riparia (Riverside Grape)	25	2 50
6.6	cinerea (Sweet Winter Grape)	25	2 50	44	indivisa	25	2 50
4.6	cordifolia	25	2 50	4.6	rotundifolia	25	2 50
6.6	Jahrusca (Northern Fox Grane)	25	2.50				

SEEDS OF HEDGE PLANTS.

(See also Tree Seeds, pages 66 to 70.)

	Per lb.	Per lb.
Arborvitæ, American.	Thuja occidentalis\$1 75	HawthornCratægus Oxyacantha.\$0 50
Balsam Fir	Abies balsamea 1 25	Locust, Honey, or Three-
Barberry, Common	Berberis vulgaris 75	thorned AcaciaGleditschia triacanthos 40
" Purple-leav	edBerberis folio-pur-	Locust, Yellow Robinia pseudacacia 40
*	purea 1 50	Norway Spruce Picea excelsa 1 00
Broom, Scotch	Genista scoparia 50	Osage Orange
Buckthorn	Rhamnus catharticus. 75	Privet, Japan or California. Ligustrum Japonicum. 1 00
Cornelian Cherry	Cornus maseula 50	" CommonEvergreen Ligustrum vulgare 75
	Ulex Europæa 75	Sheepberry (Black Haw)Viburnum prunifolium 1 00
	*	

VARIOUS VEGETABLES USED FOR PICKLES.

Directions for culture of each will be found under the proper heads. For prices, see body of Catalogue.

Beans, Refugee.

"Lyonnaise.
Beet, Blood Turnip.
Brussels Sprouts, Best French.
Cabbage, Red.
Cucumber, Green Prolific.

Melon, Vine Orange or Mango.
Martynia.
Nasturtium, Tall.
Onion, White Portugal.
" Queen, and others.
Penner, Chili

Pepper, Sweet Mountain.

"Oxheart.

Tomato, Yellow Plum.

"Red Cherry.
"Strawberry.
"Yellow Cherry.

Pepper, Chili. "Yellow Celestial. "Peach

VARIOUS VEGETABLES USED FOR SALADS.

For prices and cultural directions for these vegetables, see body of Catalogue.

Amaranthus caudatus. Borage. Burnet. Celery.

Cauliflower. Cherkin.

> Corn Salad. Curled Cress. Dandelion. Endive.

Escarolle. Lettuce. Nasturtium, Tall. Pepper, Sweet Spanish. Roquette. Sorrel. Water Cress. Witloof.

Fine Mixed Lawn Grass Seed.

FORMATION OF LAWNS FROM SEED.

In the first place, see that your ground is thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn; but in preparing it for laying down, let the surface be as much alike in quality as possible.

If your ground is in condition to raise a good crop of potatoes, it will make a good lawn; add about half a ton of bone dust to the acre, harrowed in before sowing the seed. A very light raking-in will protect the seeds much, or a sowing of wood ashes will render them distasteful to birds. Rolling, however, is at all times indispensable.

The best time to sow lawn grass seed is early in the spring, or about the latter part of August. We prefer the early spring.

Let the ground all have a surface of about six inches alike, for nothing looks worse than to see a lawn grow all in patches. One exception, however, may be mentioned, and that is, if there be any steep slopes facing the south, or other exposed places, let the earth on them be better and deeper than on the ground level, as they are more liable to burn out. When the grass becomes well established, it should be frequently cut. The oftener you mow, the finer and softer your grass will be.

It is proper here to observe that no lawn can be maintained long in good order without successive rollings. Mowing alone will not secure a good bottom without that compression which the roller tends to give. The rolling should be done in the spring, before the ground becomes dry.

To Grass a Bank or Terrace.—For each square rod, take a pound of lawn grass seed and mix it thoroughly with 6 cubic feet of good, dry garden loam. Place in a tub, and add liquid manure, diluted with about



two-thirds of water, so as to bring the whole to the consistency of mortar. The slope must be made perfectly smooth, and then well watered, after which the paste should be applied, and made as even and as thin as possible.

CENTRAL PARK MIXTURE.

For lawns of any extent, we recommend this, our best mixture, to be sown from three to five bushels to the acre. (15 lbs. to bus.) Per quart, 25 cts.; ½ peck, 65 cts.; peck, \$1; bushel, \$3.50. (We can also make special good mixtures at lower prices).

THORBURN'S LAWN-RESTORING GRASS SEED.

A mixture of grasses peculiarly suited to take firm hold and grow quickly on hard, worn-out or burned spots. To restore a lawn that is partially worn-out or burned, the best time is very early in spring, as soon as the frost is entirely out of the ground. The bare spots should be well scratched or raked up, and this seed sown liberally. Cover the seed very thinly with earth, and then roll or press down firmly with the back of the spade. Some Lawn-Restoring Crass Seed should be kept always on hand, and before every rain during the summer some of it should be sown on any part that may appear thinner than the rest. Seed may be sown in fall, as late as from 1st of September to 1st of October, according to the weather. Price per quart-box, 30 cts.; per bus, of 24 lbs., §5.

PERMANENT GRASS SEED FOR GOLF LINKS.

We have always on hand all the valuable natural grasses of Europe and America, and we are familiar with the habits and merits of each. We shall be glad to prescribe for whatever the requirements of the Links may be, for poor land or rich, high and dry, or low and wet.

Golf Links Mixture. For the grounds in general. Per bushel of 20 lbs., \$2.50.

Putting-Green Mixture. A mixture of extra fine grasses, that will make a close, firm, green and lasting turf, which will improve the more it is tramped on. Per quart, 30 cts.; peck, \$1.50; bushel, \$5.

GRASS SEED MIXTURES.

FOR MEADOW AND PASTURE.

For every different kind and condition of soil there is a large number of grasses, either indigenous or introduced, which are especially suitable. Some sorts do best on high ground and in dry weather; others prefer plenty of moisture. Some mature so early, and others so late, that from the beginning of spring until winter sets in, there is no time when one species or another is not at its best. From these considerations the importance of sowing many varieties for pasture and meadow purposes will be apparent. The quantities given are the minimum, and may often be increased to advantage.

MEADOW OR PASTURE MIXTURES FOR ONE ACRE.

No. 1. On Good Land, neither Too Dry nor Too Wet.	No. 2. For High and Dry Land.	No. 3. On Wet, Late Land.
Dry nor 100 wet.	3 lbs. Red Top.	5 lbs. Red Top.
3 lbs. Red Top.	4 " Tall Meadow Oat Grass.	2½ " Creeping Bent Grass.
1 " Meadow Foxtail.	2 " Meadow Brome Grass.	5 " Orchard Grass.
½ " Perennial Sweet Vernal.	½ " Crested Dog's-tail.	2 " Tall Meadow Oat Grass.
2 " Tall Meadow Oat Grass.	5 " Orchard Grass.	
3 " Orchard Grass.	2 " Hard Fescue.	
2 " Hard Fescue.	3 "Sheep's Fescue.	1 " Tall Fescue.
2 " Sheep's Fescue.	1 " Meadow Soft Grass.	1 " Meadow Soft Grass.
4 " Perennial Rye Grass.	12 "Timothy.	5 " Perennial Rye Grass.
16 "Timothy.	1 " Rough-stalk Meadow Grass.	10 "Timothy.
1 " Red Clover.	1 " Red Clover.	1 " Red Clover.
½ " Alsike Clover.	½ "White Clover.	½ " Alsike Clover.
35 lbs. Price per acre, \$4.25.	35 lbs. Price per acre, \$5.	35 lbs. Price per acre, \$4.75.

PASTURE MIXTURES OF GRASSES FOR ONE ACRE.

No. 4. On Good Land, neither Too	No. 5. On Dry Land.	No. 6. On Wet Land.
Dry nor Too Wet. 2 lbs. Tall Meadow Oat Grass. 2 "Red Top. 4 "Orchard Grass. 3 "Sheep's Fescue. 1 "Hard Fescue. 1 "Meadow Soft Grass. 5 "Perennial Rye Grass. 1 "Meadow Foxtail. 7 "Kentucky Blue Grass. 6 "Timothy. 2 "Yellow Trefoil. 1 "Red Clover. 1 "White Clover.	3 lbs. Creeping Bent Grass. 3½ " Tall Meadow Oat Grass. 1 " Meadow Brome Grass, 3 " Orchard Grass. 1 " Hard Fescue. 4 " Sheep's Fescue. ½ " Perennial Sweet Vernal. 6 " Timothy. 5 " Perennial Rye Grass. 2 " Field Burnet. 4 " Sainfoin. 1 " Red Clover. 1 " White Clover.	3 lbs. Red Top. 4 "Orchard Grass. 1 "Meadow Fescue. 1 "Tall Fescue. 1 "Meadow Soft Grass. 5 "Perennial Rye Grass. 1 "Meadow Foxtail. 8 "Timothy. 1 "Rough-stalk Meadow Grass. 4 "Kentucky Blue Grass. 1 "Alsike Clover. 1 "White Clover.
35 lbs. Price per acre, \$5.25.	35 lbs. Price per acre, \$5.75.	35 lbs. Price per acre, \$4.75.

GRASS SEEDS.

The prices of some varieties may change as the season advances.

Agrostis canina (Rhode Island Bent Grass). True. A valuable grass for lawns; sow three or four bushels to the acre for lawns; for pasture, one and a half to three bushels. See "Formation of Lawns," page 45. (12 lbs. to bus.) Per lb. 30 cts., 100 lbs. \$25.

Agrostis stolonifera (Fiorin, or Creeping Bent Grass). Valuable as a mixture with other pasture grasses, as it will thrive in moderately moist land on which water does not stagnate. We find it also the best sort for croquet grounds, and small door-yards or grass-plats. Same quantity as the preceding. (15 lbs. to bus.) Per lb. 25 ets., 100 lbs. \$22.

Agrostis vulgaris (Red-top Grass). A valuable permanent grass as a mixture in either meadows, pastures or lawns, growing in almost any soil, moist or dry, and standing well our hot climate. Same quantity per acre as above. (14 lbs. to bus.) Per lb. 15 cts., 100 lbs. \$10.

FANCY HEAVY RED-TOP GRASS. Absolutely clean and free from chaff. Per lb. 25 cts., 100 lbs. \$20.

Aira cæspitosa (Hassock Grass). A coarse grass, preferring stiff and marshy bottoms, and thriving in moist and shady woodlands. In England door-mats are formed of it by the cottagers. 30 lbs. to the acre. Per lb. 25 cts., 100 lbs. \$20.

	GRASS SEEDS-continued.		D
Aire flavuose		er lb.	Per 100 lbs.
value, excep	to the total actions of the very best grasses for permanent pasture, and thrives to perfection on lands of an intermediate quality as to moisture and dryness. It also stands the high summer heat without burning. 25 lbs. to the acre.	25	\$15 00 22 00
A	nthoxanthum odoratum (True Perennial Sweet Vernal Grass). For a mixture with pasture grasses, it is valuable on account of its vernal growth, and also for continuing to throw up root foliage until late in the autumn. For meadows its chief merit is the fragrant odor which the leaves emit when partially dried, thus sweetening hay. It is a vegetable condiment, rather than a grass of much nutritive value. From 2 to 5 lbs, to the acre when mixed with other sorts	40	38 00
A	nthoxanthum odoratum puelli (Annual Sweet Vernal Grass). Much smaller than the perennial, and of much less value, lasting one year only. 20 to 25 lbs. to the acre	20	14 00
A	wena elatior (Tall Meadow Oat Grass). Most valuable for pastures on account of its early and luxuriant growth; it produces an abundant supply of foliage, which is relished by cattle, early and late. 50 lbs. to the acre. (13 lbs. to bushel)	25	18 00
A	wena flavescens (Yellow Oat Grass). Will not thrive well when sown alone, but with other species it becomes desirable for dry meadows and pastures. About 25 lbs. to the acre	1 00	85 00
1/W// n	each Crass. See Calamagrostis arenaria. ermuda Crass (Cynodon dactylon). Suitable only to our southern states (where it is very valuable) or the tropics; will not endure frost. On application, we will give further information and quotations for larger quantities; to save time, please Per state the number of pounds required. Sow 8 to 10 lbs. to the lb. acre		
	lue Grass, Canada. See Poa compressa.	87	F
8	" English. See Festuca pratensis. " Kentucky. See Poa pratensis.	1	
ALOPECURUS PRATENSIS.	romus Inermis (Awnless Brone Grass). A valuable forage plant for light, dry soils; answers for cutting and feeding in green state, for pasture or for hay; very productive. About 35 to 40 lbs. to the acre		,
	s (Soft Chess). Suited to sandy lands, where it is more at home	11/1	
Bromus prate	ensis (Meadow Brome Grass). Suitable in mixture for high and	\	/
	vs. 30 lbs. to the acre		
	et or moist. In England four or five green crops have been cut in	11:1/	/
A.	a year, and every time it is cut another crop shoots from the roots. All kinds of stock eat it freely. 30 lbs. to the acre 30 25 00	MIL	1
	Calamagrostis arenaria (Beach Grass). Valuable on the sandy seashore, canal and railway banks, etc., where its tough,	NU	
1	thickly matting roots form natural embankments, preventing the drifting of the sand and protecting from wind and waves. 45 40 00	MA	
3	Cynosurus cristatus (Crested Dog's-tail Grass). A valuable		
	grass for sheep pastures on dry, hard soil and hills. It belongs to the family of lawn grasses. 25 lbs. to the acre 35 28 00	16	٤
	Dactylis glomerata (Orchard Grass). Less exhausting to the soil than Timothy, and will endure considerable shade.	NOSURU CRIST	
	It blossoms about the same time as Red Clover, making it on that account a desirable mixture with that plant; it is exceedingly palatable to		Per
	stock of all kinds, and its power of enduring the cropping of cattle commends it as one of the very best pasture grasses. 3 bus. to the acre. (14 lbs. to bus.).\$	lb.	100 lbs. \$16 00
	Dog's-tail. See Cynosurus cristatus.	0 20	\$10.00
. (Elymus arenaria (Lime Grass). Valuable on the sandy seashore, canal and railroad banks, etc. It tends, with its tough, wide-spreading and thickly matting		
4/	roots, to form natural and permanent embankments, thus serving to prevent the drifting of the sand and to protect an exposed shore from wind and waves.		
1	It is of no agricultural value	45	38 00
11/10	fine quality, and thrives well in dry situations, where many other grasses	25	18 00
	would fail, thus making it a desirable pasture variety. 30 lbs. to the acre Festuca elatior (Tall Fescue). Succeeds best in moist, alluvial and strong	20	18 00
112	clay soils, and in shady ravines; on moist, rocky sea coasts is considered one of the most valuable pasture grasses; it is a fortnight later in ripening than		
VI	F. pratensis. 40 lbs. to the acre	25	20 00
W m	and preferring a rich, muddy or alluvial soil. It is found in ditches, shallow ponds, sides of rivers and lakes, and in boggy and marshy ground. As trout		
VIII.	and wild duck are very fond of the seeds and tender shoots, it is often intro-		
	duced on the margins of ponds and rivers with the view of affording them nourishment	35	30 00
DACTYLIS	Festuca heterophylla (Various-leaved Fescue). A very early grass, native of Germany. A valuable sort for permanent meadows and pastures on high		
GLOMERATA.	grounds. 40 lbs. to the acre	30	25 00

J. M. Thorburn & Co., 36 Cortlandt St., New York.		
GRASS SEEDS-continued.		Per
Festuca ovina (Sheep's Fescue). Grows freely when in high, dry and open pastures. Its chief merit for sheep pasture is that it occupies land which better grasses refuse; grows from 6 to 10	r lb.	100 lbs.
inches high. It stands tramping well. 35 lbs. to the acre) 25	\$18 00
of the most desirable permanent grasses for general culture. 40 lbs. to the acre. Festuca rubra (Red Fescue). The essential distinction of this Fescue is its creeping roots, which in dry and sandy soils are often as strong as	18	13 00
those of the common Couch Grass. Well adapted for gravelly banks and dry slopes, which it will protect and cover. 25 lbs. to the acre Festuca tenuifolia (Slender Fescue). Flourishes well on dry and sterile soils. It is well suited for large bleaching greens, lawns, etc. 30 lbs.	25	18 00
Fox-tail. See Alopecurus pratensis. Holcus lanatus (Meadow Soft, or Velvet Grass). Inferior to many other	25	20 00
sorts, but of easy culture, and accommodates itself to all descriptions of soils, producing a fair crop under unfavorable circumstances. 4 bus. to the acre. (7 lbs. to the bus.)	25	20 00
Hungarian Crass. See Panicum Germanicum. Johnson Crass. See Sorghum		1
Halepense, page 53. Lolium Italicum (Italian Rye Grass). One of the most val- uable grasses in Europe, being		
equally suited to all climates. In England it is considered the best known grass to cut Per Per green for soiling, affording re- lb. 100 lbs.		1
peated large and nutritive crops. 50 lbs. to the acre \$0 15 \$8 00	1	1
Lolium perenne (English Rye Grass). Is the staple grass of Great Britain, entering largely into the composition of many of the richest meadows and pastures. Its natural adaptation to almost all cultivated soils, and its early maturity, are the reasons it has hitherto been so extensively cultivated in preference to many other equally nutritious sorts. 60 lbs. to the acre 12 7 00		
Oat Grass. See Avena elatior.	0	
Orchard Grass. See Dactylis glomerata. Phalaris arundinacea (Reed Canary Grass). Grows well by the side of rivers, alluvial marshes, ditches, etc. 25 lbs. to the acre	A	
Panicum Cermanicum (Hungarian Grass). One of the most valuable annual soiling plants. It will grow	M	約
in any ordinary soil, with stands drought well, and in this latitude may be		LEUM TENSE.
sown as late as the first of July, and yet produce a large green crop, very suitable for soiling. 1½ bus. to the acre. (50 lbs. to bus.)		
Phleum pratense (Timothy). A grass so well known needs no description, except that for a hay crop on moist, peaty or clay soil it will produce a larger crop than any other sort. It is not so well suited for light, sandy soils. One of the most		
largely grown grasses of America. ½ bus. to the acre. (45 lbs. to bus.) Market price. Poa aquatica (Water Meadow Grass). This is an excellent pasture grass for very wet situations. It also does well in	Por	Per
bogs and marshes, and is useful in the same way as Festuca fluitans. 20 lbs. to the acre	lb.	100 lbs. \$35 00
tucky variety in its flattened, wiry stems. Because of its creeping root-stalks, it forms a fine turf; recommended in all pasture mixtures on dry soils, and thrives well on clay or hard trodden and poor soil	18	11 00
Poa nemoralis (Wood Meadow Grass). The early growth of this grass in the spring, and its remarkably fine succulent and nutritive herbage, recommend it strongly for pastures. Thrives well under close feeding, and is very valuable. 30 lbs.		
POA PRATENSIS. (See page 49.) to the acre	30	25 00

GRASS SEEDS-continued.	. 11	Per
Poa pratensis (Kentucky Blue Grass). Also known as Green Grass, June Grass, etc. It thrives on a variety of soils, but does best in dry and somewhat shady locations. It requires several years to become well established in the ground as a pasture grass. Very valuable for the southern states, as it will stand the hottest summers. Two bushels to the acre. It is also a most valuable grass for the lawn, for which purpose from three to four bushels of clean seed to the acre should be sown. (14 lbs. to bus.) Fancy cleaned seed		100 lbs. \$11 00
Poa trivialis (Rough-stalked Meadow Grass). The superior product of this grass over many other species, its highly nutritive qualities, and the marked partiality which oxen, horses and sheep have for it, are merits which distinguish it as one of the most valuable of those grasses which affect moist, rich soils and sheltered situations. It is a great favorite when used under its proper conditions. 20 lbs. to the acre.	30	25 00
Red Top. See Agrostis vulgaris. Rescue Grass. See Bromus Schraderi. Rib Crass. See Miscellaneous Seeds, page 53. Rye Grass. See Lolium Italicum and Lolium perenne. Rhode Island Bent Grass. See Agrostis canina. Sweet Vernal Crass. See Anthoxanthum odoratum. Timothy. See Phleum pratense.		\$ 2.
CLOVERS.		
Subject to change of price. Our quotations are those ruling at this time.		是淡
Alfalfa (Medicago sativa). This is the same as Lucerne. It requires a deep, rich soil, and on such will produce several crops every season. 10 to 15 lbs. to the acre\$0 20 \$13 00 Alsike Clover (Trifolium hybridum). Resem-		
bles in growth, duration, etc., the Red Clover; thrives well in cold, wet and stiff soils. 10 lbs. to the acre	The second	
		Per 100 lbs.
and bees. 10 lbs. to the acre		\$20 00
10 lbs. to the acre Scarlet Clover, or Crimson Clover (Trifolium incarnatum). An annual, with crimson flowers. Sown late in the summer, it furnishes an early green fodder the following season; largely sown in Virginia and North Carolina for improving the soil by turning under. 15 to	35	30 00
Japan Clover (Lespedeza striata). A perennial, growing about 12 inches high; valuable only in southern localities, where it thrives in any soil and in the driest seasons; it makes a fair	12	6 00
hay, and stock eat it readily when green Kidney Vetch, or Sand Clover (Anthyllis vulneraria). A deep-rooted, herbaceous hardy perennial plant, valuable for dry sands and inferior soils, upon which Red Clover will not thrive. Eaten with avidity by sheep, cattle and horses; useful in mixture for dry	30	
soil. Produces abundantly of hay and seed. Sow 20 lbs. to the acre	25	20 00
pratense). The English Cow Grass; for plowing under. 10 lbs. to the acre		
Medium Red Clover (Trifolium pratense). Is a perennial, but of very few years' duration; is nutritious and palatable for cattle, sheep and horses; especially valuable in moist locations. 10 lbs. to the acre		
White Clover (Trifolium repens). Valuable for permanent pastures; also for lawns at rate of not over 2 lbs, to the acre	25	20 00
Yellow Suckling Clover (Trifolium filiforme). Yellow Trefoil (Medicago lupulina). This	30	25 00
may be cultivated, either alone or with other grasses. Requires about the same treatment as Clover. 15 lbs. to the acre	20	12 00

STRAWBERRY PLANTS.

STRIW BERRY TEMPTS.	
** Layer plants can be had in spring and again in fall. Pot-grown plants ready af	Layer, grown,
Beder Wood. An excellent market sort; very early and productive; large, conical, br color, and of excellent quality	right red
Bismarck. Large, firm, brilliant scarlet berries of fine quality; vigorous, and very prolific	
Brandywine. Large, roundish conical, glossy crimson, firm and solid; of fine, aromati	
Plant vigorous and productive; succeeds on any soil. Mid-season to late	1 00 3 50
Bubach No. 5. A very large berry of dark color, shaped somewhat like Sharpless. Exc productive; of fair flavor; largely grown for market. Mid-season	1 00 3 50
Clyde. Very regular, bright scarlet berries; large, and of excellent flavor; firm, and a go per. Plant remarkably healthy, vigorous and productive. Season early	
Candy. One of the best late sorts; large, uniform, bright crimson; very firm and of good Needs liberal culture to do its best	1 00 3 00
Glen Mary. Of large size. Bright, glossy crimson, and fine flavor; plant is strong and very prolific, and on good soil the berries are large to the end of the season. Early	healthy, 1 00 3 50
Henry. Very large, uniformly round, with no cockscombs; dark crimson; quality excellen vigorous, hardy and productive; bears through the whole season	
Marshall. Uniformly large, dark crimson when fully ripe, handsome and good; plant lubut needs the rich soil and careful culture of the home garden. Mid-season	uxuriant, 1 00 3 50
Michigan. The best late variety. Handsome, firm, of good size and fine quality; very pro-	
Sharpless. Demands rich, strong soil; plant large and vigorous; berries very large, irreshape, crimson, moderately firm and of good quality. Mid-season	
Wm. Belt. The berries are as large as Bubach, more perfect in shape, just as productive,	
color is much superior	1 00 3 50
VEGETABLE PLANTS.	
CABBACE, Coldframe plants. (Ready in March.) LETTUCE, Thorburn Marke	
Per 100 1,000	, ,
Stein Early Flat Dutch	
Improved Early Summer	σ cus. per ασ2., φ1.σσ
frame plants. (Ready in March.) 35 cts. per doz., \$2 per 100, \$15 per 1,000. CAULIFLOWER, Thorburn Early Snowball, Coldframe plants. (Ready in March.) 35 cts. per doz., \$2 per 100, \$15 per 1,000. Dwarf Champion	nted, grown in Flats. Per doz. 100 1,000 \$0 25 \$1 50 \$10 00
CELERY PLANTS. (Ready in June.) 50 ets. per Thorburn Long Keeper	
100, \$4 per 1,000. Perfection	
ECC-PLANTS, Pot-grown. (Ready about May 15.) Acme	25 1 50 10 00
Improved New York Purple. Large Doz. 100 Trophy	
size, grown in 3-inch pots\$1 00 \$7 50 Ponderosa	25 1 50 10 00
ESCULENT, PLANTS AND ROOTS.	Per doz. 100
Asparagus Roots, Conover Colossal (2 years)per	1,000, \$6 \$0.75
" Palmettoper	
" Barr Mammoth	
" Columbian Mammoth White	
Cinnamon Vine Roots (Dioscorea Batatas, Chinese Yam), 4 to 7 inches long	
Horseradish Roots. Cut in pieces	
	20. 10
Jerusalem Artichokeper qt., 20 ets.;	bus., \$4
Jerusalem Artichoke. per qt., 20 cts.; Rhubarb Roots each Tarragon Plants (Estragon) each	bus., \$4 h, 10 cts 1 00

BIRD SEEDS, ETC.

Onion Sets, etc. See page 30.

Prices Variable.

	r lb.		Per		100 lbs.
Canary, best Sicily\$	0 10	\$4 50	Rape, German\$0	10	\$5 00
Mixed Canary Seed	10	5 00	Rib Grass	25	
Hemp	10	4 50	Rough Rice	10	7 00
Lettuce Seed	25		Vetches for Pigeons	10	5 50
Maw, Blue Poppy	15		Prepared Food for Mocking Birds		
Millet	10	4 00	per 1-lb. tin, 35 cts		
" White French	15	10 00	Gravel for Cagesper qt., 6 cts		
" Red French	20		Cuttle-fish Bone	30	
Rape, English	15	7 00	Sunflower Seed for Parrots	10	6 00

CEREALS.

*** Grain in quantities of one-half bushel and upward should be shipped in canvas bags, which we can supply at following rates: One-half bushel, 8 cents; one bushel, 11 cents; two bushels, 16 cents. Customers will please add cost of bags to remittance when ordering.

The prices of some varieties may change as the season advances.

FIELD CORN.

FIEL.	b cokn.			
All northern-raised sorts (56 lbs. to bushel)—	Per ea	100 ears	Qt.	Bus
	Early Yellow Canada. (Flint).\$0 08			\$1 50
Who are the	Farmer's Favorite. (Yellow			
	Dent)	3 00	15	1 50
The Mark 24"	Golden Beauty. Large grain, small cob; very productive 08	3 00	15	1 50
	King Philip. Early, deep yel-) 3 UU	15	1 50
	low, flint 05	3 00	15	1 50
	Hickory King. Large grain and			
	small cob; white Dent; late 05	3 00	15	1 50
	King of the Earlies. Small cob; yellow Dent. Said to mature			
	farther north than any other			
	Dent variety 05	3 00	15	1 50
	Long White Flint, or Sanford. 05	3 00	15	1 50
	Longfellow. (YellowFlint.) Small			
	cob and large grain 05	3 00	15	1 50
	Pride of the North. Very large	0.00		
	ears. (Dent)		15	1 50
		3 00	15	1 50
802	Mastodon Dent. Very early, strong-growing Corn, with ex-			
	ceedingly large ears and grains. 05	3 00	15	1 50
- 650000	Leaming Early. Large, deep			
	grains; bright yellow 05	3 00	15	1 50
White Maryland		3 00	15	1 50
Wisconsin White Dent		3 00	15	1 50
Stooling Flour Corn			15	2 00
Virginia Horse Tooth. For fodder				1 25
Sheep Tooth. For fodder		3 00	15	1 60
Sweet Fodder Corn. (Measured bushel)				2 50
Thoroughbred White Flint. Of spreading habit; n left to grow in a hill. Its great suckering habit, stalk recommend it as the most valuable, both for	breadth of blade and smallness of	3 50	15	1 75
Pop Corn		3 30	10	1 19
	por 100, 10 conto, por 100 1000, 4000			
MISCELLANE	EOUS CEREALS.			
A77 corbico	t to change in price.			
BARLEY (48 lbs. to bushel)—	to change in price.	Pa	er qt.	Rne
Champion Vermont. An early and prolific vari	etv			
BUCKWHEAT (48 lbs. to bushel). 1 bushel to the a	•			7. 20
American Silver Hull. Earlier and more produ	ctive than the common		. 15	1 30
Japan. Enormously productive; the grains are n				1 30
MILLETS (50 lbs. to bushel)—				
Japan Barn Yard. (Panicum crus-galli.) Exc	ellent for fodder; very productive. 1	less harsh	1	
and woody than any other tall-growing Miller well cured hay to the acre. 1 bushel to acre	Per lb., 15 cents; per 10	0 lbs., \$8.		
Hungarian. Most valuable soiling plant. Good ordinary soil, and withstands drought well. I	Iay be sown in this latitude as late as	the first of	f	
July. 1½ bushels to the acre	ian. The seed is also largely grown:	bs., \$2.50. for feeding	e G	
oats. All the approved sorts furnished.	Per lb., 10 cents; per 100) lbs., \$3		
RYE (56 lbs. to bushel). 1 to 1½ bushels to acre—				
Winter Excelsior	****		. 15	1 25
WHEAT, WINTER (60 lbs. to bushel). About 1 bu				
Per bus	3.		Pe	er bus.
Red Clawson\$1 8				
White No. 6	0 Red Cross			1 80

Forage, Economical and Miscellaneous Seeds.

All subject to change in price.

ASPERULA odorata (Waldmeister). Perennial, about 6 inches high; very fragrant flower. In Germany it is thought much of as imparting a certain bouquet to Rhine wine, making the well-known Maitrank. Per pkt., 10 cents; per oz., 60 cents.

AUSTRALIAN SALT-BUSH (Atriplex semibaccatum). A valuage forage plant recently introduced by the University of California. Experiments show that it thrives in soils on which nothing else will grow, and it is recommended highly for alkali soils and all regions subject to periodical drought. It is very nutritious, and good for all kinds of live stock. One pound of seed is sufficient for an acre. The soil should be well plowed and harrowed. seed may be sown in garden bed and the seedlings planted out when 2 inches high, 7 or 8 feet apart. Per oz., 15 cents; per lb., \$1.50.

BEANS-Common English Horse Bean,

qt., 20 cents; per bus., \$3.50. Soja Bean (Soja hispida). The haulm is stiff, and the pods are produced in clusters of from two to five, and contain each four smooth, oval, nankeencolored seeds. Thrives well in hot and dry weather; very valuable for the south, for either man or beast. (About 1 bushel to the acre.) Per qt.,

20 cents; per bus., \$3. Velvet Bean (Dolichos multiflorus). Used by the farmers in Florida and Louisiana as a forage plant, and also as a fertilizer plant for turning under, just in the same way as the Cow Pea. Stock readily eat the vines and leaves, and the Beans when ground, with or without the pod, are used in place of oats or corn, and sometimes mixed with them. It is claimed that as a fertilizer for Orange groves the Velvet Bean is unequaled. It is planted in rows 4 feet apart and 1 foot in the row, 2 or 3 Beans in a place, as soon as danger of frost is past. The yield is from 20 to 35 bushels to the acre. Per qt., 20 cents; per bus., \$3.50.

BROOM CORN—Long-brush Evergreen. Broom Corn succeeds in a good, deep soil, fresh but not damp; it is very sensitive to cold. Per lb., 15

cents; per 100 lbs., \$7. Improved Dwarf. Per lb., 15 cents; per 100 lbs., \$7. Early Japan. Per lb., 15 cents; per 100 lbs., \$8. California Colden Long-brush. Grows from 12 to 14 feet high. Per lb., 15 cents; per 100 lbs., \$7.



SOJA BEAN.

BROOM - Scotch (Genista scoparia). growth of this shrub is chiefly valuable as food for sheep and other animals in winter. It is also employed for the making of coarse brooms. Per oz., 10 cents; per lb., 50 cents.

BURNET-Common Field. Perennial; makes excellent pasture for sheep; grows on the poorest ground-on dry, sandy or calcareous soil; resists the extremes of heat or cold. Sow in April, and again in September, with Sainfoin, Clover, Rye Grass, etc., 30 lbs. to the acre. Per lb., 20 cents; per 100 lbs., \$12.

CANAIGRE (Remex hymenosepalus). Used in the tanning of leather. Per pkt., 10 cents; per oz., 50 cents; per lb., \$5.

CAPER TREE (Capparis spinosa). Per paper, 15 cents; per oz., 75 cents.

CATERPILLARS. A curious plant. Of interest only on account of the curious fruits, from which its name is derived. Amusement is caused by mixing them in salads. Per paper, 5 cents; per oz., 30 cts.

CHICORY-Large-rooted. A perennial, remaining five or six years in the same soil, if cut before flowering. It may be cut four or five times during the same season for green fodder. Sow broadcast in autumn or spring, either alone or with any kind of Clover. Sown in drills, the roots become well developed. When they are dried roots developed. When they are dried, roasted and ground they become the Chicory of commerce, and are used in adulterating coffee. Per oz., 10 cents; per lb., 75 cents.

OTTON—Sea Island. (40 lbs. to bushel.) Per lb., 15 cents; per 100 lbs., \$7.

Upland. (30 lbs. to bushel.) 25 lbs. to the acre. COTTON - Sea Island.

Per lb., 15 cents; per 100 lbs., \$7.

COW PEAS (Vigua catjang). Adapted to southern localities; also valuable in this latitude as a fodder plant, sheep being very fond of them when in flower; their chief value, however, is as a green crop to plow under. 1 bushel to the acre. Per qt., 15 cents; per bus., \$2.

CYTISUS PROLIFERUS ALBUS (Tagasaste). African fodder plant of merit that has done well in California. The seed should be passed through boiling water and then steeped in cold water for 24 hours before sowing. Per oz., 20 cents; per lb., \$2.

DHOURA — Guinea Gorn. See Sorghum.

ESPARTO GRASS (Stipa tenacissima). the true Esparto Grass, extensively grown in Spain and other parts of the Mediterranean countries for making ropes, etc. Per oz., \$1.25.

ESPARSETTE. See Onobrychis sativa.

by hostlers to give a temporary fire and vigor to their horses. It is frequently given to oxen and pigs when fattening, causing them to drink and digest their food. Considered to be good for solling when green. Per oz., 10 cents; per lb., 30 cts.

FLAT PEA. See Lathyrus sylvestris. FLAX SEED. Price variable.

FURZE (Ulex Europæa). The sprigs of one year's growth of this shrub furnish an excellent green fodder in winter; grows well in sandy soils. Per oz., 10 cents; per lb., 75 cents.

CUINEA CRASS. In some sections this name is

applied to the large-seeded Sorghums.

CUIZOTIA oleifera. An annual from Abyssinia, from the seed of which oil is extracted. Per oz., 10 cents; per lb., 75 cents.

HOP SEED. Per pkt., 10 cents; per oz., \$1.

INDIGO SEED (Indigofera tinctoria). Per oz., 20 cents; per lb., \$1.50.

IRIS pabularia. A forage plant, flourishing in the driest and most arid soil. The seeds should be sown in beds, and the young plants set out 10 inches apart each way, where they are to remain, very early the following spring. Per oz., 60 cents.

MISCELLANEOUS SEEDS - continued.

JAPAN CLOVER. See Lezpedeza striata.

JERUSALEM CORN. See Sorghum.

JUTE. Annual. Thrives in any good corn ground. Sow in drills, about 8 inches apart, 4 pounds to the acre. Requires no cultivation, as it will outstrip in growth all weeds. May be also sown broadcast 6 to 7 pounds per acre. Per oz., 10 cents; per lb., 75 cents.

KAFFIR CORN. See Sorghum.

KALE—Jersey Winter, or Cow Cabbage. Said to be hardy from New Jersey southward, where it will stand out all winter, the leaves making valuable winter cattle feed. Sow at same tim winter cabbage. Per oz., 10 cents; per lb., \$1. Sow at same time as

KIDNEY VETCH, or Sand Clover. See Clovers, page 49.

LATHYRUS sylvestris (Flat Pea). A perennial forage plant. It grows well on very poor, unimproved, sandy soil, can withstand pretty severe frosts, and roots so deeply that it is not injured by severe drought. Valuable for plowing under in a green state. It is recommended to sow seeds in a small garden bed and transplant to the field when the plants are of suitable size. Per oz., 20 cents; per lb., \$1.25.

LENTILS—Best Imported. Succeed best in dry, sandy soil. A leguminous annual, the seeds of which are valuable for pigeons, and are largely

used for soups. Per lb., 30 cents.

LESPEDEZA striata. (Japan Clover.) A perennial, growing about 12 inches high, valuable only in southern localities, where it thrives in any soil and in the driest seasons; it makes a fair hay, and stock eat it readily when green. Per lb., 30 cents; per 100 lbs., \$25.

LIQUORICE (Glycyrrhiza glabra). Seed in pods, per oz., 25 cents.

LOTUS corniculatus (Bird's-foot Trefoil). ennial, used in pastures. Cattle eat it readily, and it is said to be quite nutritious. Per lb., 50 cents.

LUPINS—Blue. Used for the same purpose as the yellow variety. Per lb., 20 cents; per 100 lbs., \$9.

White. One of the best plants known for soiling.
It may be sown from April to July, and plowed under when in flower. The seed, when burned, is excellent manure for orange and olive trees. Per

1b., 20 cents; per 10 lbs., \$10.
Yellow. Less thrifty than the white variety, but green for a longer period. It succeeds well in the poorest soil, and is valuable for plowing in. Per lb., 20 cents; per 100 lbs., \$9.

MADDER (Rubia tinctoria). A perennial, the roots of which, when dried and reduced to powder, furnish a red coloring matter. If cut the second year when in flower, it furnishes a good green fodder. Per oz., 10 cents; per lb., \$1.

MADIA sativa. An annual plant, producing good sheep pasturage; valuable in dry and warm soil. Per oz., 10 cents; per lb., 60 cents.

MILLETS. See Cereals, page 51.

MILLO MAIZE. See Sorghum, Branching.

ONOBRYCHIS sativa (Sainfoin, French; Espar-sette, German). A perennial leguminous plant, belonging to the same family as Clover and Lu-cerne; used in France as a forage plant. Requires a calcareous soil. 100 lbs. to the acre. Per lb., 15 cents; per 100 lbs., \$10.

osage orange (Maclura aurantiaca). for hedges. See Hedge Plants, page 44. Useful

PEARL MILLET (Penicillaria spicata). A valuable fodder plant for the south; is enormously productive. Sow the seed in drills 18 inches apart and 8 to 10 pounds to the acre. Per lb., 20 cts.; per 100 lbs., \$10.

PEAS - Canadian Field. Valuable for northern climates, for cattle feeding. Per qt., 15cts.; bus., \$1.40. Caravanzas. The popular Spanish Pea. Per lb., 15 cents; per 100 lbs., \$6.50.



SPURRY. (See page 54.)

PYRETHRUM roseum. The plant from which insect powder is made in Europe. Per oz., 75 cents.

POPPY-Opium. The seed furnishes about 35 per cent of an agreeable sweet oil, used for the table, for painting and for illuminating. May be sown in spring either broadcast or in drills, covering with but little earth. Also cultivated for opium. Per oz., 20 cents; per lb., \$1.

POLYCONUM Sachalinense (Sacaline). Hardy

perennial, native of the Island of Saghalin, between Japan and Siberia. It has been known to European and American nurserymen for many lately been pointed out. It grows well on the poorest soils, and endures the extremes of heat and cold. It grows to a height of 10 or 12 feet, and can be contracted to the contract of the co be cut two or three times in the season. The stems and leaves, which are very nutritious, are said to be eaten either green or dry by cattle and sheep. Seed, per oz., 30 cents; per lb., \$3.

RAMIE—Silver China Crass (Urtica nivea). Extensively cultivated for its fiber. The seed should be germinated on cotton floating in lukewarm water, and transferred to a bed, screened from the hot sun. When the plants are 4 inches high, transplant to a field in rows 4 feet apart each way, and when the plants are 3 feet high, turn them over and peg to the ground, after which cover them with earth, and they will start in every direction. Per oz., \$1; per lb., \$12.

RAPE - Dwarf Essex, English. For sheep pasture. It may be sown in May, and will be ready for pasturing in July and August. Or it may be sown in June, or even up to the latter part of July, and yet furnish, under moderately favorable circumstances, a large amount of pasture or fodder. It may even be sown after taking off a crop of early potatoes. In drills, sow 5 pounds to acre; broadcast, 10 pounds to acre. Per lb., 15 cts.; per 100 lbs., \$7.

REANA luxurians (Teosinte). A valuable fodder plant from Central America, in growth resembling Indian corn. Well adapted to our southern states. Per oz., 15 cents; per lb., 90c.

RIB GRASS (Plantago lanceolata). Per lb., 25 cts. SAINFOIN. See Onobrychis.

SACALINE. See Polygonum Sachalinense.

SCURVY CRASS (Cochlearia officinalis). Used as a pepper grass. Per oz., 25 cents.

SERADELLA. A valuable forage plant, admitting of one, and sometimes two cuttings, in one season. It succeeds well in a dry, sandy soil, and furnishes a good pasture for sheep. It may also be cured for hay. Can be sown with winter rye. About 50 pounds to acre. Per lb., 20 cents; per 100 lbs., \$10.

MISCELLANEOUS SEEDS-continued.

SNAILS. Used in the same way as Caterpillars. Per paper, 5 cents; per oz., 35 cents.

SORCHUM-

Early Amber Sugar Cane. Ripens where Indian corn matures. Per lb., 15 cts.; per 100 lbs., \$6.

Early Orange Sugar Cane. Ripens about ten days after Early Amber. Per lb., 15 cts.; per 100 lbs., \$6.

Brown Dhoura Corn. Per lb., 15 cents; per 100

lbs., \$6.

Yellow Branching (Yellow Millo Maize). This is non-saccharine; useful only for the large amount of foliage, green feed or cured fodder that it furnishes, and for its grain. Per lb., 20 cents; per 100 lbs., \$7.

White Branching (White Millo Maize). of this non-saccharine Sorghum is, that when cut for feeding it starts again from the remaining stumps with renewed strength and vigor; thrives in the hottest and driest localities. Per lb., 20

cents; per 100 lbs., \$7.

Red Kaffir Corn or Sorghum. Non-saccharine. The plant is low, stocky, perfectly erect. The whole stalk, as well as the blades, cures into excellent fodder, and in all stages it is available for green feed. Per lb., 15 cents; per 100 lbs., \$6.

White Kaffir Corn. Per lb., 15 cents; per 100

lbs., \$6.

White African Sorghum, African Millet, or White

Dhoura. Per lb., 15 cents; per 100 lbs., \$6.

Jerusalem Corn. One of the best and surest for dry countries and seasons. Grows about 3 feet high, with one large head on main stalk and several smaller heads on side shoots. The grains are white and nearly flat. Per lb., 15 cents; per 100 lbs., \$6.

Halepense (Johnson Grass). One of the most val-uable southern fodder plants. On rich soils it may be cut three or four times in a season. Sow the seed in August and September, at the rate of 25 to 35 pounds to the acre. Per lb., 20 cents; per 100

SPURRY (Spergula arvensis). Annual. Grows well on poor, dry, sandy soils. It is in best condition for pasture in four to six weeks after sowing, and may be sown every month from March to Aunth of the street of th gust. Excellent pasture for cattle and sheep; also, as a fertilizer for light, sandy soil. 15 pounds to the acre. Per lb., 20 cents; 6 lbs. for \$1; 10 lbs. for \$1.40; 50 lbs. and upwards@ 10 cents per lb.; 100 lbs., \$8.

Giant Spurry. Per lb., 20 cents; per 100 lbs., \$9. SUNFLOWER-Large Russian. Per lb., 10 cts.;

per 100 lbs., \$6.

TEASELS - Fullers'. The heads, furnished with barbed spikes, are used for combing cloth. sels require a good, deep soil, and should be sown about April or May. The young leaves are often used for feeding silkworms. Per lb., 30 cents.

TEOSINTE. See Reana luxurians.

VELVET BEAN. See under Beans, page 52.

VETCHES—Spring Tares (Vicia sativa). Sown broadcast at rate of 1 to 1½ bushels to the acre, like wheat or barley, and sometimes mixed with oats for soiling. Used in France or Canada as a substitute for peas. Also ground up into flour, after which it is mixed with wheat flour for making Per qt., 20 cents; per bus., \$3.

Sand, Winter, or Hairy Vetch (Vicia villosa).
This variety thrives on poor, arid, sandy soils. It is sown either in fall or in spring, and generally mixed with rye, which serves as a support to the plants. It grows to a height of from 3 to 4 feet, and can be cut twice for fodder, first as soon as the bloom appears, and then it can be again the prosend. The plant is perfectly hardy, and the prosended as most nutritious. The duce is recommended as most nutritious. The seed is black and perfectly round, and should be sown at the rate of 1½ bushels to the acre. Per qt., 25 cents; per bus., \$4.50.

Tufted Vetch, or Bird's Tares. (Vicia cracca). Has creeping perennial roots, and affords provender

of good quality. Per lb., 20 cents.

wild Rice (Zizania aquatica). A native of our plant for swamps and inundated lands, but it is chiefly valuable as an attraction for water fowl. The Indians of the lake regions of the northwest used to gather it by beating it off into their canoes and then curing it for winter food. Before sowing, put the rice into coarse cotton bags, and sink them in water for 24 hours. Sow in water which is from 6 inches to 5 feet deep, with soft mud bottom, or on low, marshy places which are covered with water the year round. In running water, sow as much out of the current as possible. Per lb., 25 cents; per 100 lbs., \$15.

WORMS. Used the same as Snails and Caterpillars. Per pkt., 5 cents; per oz., 35 cents.

YARROW (Achillea Millefolium). On account of its creeping root it is considered a bad weed in pasture and arable lands, yet by many it is thought worthy of cultivation on light soils on account of its nutrient properties. Per lb., \$1.50.

TOBACCO SEEDS.

Brazilian American. The finest Brazilian strain grown here; makes excellent cigars and delightful, aromatic

pipe-smoking tobacco. Per oz., 25 cents; per lb., \$2. Climax. A cross between Burley and Sterling. Extra fine, bright variety. Per oz., 25 cents; per lb., \$2. Connecticut Seed-Leaf. The popular sort, used for cigar wrappers. Per oz., 25 cents; per lb., \$1.50.

Conqueror. A superb, bright yellow, and a healthy, vigorous grower of the best form and finest texture. It ripens early, and is easily cured to the brightest color. Per oz., 25 cents; per lb., \$2. | avana. Seed gathered for us from the celebrated plantations of the "Vuelto de Abajo." Per oz.,

Havana.

40 cents; per lb., \$4.

onduras. A new mahogany variety, producing the very highest quality of tobacco of this type. A Honduras. healthy and vigorous grower. Per oz., 25 cents; per lb., \$2.50.

Kentucky Burley. Per oz., 25 cents; per lb., \$2. Kentucky Yellow. Per oz., 25 cents; per lb., \$2. Oronoka, Yellow. A reliable old yellow variety, grown for more than fifty years and improved with reference to the production of yellow stock. Per oz.,

25 cents; per lb., \$2.

Oronoka, White-Stem. From the Yellow Oronoka, which it resembles. Per oz., 25 cents, per lb., \$2.

Pennsystvania Seed-Leaf. Newest and best strain of

this standard and popular variety. Per oz., 25 cents; per lb., \$2.

Persian Rose. Finer than the Muscatel, and may be relied upon to make the best cigar. Per oz., 25 cents; per lb., \$2.50. Pryor, Yellow.

Preferred by many for brights, and succeeds where the other yellow sorts fail. The west is giving it preference. Per oz., 25 cents; per lb., \$2.

Pryor, Blue. The genuine James River favorite. Per oz., 25 cents; per lb., \$2.

Safrano. Of a rich, saffron-yellow color, and possessing a soft, silky texture and a delightful flavor. Per oz., 25 cents; per lb., \$2.

The newest and brightest of the yellow Sterling. type, and the earliest to ripen. Per oz., 25 cents; per lb., \$2.50.

American-grown seed. Per oz., 30 cents; Sumatra. per lb., \$3.

Tuckahoe. Preferable to most of the older varieties

for possessing more body. Leaf long and extra fine; the perfection of a wrapper. Per oz., 25 cents; per lb., \$2.


Virginia Oak Hill Yellow. Resembles White Burley in color and Oronoka in shape and habit. Unsurpassed in delicacy of fiber. Per oz., 25 cents; per Îb., \$2.

Virginia "One Sucker." Large leaf; wide, lanceshaped; rather coarse than fine. Per oz., 25 cents; per lb., \$2.

Yellow Mammoth. A new western variety of the export type. Per oz., 25 cents; per lb., \$2.

Horticultural Implements and Garden Requisites.

Tiorticulturur Timplements	and Sarden Requisites.
Asparagus Knives, Best English (Saw Blade)\$1 00	Fumigator, Pan-shaped
" American. Useful also for re-	Calvanized Wire Stakes. For roses, etc.
moving docks, dandelions, etc., from lawns	3 feetper doz., 40 cts.; per 100, \$2.50 4 50 cts ; \$3
Atomizers, Woodason's Liquid\$1.25 and 2 00	Carden Lines. Finest Braided; 100 feet
Bellows, Woodason's Powder. For Hellebore, To- bacco Dust, etc. See cut, page 63\$1, \$2 and 3 00	Reels, for above; of wrought iron75 cts. and 1 00 Pencils, Wolff's Indelible Black
Bill and Brush Hooks, for heavy pruning	Glazing Points, Van Reyper's Perfect
Canes, Bamboo, 7 to 10 feet long	Crafting Wax, in ½, ½ and 1-lb. packages30c. per lb
Carnation Supports, Model Extension. See cut on	Grass Border Shears
this pageper doz., 50 cts.; per 100, \$3	Edging Knives (English)\$1.50 to 2 00
Dibbles, all iron. See cut, page 56	"Hooks, or Sickles, Best English, welded back
indurated wood-fiber. See cut, page 56.	Hedge Shears, English, 8 to 10-inch blade\$1.50 to 3 00
8 inches in diameter, 13 inches deep	Hoes, Draw or Corn
51/2 " 10 " 50 4/2 " 9 " 45 4 " 6 " 35	Scuffle, Dutch or Push, 4 to 10-inch 40c. to 80
Flower Pot Saucers, Indurated Wood-fiber. Very	Hara Name of Dandaguy II Who simplest and hart
light and durable. Not porous, and will protect tables on which plants stand. See cut, page 56.	spraying Nozzle made. For 4-inch pipe or 2-inch hose
	Child's Rain-maker 50
10 " \$1.25 12	" Coupling and Stock. Has ¼-inch pipe thread which fits the Bordeaux Nozzle.
	Opposite end for ½-inch or 3/8-inch
Flower Pot Rolling Stands, for heavy plants. Plat-	Hose Menders. Useful articles for repairing rubber hose 10
forms are of indurated fiber ware; will not soak or rust. Castors have Ball Bearings. See cut, page 56.	Hyacinth Classes, various styles. (See Bulb Catalogue.) Knives, Asparagus, English (Saw Blade) 1 00
13 inches, 3 castors 80 17 4 1 00	American
Forks, Digging or Spading	" Budding and Pruning, Best English\$1 to 2 00 " Grass Edging\$1.50 to 2 00
" Hay or Stable	Labels, Wooden Pot and Garden-
Manure, Long and Short-handled75 cts. to 1 00	Per 100 1,000 Per 100 1,000
Fruit Pickers	4 inch\$0 15 \$0 60 \$0 15 \$0 90 4½
stems	6 10 20 1 20 1 25
Fumigator, "Eureka." For fumigating with tobacco stems. No. 1 holds ½-peck stems. 1 50 No. 2 " 1 " " 2 00 No. 3 " ½-bus. " 2 50	8 " 40 3 50 50 4 00 12 " 55 4 50 65 5 00
	A A A A A A A A A A A A A A A A A A A
	MATS. \$1.50. MASTICA GLAZING MACHINE.
	\$1.
POLE PRUNING	· LANDANANANANANANANANANANANANANANANANANAN
SHEARS. \$2.50 and \$3.	allangananan ha
V 42.00 and 40.	ENGLISH DAISY RAKE. \$2.50 to \$3.50.
CARNATION SUPPORTS.	ENGLISH SING
50 cts.	
4	
SCUFFLE H	DE. EXCELSIOR WEEDER. 15 cts.



ENGLISH ASPARAGUS KNIFE. \$1.

GARDEN REEL AND LINE. See page 55.

IMPLEMENTS AND GARDEN REQUISITES-continued.

	Each	ı
Shears.	Hand Pruning, Wiss' Solid Steel. Three	Sprink
	sizes. 9 inches \$2.25	(Se
	10	Syring
55	11 2 75	Twine,
66	Hedge. Four sizes	
	Pole Pruning, Wiss'. Two sizes\$2.50 and 3 00	Trowel
23	Ladies' Small Pruning 35	Wateri
2.5	Perfection Pruning. See cut, page 57.	
	The best made, No. 1, 7 inches 2 00	88
	No. 2, 8 " 2 50	22
	No. 2, 8 " 2 50 No. 3, 9 " 3 00 No. 4, 10 " 3 50	
55	No. 4, 10 3 50	Weede
55	Watch-spring English Pruning\$1.50 to 2 00	56
	Waters' Long-handled Tree Pruner. See	
	Pruners, on page 56.	66
	Spring Grass. For trimming grass.	
	American40 cts. to 60	
Chausla	English	88
Shovers	Ames' Best Cast Steel. Square and diadropointed; long or short handles	88
		65
	Ames' Best Cast Steel\$1 and 1 25	61
	s. See page 63.	Wheelb
Sprinkle	rs, Scollay's Rubber 1 00	Med
	" Angle-neck Rubber 1 00	Lar

	s, Atlas Rubber Plant
Syringes.	See page 60.
Twine, Gr	reen Smilaxper lb., 50 ets
Trowels,	Solid Shank, Cast Steel, very strong, 50 cts. to 60
	Pots, French Model. Galvanized iron
	6 qts., \$1.50; 8 qts., 2 00
88	" For Greenhouse Use 3 50
88	" The "Common Sense"
Weeders.	Excelsior
16	Lawn. For removing dock, dandelion, etc.; can also be used as an Asparagus Knife 35
66	Cleveland Lawn Weeder. For extracting
	the roots of docks, etc. See cut, page 58 50 (Can be used easily and without stooping.)
**	Noyes'. See cut, page 57
88	Lang's. See cut, page 58
22	New Hand. See cut, page 55
Mediu	rows. For garden use. Two sizes— m

COLUMBIA FLOWER TUBS.

Made of cypress timber. Natural varnish finish on the wood: 12-in, diam, by 11-in, high. Each 15 " 14 " 15 " 1 50 18 " 16½" 1 50

Each 21-in, diam, by 18½-in, high.....\$2.50 24\$00



PALM TUBS.

Made of white cedar, painted green, and bound with extra iron hoops. Drop handles of special pattern, serving as hooks for carry-poles. Strong iron legs and perforated removable bottom.

No.	Diameter	of stave	Each	Charles (State
0	27 in	24 in	\$6 50	COLUMBIA TUB.
1	25 in	22 in	5 50	
2	23 in	20 in		\$4 75
3	21 in	18 in		4 00
4	. 18 in	16 in		3 50
5	16 in	14 in		3 00
6	14 in	12 in		2 50
7	13 in	11 in		2 25
8	12 in	10 in		1 85
		ATTOTIC TOTAL	IDE TO	(A TCC)


GALVANIZED WIRE TOMATO SUPPORT.


PALM TUB.

It is made of galvanized wire, that will not rust or rot out. Is easily set, and the legs being double, the greater the pressure the next year. It is the simplest, strongest, most durable, most easily operated and cheapest support we have seen. Price, each, 15 cts.; per doz., \$1.50; per 100, \$11.



PORT.






BORDER SHEARS. \$2.25 to \$2.75.

(See page 55.)


IMPLEMENTS AND GARDEN REQUISITES—continued.



THE "PLANET JR." SEED DRILLS, ETC.

The "Planet Jr." Combined Drill.

Unquestionably the most popular and perfect machine of its kind made. Has a Seed Drill, and is the same as the No. 2, except in size; holds one quart. The rakes are invaluable in preparing the ground for planting, cultivating, etc. The hoes work closely and safely all rows up to 16 inches wide at one passage. The plow opens furrows, covers them, hills, plows to and from; the cultivator teeth mellow the soil, etc. Price, \$9.



The "Planet Jr." No. 2 Drill.

Holds 2½ quarts. Sows all garden seeds accurately in any desired thickness or depth; opens, drops, covers, rolls down and marks the next row, all at one passage. It is especially good for sowing difficult seeds, such as carrot, parsnip, beet and salsify, and delicate seeds, like cabbage. **Price**, \$6.50.

The "Planet Jr." Double-wheel Hoe.

It can be used straddle of the rows or between the rows, as desired. The rakes level the ground for planting, cultivating, cover seed, etc. The hoes cut close and clean, killing everything they meet. The cultiva-tor teeth mellow the soil deep or shallow. The plows lay out deep furrows and cover them, hill up or plow away, as desired. The leaf-guards allow cultivation of large plants, such as beet, carrot, parsnip, beans and

Price, complete, \$6. Price, plain (one pair of hoes only), \$3.50.

The "Planet Jr." Grass Edger.


Extreme neatness is the great secret of attractiveness in grounds surrounding a house. The "Planet Jr." Grass Edger assists wonderfully in producing this effect. It will edge either straight or curved work, paths, drives, open borders or flower beds, at the speed of a mile an hour. It should be the constant companion of the lawn mower. Price, \$5.

THERMOMETERS.

HERHOEHNCÖ NEW YOR

110 100

50



No. 1. Self-registering, Japanned

No. 2. Self-registering, Polished


Back— 8-inch size ... 3 00


10- " 3 75

12- " 4 50

No. 3. Oxidized Metal Scale, Polished Back—8-inch size..\$ No. 4. Oxidized Carved Back—

8-inch size.. 1 00 Metal Scale,





51 00	No. 4.	Oxidize Carve	d Back-	,
1 25 1 50	No. 5.		and Mi	inch size\$ u shroom- brass tip;

made for plunging...... 1 60
No. 6. Japanned Tin Case...... 30

e..\$1 50

SYRINGES.



No. 6.

No. I, \$2.25.

Ladies' Syringe, with One Spray Rose. Length of barrel, 121/2 inches diameter, 1 5-16 inches.

No 2, \$3.75

Ladies' Syringe, with Jet and Two Spray Roses; the two roses when not in use are screwed on the sides of the barrel. Length of barrel, 14½ inches; diameter, 1 5-16 inches.

No. 3, \$550

Best Plate Valve Syringe, large size, with One Stream and Two Spray Roses, with side pieces on barrel. Length of barrel, 18 inches; diameter, 11/2 inches.

No 4, \$6

Best Conical Valve Syringe, large size, with One Stream and Two Spray Roses, which are placed, when not in use, in the handle of the syringe. The handle is strongly mounted with a solid brass cap and ring. When the finest spray is used the water should be very clean. Length of barrel, 18 inches; diameter, 1½ inches.

No. 6, \$7.

Best Conical Valve Syringe, large size, with One Spray Rose and Gooseneck Angle Joint, turning in all directions, for washing the under surface of the leaves of plants and flowers, cleansing them from insects, etc. Length of barrel, 18 inches; diame-

sects, etc. Letter, 1½ inches.

Scollay's Rubber Sprinkler. For florists' use and window gardening.

Scollay's Angle-neck Rubber Sprinkler. For spraying under leaves. \$1.

Atlas Rubber Sprinkler. 75 cts. Woodason's Atomizer. For the application of all liquid insecticides. \$1.25 and \$2.



RUBBER SPRINKLER, ANGLE-NECK. \$1.

SAYNOR'S CELEBRATED ENGLISH BUDDING AND PRUNING KNIVES.



RUBBER SPRINKLER. \$1.

Pruning. Pruning. Pruning. No. 938. \$1.75. 196. 2 blades, \$2.25. 187. \$1.50.







Pruning. 312. \$1.50.





Budding. 400. \$1.



Budding. 401. \$1.

Budding, No. 343. 2 blades, \$1.25.

ROLLERS.

The style of these indispensable garden and lawn implements is sufficiently indicated by the cuts.



FIELD AND GARDEN ROLLERS.


GARDEN.

With weights to keep the handle erect; a convenient style.

Two section	ns, 7½-	in. face,	each	in. ab't lbs. I 15 125	6 00
6.6	12	66	4.4	20 300 1	3 00
				24 400 1	5 00

FIELD.

30 00 Four sections, 12-in. face, with shafts and seat......20 650 40 00 Five 12 " pole and whiffle.....24 1,000 Strictly net cash.



THE FOLLOWING ARE ITS SPECIAL FEATURES:

Ball Bearings, exact to $\frac{1}{1000}$ of an inch, which reduces the friction astonishingly, making it possible to use wider-cut machines. With this Mower a lawn can be mown in a much shorter time, and with much greater ease, than with any other Mower made. Triple Cears, entirely enclosed, making it impossible for any dirt or cut grass to get into the pinions and clog them. A Solid Rectangular Frame, that cannot be twisted or jarred out of parallel, the two side frames being bound tightly together by means of two cold die-drawn steel bolts, which make the most rigid frame ever built, and permits of the Mower being readily taken apart. A Removable Cutter Bar, which, by loosening four small screws, may be rolled out of the machine for sharpening, without distant cases, consequent upon long continued use, is perfectly compensated for by two screws (other machines have six, and some ten to accomplish this in parallel bearings). Double Steel Ratchet, making the knives cut the instant you move the Mower, a delightful contrast from the old-style Mowers. Cold Die-Drawn Steel Axies; hard and stiff, and true to within $\frac{1}{1000}$ of an inch, which, with the cast-iron hub of the wheels, bored and reamed to a perfect fit, make an ideal bearing—much superior to cast-iron alse in cast-iron hubs. Material—Knives of first-class high-grade steel, hardened and tempered. Spiders (to which the revolving knives are riveted) and roller brackets of very best malleable iron. Side frames and wheels of best gray iron. Shafts of cold die-drawn steel.

Prices of the Thorburn Ball-Bearing High-wheel Mower: 14-inch cut \$8 50 | 18-inch cut \$10 50 | 22-inch cut \$12 50 16-inch cut 9 50 | 20-inch cut 11 50 | 24-inch cut 13 50

The Townsend Triple Ratchet Horse Lawn Mower. Triple Rolls, with Triple Pawls in each roll, making the most

Mower. Instant Change of Height of Cut—A lever besides the driver enables him to cut any height from the ground, and to easily and quickly raise the blades over stones or other obstructions without stopping the horse or leaving his seat. Instantaneous Control of Blades—A slight movement of a small lever near the driver throws the Mower in or out of gear without stopping. It will cut over very rough and uneven ground, and stand very rough usage, and still will get down into the turf and cut its swath clean, easily and smoothly. It is, on this account, very popular with golf clubs.

powerful and instantaneous driving mechanism ever put in a Lawn

Furnished complete, with Toolbox, Seat, Handles, Shafts and Sidebar Attachment, which keeps the horse on the cut grass.

NET PRICES:




ground when driving over gravel walks or roads. The Mowers are fitted up with steel shafting and composition split bushings, great care is taken to have the workmanship perfect. Each Mower is guaranteed to give entire satisfac-

tion to the purchaser.

NET PRICES.

free on board New York:

25-inch cut, no shafts.\$37 00 30-inch cut, complete. 60 00 35-inch cut, complete. 75 00 mm 40-inch cut, complete. 90 00



COLDWELL IMPROVED HORSE LAWN MOWER.

The Imperial High Wheel Lawn Mower.

Combines the following points of excellence: The rigid frame; the positive lock adjustment; the arrangement for sharpening; the arrangement for mowing terraces; the six driving pawls, that will never wear out; the bottom knife, that will cut tenpenny nails in two; the gears, that will outwear the gears of any two lawn mowers on the market, as they do not turn when the machine is drawn backward; the unexcelled device for taking up all wear in the wiper journal; the general workmanship and finish of this Mower, which is equal to that of any lathe or other machine designed for good work and long life.

NET PRICES:

High	High
wheel.	wheel.
14-inch cut\$7 75	18-inch cut\$9 50
16-inch cut	20-inch cut

Chain Roller, or Golf Mower.

This Mower is made to meet the demand for a machine that will more perfeetly cut borders, verges, etc., and yet retain all the other features necessary in a mower for general work. The great advantage of this Mower is the substitution of a bicycle chain for the gears generally used in this style of mower. This reduces the noise and friction to a minimum. The machine with 6 blades is highly recommended by most of the leading golf clubs in America for work on putting-greens.



CHAIN ROLLER, OR GOLF MOWER,

GRASS CATCHER BOXES

For use on the above mowers at the following net prices:

12-inch\$1	50	18-inch\$2	00
14-inch	60	20-inch	15
16-inch 1	85		


RUBBER HOSE.

3/4 inch, in any length, at 15

cts. per foot. 1 inch, in any length, at 21 cts. per foot.

HOSE REELS.

Finest "Wallabout." Three- Tubular Iron Hose Reel. Very light weight, friction worked. They never break or wear out. Each
Prices—No. 10, for 100 feet 3/-inch hose...\$2 75
No. 20, "150 "3/-" "... 3 00
No. 30, "500 "3/-" "... 5 00



	4 Blad	les.	6 Blades.
12-inch	\$11	00	\$12 00
14-inch	12	00	13 00
16-inch	13	00	14 00
18-inch	15	00	16 00
20-inch	16	00	17 00



THE "SUCCESS" KNAPSACK SPRAYER.

A knapsack and bucket sprayer combined. 5-gallon copper tank. Brass pump with bronze ball valves. For spraying plants with Bordeaux mixture or other fungicides. The new improvements recently made to our Success



THE "SUCCESS" KNAPSACK SPRAYER.

mixture or other fungicides. The new improvements recently made to our success Knapsack Sprayer entirely obviate all objections to the knapsack pattern. As now made this sprayer can be used either as a knapsack or bucket sprayer, the illustration as here given showing its use as a knapsack. To be used as a bucket sprayer, the handle and lever are removed, and the extra handle with which the outfit is provided is placed in position as shown by the dotted lines. It will be noticed that the straps used on this knapsack are made extra wide just where the weight comes upon the shoulders. This is a feature possessed by no other knapsack sprayer,

and relieves the unpleasantness formerly experienced in the use of outfits of this character. It is provided with a mechanical agitator. It is also provided with a handle at the center of the top of the tank. This greatly increases the convenience of the outfit, especially when used as a bucket sprayer, as it can be readily carried from place to place. The pump may be worked with either the right or left hand, and may be readily removed from the tank by unscrewing the drip-cup. The drip-cup is just below the air chamber, and is made extra wide, so that any leakage around the plunger is returned into the tank, and not allowed to run down the operator's back, as is so often the case with knapsack sprayers. We also furnish a special attachment, shown at A, for underspraying. A wrench is provided for detaching pump from tank. Price, complete, as shown in cut, \$12.




THE "LENOX" SPRAYER.

THE "LENOX" SPRAYER.

Made of galvanized iron, that will not rust. Holds 6 gallons of liquid. The spray is forced out by simply pressing the rubber bulb. A first-class sprayer for applying such insecticides as Paris green to grape vines, shrubs and vegetables,

but the spray is not fine enough for Bordeaux mixture. Price, with single sprinkling attachment as shown in cut, \$3.50.



Being made of brass, it is not affected by the arsenites used for spraying. Easily operated; throws a solid stream 50 feet. It is provided with a combination nozzle, and also with a sprinkler for flowers. For spraying large trees, an 8-foot pipe extension is supplied for 60 cents extra. This pump is also valuable for washing windows. \$4.



For distributing dry insecticides and fungicides, such as Paris green, hellebore, sulphur, tobacco dust, fungiroid. It is well made, and weighs only 5 pounds. The style of it is shown by our illustration. Without the tubes it is 27 inches long, but when the four tubes are attached it is 10 feet long, and it throws the powder several feet beyond that. It holds one quart of powder, and is easily operated. An invaluable machine for use in orchard, garden or field. The length of it is such that the poison is kept at a safe distant



LEGGETT'S CHAMPION POWDER GUN.

easily operated. An invaluable machine for use in orchard, garden or field. The length of it is such that the poison is kept at a safe distance from the operator. The regular outfit consists of six nozzles, two straps, oil can and four tubes. Price, complete, \$7.50.

WOODASON'S DOUBLE-CONE POWDER BELLOWS.

An excellent Bellows for applying powder insecticides in greenhouse, garden or field.

The powder can easily be evenly distributed in any direction, under or over the foliage, without waste.

SPRAY PUMP.

The powder can easily be evenly distributed in any direction, under or over the foliage, without waste.


Price, \$3.

WOODASON'S SINGLE-CONE POWDER BELLOWS.

The style of these is shown by our cut. They come in two sizes, the smaller one being most suitable for use in the conservatory. Price, large size, \$2: small size, \$1.

WOODASON'S ATOMIZER.

An excellent article for applying strong liquid insecticides, as it throws it out in a spray as fine as mist, and distributes it lightly, evenly, and without any waste. The small size is recommended for use in the house. Price, large size, \$2; small size, \$1.25.



WOODASON'S BELLOWS.

Insecticides and Remedies for Plant Diseases.

COPPERDINE

A combined fungicide and insecticide, used simply by adding water in proportion of 1 pound of the paste to 16 gallons of water. As a fungicide it prevents black rot, downy mildew and anthracnose of the grape, pear leaf-blight, apple scab, mildew, apple rot, black spot, strawberry blight. As an insecticide it kills codlin moths, curculio, pear insects, peach and apple borers, currant worms, cabbage worms, potato bugs and caterpillars. 1-lb. box, 25 cts., makes 16 gallons spray. 5-lb. box, \$1, makes 80 gallons spray.

FIR-TREE OIL.

For greenhouse and house plants. It destroys all plant insects without injuring the plant. It is the best insecticide for scale, aphis, red spider, mealy bug, thrip and worms. Dilute in the proportion of 1 pint to 20 gallons of water. Apply with vaporizer or syringe. ½pt. 40 cts.; pt., 75 cts.; qt., \$1.25; ½gal., \$2.25; gal., \$1.

FIR-TREE OIL SOAP.

This is the same as the Fir-Tree Oil, but in soap form. It is useful for the same purposes. Mix at rate of 1 ounce to a gallon of water, and apply with belows or syringe. ½-lb. tin, 25 cts.; 2-lb. tin, 75 cts.; 5-lb. tin, \$1.75.

DALMATIAN INSECT POWDER.

Effective against almost all kinds of insects. Per $\frac{1}{2}$ -lb. box, 30 cts.; per 1-lb. box, 50 cts.

GISHURST'S COMPOUND.

A certain remedy for greenfly, scale, mealy bug, etc. Excellent for greenhouse use. Full directions for use on each box. Per 1-lb. box, 50 cts.

HAMMOND'S GRAPE DUST.

For the prevention of mildew on roses, grapes, gooseberries, etc. Apply with bellows. 5-lb. package, 35 etc.; 10-lb. package, 60 cts.; 100-lb. keg, \$5.

HELLEBORE, POWDERED.

An excellent protection from currant worms, grape slugs, caterpillars, etc. May be applied dry or mixed in water—1 oz. to 3 gallons. Per 2-lb. box, 35 cts.; per 1-lb. box, 20 cts.; ½-lb. box, 12 cts.

NIKOTEEN.

A powerful insecticide, specially prepared for use in greenhouses and conservatories. Per pint bottle, \$1.50.

PARIS GREEN.

Mixed at the rate of 1 lb. to 200 gallons of water, it will prove effective against all chewing insects. Per 1-lb. can, 35 ets.; $\frac{1}{2}$ -lb. can, 20 ets.; $\frac{1}{2}$ -lb. can, 15 ets. This article is liable to fluctuate in price.

LITTLE'S ANTIPEST.

A sure destroyer of all insect pests. It is non-poisonous and harmless to vegetation. Mixed with water as follows it is effectual against—greenfly, 1 pt. to 10 gals. of water; mealy bug, 1 pt. to 1½ gals.; red spider. 1 pt. to 2 gals.; ants, wireworms and slugs, 1 pt. to 1 gal. ½-gal. can, \$1.50; gal. can, \$2.50.

SLUG SHOT (HAMMOND'S).

Excellent for destroying cabbage, turnip and beet fly, potato bugs, currant worms, etc. Prepared ready for use. 5-lb. package, 30 cents; 10-lb. package, 50 cts.; 100 lbs., \$4.

SULPHUR, POWDERED.

Valuable for protecting against mildew on grapes, roses, etc. Per lb., 10 cts.; 10 lbs., 60 cts; 100 lbs., \$4.

SULPHO-TOBACCO SOAP.

Dissolve in proportion of 2 ounces to a gallon of water, and apply with a syringe or atomizer. It will destroy rose slugs, aphides, greenfly, bark-lice, etc. Per ½-1b. box, 25 cts.

TOBACCO DUST.

If dusted on while the foliage is moist it destroys rose lice, cabbage and turnip fleas, etc. Spread upon the ground, it keeps off all earth insects, and also acts as an excellent fertilizer. Per 1-lb. box 10 cts; 5-lb. package, 30 cts.; 10-lb. package, 50 cts.; per 100 lbs., \$2.50.

TOBACCO STEMS.

For fumigating plants infested with greenfly. Per bale of about 100 lbs., \$1.50; per bale of about 200 lbs., \$2.75; per bale of about 400 pounds, \$4.50.

"ROSE LEAF" TOBACCO EXTRACT.

A perfectly pure, highly concentrated extract of tobacco, most effective for destroying all insects and scale on plants. Our "Rose Leaf" pamphlet gives full directions for applying. Pint can, 30 cts.; qt. 50 cts.; gal., \$1.25

WHALE-OIL SOAP.

For washing trees and destroying all insects on the bark. Mixed at the rate of 1 lb. to 4 gallons of water, it will rid cabbage, rose bushes, peach trees, etc., of the aphides that so often infest them. Per 1-lb. box, 18 cts.; 5 lbs., 50 cts.: 10 lbs., 90 cts.; 100-lb. keg, \$7.

BORDEAUX MIXTURE, OR FUNGIROID.

For all fungous diseases, such as mildew and the various rots of the grape. Full directions on label. Dry, 1-lb. box, 20 cts.; 5 lbs. and over at 15 cts. per lb.; 50-lb. keg, \$6; liquid, 1 gallon, \$1.25.

"Jadoo" Fibre and "Jadoo" Liquid.

JADOO FIBRE is a new growing substance for plants of all kinds. It was invented by Col. Thompson, of the Royal Army and Fellow of the Royal Horticultural Society of England, and it is highly recommended by gardening authorities there. It suits all kinds of plants, is only half as heavy as earth, and cleaner to handle; requires no soil to mix with it, and no manure. It increases the size and the brilliancy of flowers. Seeds germinate, and cuttings root in it, quicker than in earth. Owing to its spongy nature, it retains water much longer than earth. Plants transplanted in Jadoo Fibre do not flag, even if in full bloom.

JADOO LIQUID revives drooping plants, increases the size and profusion of bloom. It is both meat and drink to plants of all kinds. It can be used on plants that are grown in earth or in Jadoo Fibre.

Price of the Jadoo Fibre. 5-lb. box, 30 cts.; 10-lb. box, 50 cts.; 25-lb. box, \$1.10; per bag of 120 to 130 lbs., \$3.75; per ton, \$50.

Price of the Jadoo Liquid. Pint bottle, 25 cts.; 2-gallon can, \$1.50; 5-gallon can, \$3.75; 10-gallon can, \$7.50.

HIGH GRADE FERTILIZERS.

(NET CASH.)

These Fertilizers are specially manufactured for us, and are reliable and efficient for the purposes specified. Bone basis guaranteed. Great care should be taken that all Fertilizers are well incorporated with the soil, so as not to come in contact with and destroy the vitality of the seed sown.

Quantity required on soils not impoverished, about one-half ton per acre.

THORBURN'S COMPLETE MANURE

Guaranteed to contain ammonia, 3 to $3\frac{1}{2}$ per cent; phosphoric acid, all soluble, 8 to 10 per cent; sulphate of potash, 7 to $7\frac{1}{2}$ per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. Adapted for use on all crops, such as corn, tomatoes, potatoes, peas, beans and early vegetables, and is especially suited for grain crops and for seeding down grass.

Price—In 167-lb. bags, per ton, \$38; single bags of 167 lbs., \$3.50; per bag of 75 lbs., \$2; 50 lbs., \$1.50; 25 lbs., \$1; 10 lbs., 50 cents.

THORBURN'S POTATO MANURE.

Guaranteed to contain ammonia, 4½ to 5 per cent; phosphoric acid, all soluble, 7 to 9 per cent; actual potash, 9 to 10 per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. This manure is for special use on the potato crop, and is also adapted for sweet potatoes, vines, and fruit trees, and all leguminous plants.

Price-In 167-lb. bags, per ton, \$45; single bags of 167 lbs., \$4; per bag of 75 lbs., \$2.50; 50 lbs., \$1.75; 25 lbs., \$1; 10 lbs., 50 cents.

THORBURN'S LAWN FERTILIZER.

Guaranteed to contain ammonia, 5 to 6 per cent; phosphoric acid, all soluble, $5\frac{1}{2}$ to 7 per cent; actual potash, $7\frac{1}{2}$ to $8\frac{1}{2}$ per cent; lime, sulphate of magnesia, soda, sulphuric acid, etc. Specially prepared for lawns and meadows as a top-dressing, imparting to grass a rich green color and vigorous growth.

Price—In 167-1b. bags, per ton, \$48; single bags of 167 lbs., \$4.50; per bag of 100 lbs., \$3; 50 lbs., \$1.75; 25 lbs., \$1; 10 lbs., 50 cents.

CLAY'S CELEBRATED FERTILIZER.

On account of the high reputation which this Fertilizer has in England, and as we have had many inquiries for it by gardeners here, we have imported some from Messrs. Clay & Son, which we offer at the following prices. It is undoubtedly one of the best manures for all horticultural purposes, either in greenhouse or garden, and we believe its high reputation is well-deserved. It is productive and lasting, and notwithstanding its apparently high price, it is quite economical.

		\$7 00	1/4	cwt.	(28 lbs.)	\$2	25
1/2 "	(56 lbs.).	4 00	1/8	6.6	(14 lbs.)	1	25

PULVERIZED SHEEP MANURE.

A very rich, pure natural manure. It is excellent as a top-dressing for lawns. Its effect is immediate and very lasting. There is nothing better for mixing with the soil for greenhouse plants—one part manure and six parts soil. It is recommended for use in the vegetable garden, promoting a rapid and steady growth. It makes a rich and safe liquid manure—1 pound to 5 gallons of water.

5-lb. package, 30 cts.; 10 lb., 50 cts.; 50 lbs., \$1.25; 100 lbs., \$2; ton, \$30.

BONE FERTILIZERS.

Pure Ground Bone Meal. This finely pulverized ground bone is excellent for rose culture. It decomposes very rapidly, and is more quickly effective than the coarser grade. It is excellent for mixing with the soil for potting. 5 lbs., 25 cts.; 50 lbs., \$1.25; 100 lbs., \$2; per ton, \$32.

Cround Bone No. 3. This is coarser than the above, and is suitable for general purposes, for top-dressing for lawns, and for garden and field crops. Per 100-lb. bag, \$2.25; per ton, \$38.

Ground Bone No. 4. A little coarser than No. 3. Per 100 lbs., \$2.50; per ton, \$40.

Crushed or Coarse Bone. Being much coarser, this takes effect more slowly, but is correspondingly more permanent. For orchards, small fruits, grape vines, etc., which require a lasting fertilizer, there is nothing better. Per 100-lb. bag, \$2.75; per ton, \$43.

BOWKER'S FOOD FOR FLOWERS.

A dressing made expressly for plants grown in the house, garden or conservatory; clean, odorless, and producing early and abundant blossoms, and healthy, luxuriant plants. One small package is enough for thirty plants for three months. Decidedly the best dressing for potted plants.

Small packages, 15 cts. each; large packages, 25 cts.

OTHER FERTILIZERS.

TREE AND SHRUB SEEDS.

HOW TO GROW THEM.

In order to preserve seeds of CONIFERS and other EVERGREEN TREES, it is best to keep them in perfectly



PICEA DOUGLASH

dry sand until the time of sowing. For this latitude, the seeds should be sown thinly, as early in the spring as the ground can be worked, in beds of fine, sandy loam. Cover to the depth of about the thickness of the seed, and press the beds gently with the back of the spade to firm the earth around the seeds. Great care must be taken not to give too much water, as the young plants damp off very easily. Water with a very fine rose, but never so that the ground becomes soggy. Some shade must be used to protect the young plants from the hot, drying sun and winds, and also to keep the birds from destroying them. Seeds of the rarer sorts may be sown in coldframes or boxes; if in coldframes, the sashes should be shaded and the frames raised at the corners 3 to 4 inches, to allow the air to circulate freely. Keep the young plants well weeded, and

allow them to remain from one to two years before transplanting.

The propagation of Deciduous Trees from seeds is less difficult than that of Evergreen species, a little attention only being required to sow at the proper season to insure success. Acorns, Hickory Nuts, Chestnuts and Walnuts should be planted in autumn, or kept during the winter in sand or moss. They shrivel up by too long exposure to the air, and many of them lose their power of vegetating. Those seeds with hard shells, like the LOCUST, GYMNOCLADUS, etc., should be planted in autumn or placed in boxes with sand, and exposed to frost before planting. They may not vegetate till the second year after planting, but if these seeds are received too late in the spring to expose them to the action of the frost, they may be put into a vessel of hot water for an hour or so before planting. American Elm, Silver MAPLE, and a few other sorts ripen their seeds early in summer, and if gathered and planted soon after they fall from the tree, will make fine plants the same season. The seeds of other Deciduous Trees and Shrubs should be planted from

the middle of April to the middle of May, in drills about 2 feet apart, and covered about half an inch in depth, according to size.

The varieties here offered are on hand now, or are due from foreign countries, having been collected for us of the 1898 crop. As the season advances many sorts become worthless from various causes, or are sold out, and cannot be replaced until the new crop is ready next season.

EVERGREEN TREE SEEDS.

We do not sell Tree or Shrub Seeds in quantities of less than an ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

Abies Pe	er oz.	Per	lb.	Arctostaphylos	roz.	Per	lb.
amabilis (Lovely Silver Fir)	\$0 50	\$5	00	tomentosa. From California\$0	40	\$4	00
balsamea (Balsam Fir)	20	1	25	uva-ursi (Bearberry)	40	4	00
brachyphylla (Short-leaved Japan Fir)	60	6	00	Azalea			
Canadensis (Hemlock Spruce)	60	6	00	arborescens (Smooth Azalea)	80	10	00
Caroliniana. From North Carolina	1 00	12	00	calendulacea (Flame-colored Shrub)	50	5	00
concolor (California White Silver Fir)	30	3	00	occidentalis (California Azalea) 2	00		
firma (Japan Silver Fir)	40	4	00	Vaseyi. From North Carolina 1	50		
Fraseri (Double Spruce)	40	4	00	viscosa (Swamp Honeysuckle)	50		
grandis (Great Silver Fir of Oregon)	. 40	4	00	Buxus sempervirens (Evergreen Box)	20	1	50
magnifica (Superb Silver Fir)	50	5	00	Cedrus			
Mariesii (Japanese Silver Fir)	. 75	8	00	Atlantica argentea (Mount Atlas Cedar).	40	4	00
Mertensiana (Califor, Hemlock Spruce)	75	8	00	Deodara (Himalayan Cedar)	40	4	00
Nordmanniana (Nordmann's Fir)	20	1	50	Libani (Cedar of Lebanon)	40	4	00
nobilis (Noble Fir)	50	5	00	Chamæcyparis			
pectinata (European Silver Fir)	10		75	Nutkænsis (Ginger Pine)	80	10	00
Pinsapo (Spanish Fir)	25	2	50	pisifera. From Japan	60	6	00
subalpina (Dwarf Mountain Spruce)	. 70	7	00	Cotoneaster buxifolia (Hardy Evergreen).	20	2	00
Veitchii. From Japan	75	8	00	Cryptomeria Japonica (Japan Cedar)	20	. 2	00
Arborvitæ. See Thuja.				Cupressus			
Arctostaphylos				horizontalis (Horizontal Cypress)	10	1	00
glauca (Great-berried Manzanita)	20	2	00	Guadalupensis. From California	60	6	00
pungens (Erect Manzanita)	20	2	00	Goveniana (Goven's Cypress)	40	4	00

EVERGREEN TREE SEEDS-continued.

	oz.		-			Per	
Lawsoniana (Lawson's Cypress)\$0			00	Laricio (Corsican Pine)\$0		\$2	00
MacNabiana. Dwarf	35		50	maritima (Seaside Pine)	10		40
macrocarpa (Monterey Cypress)	15		00	Massoniana (Chinese Pine)	30		00
sempervirens (Evergreen Cypress)	15		00	mitis (Short-leaved Pine)	60		00
Daphniphyllum macropodon	25	2	50	monophylla (California Nut Pine)	35		50
Fir Tree. See Abies and Picea.				Murrayana. A variety of P. contorta 1			00
Juniperus				parviflora. Small size, dense foliage	60	6	00
communis (European Juniper)	10		40	Pinea (Stone Pine)	10		50
Bermudiana (Bermuda Cedar)	15	1	50	ponderosa (Heavy Pine)	25		50
Hibernica (Irish Juniper)	15	1	75	rigida (Northern Pitch Pine)	30		00
oxycedrus (Sharp-leaved Cedar)	10	1	00	Sabiniana (Sabine's Nut Pine)	20		00
Phœnicia (Phœnician Cypress)	20	2	00	Strobus (White Pine)	20		50
Sabina (Common Savin)	15	1	50	sylvestris (Scotch Pine)	20		50
Virginiana glauca (Silver Cedar)	15	1	25	Taeda (Loblolly)	50		00
Libocedrus decurrens (Cal. White Cedar).	35	3	50	Torreyana (Torrey's Pine)	35		50
Norway Spruce. See Picea excelsa.				tuberculata (Tubercled Pine)	60	6	00
Picea				Retinospora. See Chamæcyparis.			
Ajanensis. From Japan	80	10	00	Sciadopitys verticillata (Umbrella Pine of		~	00
Alcoquiana (Japan Fir)	75	8	00	Japan)	75	- 4	00
Douglasii (Douglas' Spruce)	35		50	Scotch Fir. See Pinus sylvestris.			
Engelmannii (Englemann's Spruce)	60	6	00	Sequoia	75	0	00
excelsa (Norway Spruce)	15	1	00	gigantea (Big Tree of California) sempervirens (California Redwood)	40		50
nigra (Black Spruce)	40		50	Spruce Tree. See Abies and Picea.	40	4	.50
polita (Tiger's-tail Fir)	75		00	Taxus			
pungens (Colorado Blue Spruce)	60	6	00	baccata (European Yew)	15	7	50
taxifolia (Washington Silver Fir)	60		00	brevifolia (California Yew)	80		00
Williamsonii (Williamson's Spruce)	75		00	Thea viridis (Tea Plant of Japan)	15		50
Pinus				Thuja	10		00
Australis (Yellow Pine)	40	4	00	aurea (Golden Arborvitæ)	15	1	50
Austriaca (Austrian Pine)	20		00	occidentalis (American Arborvitæ)	20		75
Balfouriana (Fox-tail Pine)	60		00	orientalis (Chinese Arborvitæ)	15		00
Banksiana (Northern Scrub Pine) 1				compacta (Compact Arborvitæ)	20		75
Canariensis (Canary Island Pine)	30	3	00	gigantea (Giant Oregon Arborvitæ)	50		00
Cembra (Cembran Stone Pine)	10		50	Thujopsis			
Cephalonica vera (Greek Silver Fir)	40	4	00	dolobrata (Japanese Thuja)	60	6	00
Coulteri (Coulter's Pine)	40		00	Standishii. From Japan	80		00
edulis (American Nut Pine)	20		75	Torreya Californica (California Nutmeg)	20		00
excelsa (Bhotan Pine)	30		00	Tsuga Sieboldii (Siebold's Japan Spruce).	75		00
flexilis (Graceful Pine)	60		00	Yucca	10		00
halepensis (French Pine)	25		50	angustifolia (Narrow-leaved Yucca)	75	8	00
insignis (Oregon Pitch Pine)	25		50		. 00	3	00
Jeffreyi (Jeffrey's Pine)	40		50	brevifolia (Short-leaved Yucca)			
Koraiensis. From Japan	50		00		75		
*	30		00	filamentosa (Adam's Needle) Whipplei (Whipple's Yucca)	50	-	00
Lambertiana (Sugar Pine)							

DECIDUOUS TREE AND SHRUB SEEDS.

For Fruit Tree Seeds, see page 44.

We do not sell Tree or Shrub seeds in quantities of less than one ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

Total Transfer of		- /	-)	ì
Acer	Per oz.	Per	lb.	
campestre (European Field Maple)	.\$0 10	\$0	40	ı
circinatum (Round-leaved Maple)	. 25	2	50	
glabrum (Oregon Maple)	. 25	2	50	
macrophyllum (Large-leaved Maple)	. 10		75	
rubrum (Scarlet Maple)	. '25	2	50	
Pennsylvanicum (Striped Maple)	. 30	3	00	
platanoides (Norway Maple)	. 10		50	
pseudo-platanus (Sycamore Maple)	. 10		50	
saccharinum (Sugar Maple)	. 10	1	00	
spicatum (Mountain Maple)	. 30	3	00	
Actinidia arguta. A Japanese climber	. 2 50			
Ailantus glandulosus (Tree of Heaven)	. 15		75	
Akebia quinata. A Japanese climber		5	00	

Alnus	Per oz.	Per	lb.
communis (Common Alder)	.\$0 10	\$0	50
incana (Smooth White Alder)	. 15		75
Oregona (Oregon Alder)	. 30	3	00
Amelanchier			
alnifolia (Oregon Shad Bush)	. 50	5	00
Canadensis (Shad Bush)	. 20	2	00
Amorpha fruticosa (Bastard Indigo)	. 10		75
Ampelopsis			
Veitchii (Japan or Boston Ivy)	. 15	1	25
quinquefolia (Virginia Creeper)	. 15	1	00
Amygdalus vulgaris dulcis (Sweet Almond	.)		40
Andromeda			
arborea (Sour Wood)	. 20	1	50

DECIDUOUS TREE AND SHRUB SEEDS-continued.

	Andromeda (continued)—	er oz.	Per	lb.	Clematis (continued)—	er oz.	Perlb.
	calyculata (Leather-leaf)\$	0 50	\$5	00	vitalba (Traveler's Joy)	\$0 15	\$1 50
	ligustrina. Five feet high	20	2	00	viticella (Purple Virgin's Bower)	15	1 50
	Mariana (Stagger Bush)	20	2	00	Clethra alnifolia (Sweet Pepper Bush)	20	2 00
	racemosa (Pepper Bush)	30	3	00	Colutea arborescens (Shrubby Bladder		- 00
	Arbutus				Senna)	15	1 00
	Menziesi (Madrona Tree)	30		00	Cornus	15	1 50
	Unedo (Strawberry Bush)	20	2	00	alternifolia (Alternate-leaved Dogwood).	15	1 50
	Ash. See Fraxinus.				circinata (Round-leaved Cornel)	20	2 00
	Asimina triloba (Pawpaw)	15		75	florida (Flowering Dogwood)	10 10	50 50
	Baccharis halimifolia (Groundsel Tree)	50	5	00	Nuttallii (Nuttall's Dogwood Box)	20	2 00
	Berberis	**			paniculata (Panicled Cornel)	15	1 50
	Aquifolium (Holly-leaved Barberry)	10		00	sanguinea (Scarlet Dogwood)	10	75
	nervosa (Nerve-leaved Barberry)	60		00	sericea (Silky Cornel)	15	1 50
	vulgaris (Common Barberry)	10		75	stolonifera (Osier Dogwood)	10	1 00
	F ()	15	T	50	Coronilla Emerus (Scorpion Senna)	50	5 00
	Betula	90	9	00	Corylus Avellana (German Hazel)	10	50
	Americana alba (White American Birch)	20		00	Cratægus	10	00
	alba (White European Birch)	10		40	Crus-galli '(Cockspur Thorn)	15	1 25
	lenta (Mountain Mahogany)	30		00	coccinea (Scarlet-fruited Thorn)	10	80
	lutea (Yellow Birch)	30		50	Oxyacantha (Hawthorn)	10	50
	papyracea (Paper Birch) populifolia (Poplar-leaved Birch)	20		00	parvifolia (Small-leaved Thorn)	30	3 00
		30		00	pyracantha (Evergreen Thorn)	10	75
	Bignonia capreolata (Cross-vine) Birch. See Betula.	30	J	00	pyrifolia (Pear-leaved Thorn)	15	1 25
	Boston Ivy. See Ampelopsis Veitchii.				tomentosa (Black Thorn)	15	1 25
	Brahea filifera (Washingtonia)	20	9	00	Cytisus		
	Broussonetia papyrifera (Paper Mulberry)	25		50	alpinus (Scotch Laburnum)	20	1 50
	Callicarpa Americana (French Mulberry).	15		50	Laburnum (Laburnum)	10	75
	Calycanthus floridus (Sw't Scented Shrub)	15	1		Daphne Mezereum (Mezereon)	50	
	Camellia Japonica. From Japan	15		50	Deutzia		
	Camphora officinalis (Camphor Tree)	25	2		gracilis (Japanese Snow-flower)	25	2 50
•	Carya olivæformis (Pecan Nut)			30	scabra (White Deutzia)	25	2 50
	Cassia Marilandica (Southern Cassia)	25	2		Diospyros		
	Castanea Japonica (Japan Chestnut)	10		85	Kaki (Keg Fig of Japan)	20	1 75
	Catalpa	-7		-	Lotus (European Persimmon)	10	1 00
	bignonioides (Flowering Catalpa)	15	1	00	Mexicana (Mexican Persimmon)	25	2 50
	Kæmpferi (Japanese Catalpa)	20	1	50	Virginiana (Wild Persimmon)	10	75
	speciosa (Hardy Catalpa)	10		90	Dogwood. See Cornus.		
	Teas' Hybrid (Hybrid Catalpa)	20	1	50	Elæagnus		
	Ceanothus				angustifolia (Oleaster)	25	2 50
	Americanus (New Jersey Tea)	30	3	00	longipes. From Japan	40	4 00
	divaricatus (Branching Red-root)	60	6	00	Elm. See Ulmus.		
	integerrimus (Entire-leaved Red-root)	75	9	00	Eucalyptus		
	thyrsiflorus (California Lilac)	75	9	00	calophylla		
	velutinus (Soft-leaved Red-root)	75	9	00	citriodora	1 00	
	Celastrus scandens (Climbing Bittersweet)	15	1		cornuna var. Lehmanii		
	Celtis australis (European Nettle Tree)	15	1	00	diversicolor (The "Karri")		
	Cephalanthus occidentalis (Buttonball			0.5	globulus (Tasmanian Blue Gum)		3 50
	Bush)	15	1 :		leucosylon rosea		
	Ceratonia Siliqua (St. John's Bread)	10	1	00	polyanthema		
	Cercidiphyllum Japonicum	1 90			robusta	1 00	
	Cercis Canadensis (American Judas Tree)	20	9	00	Euonymus		* *0
	occidentalis (California Judas Tree)	30	3		atropurpurea (Burning Bush)	15	1 50
	Siliquastrum (European Judas Tree)	15		75	Europæa (European Burning Bush)	10	1 00
	Cherry. See Prunus.	10		10	Japonica. From Japan	20	2 00
	Chionanthus Virginica (Va. Fringe Tree).	25	9	50	Exochorda grandiflora. From Tennessee.	50	5 00
	Cinnamomum camphora (Camphor)	25 25		50 50	Fagus (Amarican Decel	7.0	40
	- ' '		2	00	Americana (American Beech)	10	40
	Cistus heterophyllus. From California		0	00	sylvatica (European Beech)	10	40
	Citrus trifoliata (Hardy Japan Orange)	20		00	" purpurea (Purple Beech)	20	2 00
	Cladrastis tinctoria (Yellow Wood)	60	0	00	Fraxinus	10	40
	Clematis Assemble (White Vincin's Rewon)	15	1	50	alba Americana (White American Ash) excelsior (European Ash)	10	40
	flammula (White Virgin's Bower)	15	1	50	" pendula (Weeping Ash)	10	80
	richionan. From Camornia	, 00			pondula (weeping Ash)	10	00

DECIDUOUS TREE AND SHRUB SEEDS-continued.

DECIDOOCS IN			on the ball by the		
		Per lb.			Per lb.
Ornus (Flowering Ash)\$0		\$0 50	Leucothoe Catesbæi (Dog Laurel)\$0	25	\$2 50
sambucifolia (Black, or Water Ash)	10	75	Ligustrum		
viridis (Green Ash)	10	80	Japonicum (Japan, or California Privet).	15	1 00
Fremontia Californica (California Shrub. 1	. 00		vulgare (Common Privet)	10	75
Furze. See Ulex.			Linden. See Tilia.		
Garrya elliptica. From California 1	. 25		Liquidambar styraciflua (Sweet Gum)	50	5 00
Caultheria Shallon (Cal. Winterberry)	50	5 00	Liriodendron tulipifera (Tulip Tree)	10	60
Gaylussacia (Gan William)			Lonicera ciliata (Fly Honeysuckle)	20	2 00
-	30	3 00		20	2 00
dumosa (Dwarf Huckleberry)		3 00	Maclura aurantiaca (Osage Orange)	10	=0
frondosa (Blue Dangleberry)	30		per bus. of 33 lbs., \$10	10	50
resinosa (Black Huckleberry)	30	3 00		15	1 25
Genista			acuminata (Cucumber Tree)	15	
scoparia (Scotch Broom)	10	50	glauca (Sweet Bay)	20	2 00
tinctoria (Green Broom)	15	1 50	grandiflora (Large-flowering Magnolia)	15	1 50
juncea (Rush-leaved Broom)	10	75	hypoleuca. From Japan	30	3 00
Ginkgo biloba. See Salisburia.			macrophylla (Great-leaved Magnolia)	30	3 00
Gleditschia			parviflora (Small-flowered Magnolia)	30	3 00
horrida (Horrid Thorn)	15	1 00	tripetala (Umbrella Tree)	25	2 50
· · · · · · · · · · · · · · · · · · ·	10	40	Maple. See Acer.		
triacanthos (Honey Locust)		40	Melia Japonica. From Japan	15	1 50
Cordonia lasianthus (Loblolly Bay) 1			-		
Cymnocladus Canadensis (Ky. Coffee Tree)	10	65	Menispermum Canadense (Moonseed)	40	4 00
Halesia			Menziesii globularis. From N. Carolina	50	5 00
diptera. From Tennessee	25	2 50	Morus		
tetraptera (Silver Bell)	25	2 50	alba (White Mulberry)	20	2 00
Hamamelis Virginica (Witch-hazel)	25	2 50	alba rosea (Hybrid Mulberry)	25	2 50
Hazel Nuts. See Corylus.	-		alba fructo-nigro (Hybrid Mulberry)	30	3 00
Hedera Helix (English, or Hardy Ivy)	10	60	Tatarica (Russian Mulberry)	20	2 00
, , , , , , , , , , , , , , , , , , , ,	10	00	Mulberry. See Morus.	20	⇒ 00
Hibiscus			-		
Syriacus fl. pl. (Double Rose of Sharon).	20	1 50	Myrica		
Honey Locust. See Gleditschia.			Californica (California Wax Myrtle.)	35	3 50
Hydrangea arborescens (Tree Hydrangea).	25	2 50	cerifera (Candleberry Myrtle)	15	1 00
Hypericum densiflorum (St. John's Wort).	50	5 00	Myrtus communis (Common Myrtle)	30	3 00
Idesia polycarpa. A new tree from Japan. 1	00	12 00	Negundo		
llex			aceroides (Box Elder)	10	40
	10	co	Californica (California Box Elder)	15	1 50
Aquifolium (European Holly)	10	60	Nuttallia cerasiformis (Nuttall's Shrub)	40	4 00
Dahoon (Dahoon Holly)	50	5 00	Nyssa multiflora (Sour Gum Tree)	10	50
decidua (Deciduous Ivy)	15	75		10	50
glabra (Inkberry)	20	2 00	Oaks. See Quercus.	00	
opaca (American Holly)	15	75	Oreodaphne Californica (Cal. Laurel)	20	1 75
verticillata (Deciduous Holly)	20	2 00	Osage Orange. See Maclura.		
Indigofera tinctoria (Indigo Tree)	20	1 50	Ostrya Virginica (Hop Hornbeam)	20	2 00
Itea Virginica (Virginian Willow)	30	3 00	Oxydendron arboreum (Sourwood):	20	2 00
	30	5 00	Paliurus aculeata (Christ's Thorn)	10	50
Juglans			Parkinsonia aculeata (Jerusalem Thorn)	25	2 50
cordiformis. From Japan	10	60	Paper Mulberry. See Broussonetia.		
cinerea (Butternuts)			Paulownia imperialis (Paulownia)	15	1 25
per qt., 15c.; per bus., \$2.50			- '		
Californica (California Walnut)		1 50	Philadelphus coronarius (Syringa)	50	6 00
nigra (Black Walnut)			Photinia arbutifolia (California Maybush).	25	2 50
per qt., 15c.; per bus., \$2.50			Phytolacca decandra (Pokeberry)	20	2 00
Sieboldii. From Japan	10	. 60	Platanus occidentalis (Buttonball, or Plane		
"Royal" New Hybrid. See page 44.			Tree)	10	50
Kalmia			Plum. See Prunus.		
angustifolia (American Laurel)	20	2 00	Poinciana Gilliesii (Crimson Thread-flw'r).	75	
latifolia (Calico Bush)				10	
	. 00		Populus	00	0.00
Kælreuteria	7.0		alba (Abele Tree)	20	2 00
paniculata (Chinese Bladder Nut)	10	75	monilifera (Cottonwood Tree)	20	1 50
Lagunaria Pattersonii. From California.	50		tremula (Aspen Poplar)	20	1 50
Larch. See Larix.			Prunus		
Larix			Americana (Wild Plum)	15	1 25
Europæa (European Larch)	20	1 50	Caroliniana (Carolina Cherry)	20	1 75
leptolepis (Money Pine of Japan)	75	8 00	illicifolia (Holly-leaved Plum)	15	1 25
Laurus Benzoin (Spicewood)	10	1 00	" var. integrifolia	30	3 00
nobilis (Sweet Bay)	10	60	Lusitanica (Portugal Laurel)	10	1 00
• /	30		,		
Leiophyllum buxifolium (Sand Myrtle)	30	3 50	maritima (Beach Plum)	15	1 25

DECIDUOUS TREE AND SHRUB SEEDS-continued.

DECIDOO03 1	KEE	AND	STROB SLEDS—continued.		
Prunus (continued)—	Per oz.	Per lb.	Sophora (continued)—	er oz.	Per lb.
Pennsylvanica (Wild Red Cherry)	\$0 20	\$2 00	Japonica (Japanese Sophora)	30 10	\$0 75
serotina (Wild Black Cherry)	10	75	" pendula (Jap. Drooping Sophora).	15	1 00
Virginica (Choke Cherry)	15	1 25	speciosa. From Arizona	15	1 50
Ptelea trifoliata (Hop Tree)	20	1 50	Sorbus. See Pyrus.		
Pyrus			Spiræa		
Americana (American Mountain Ash)	10	1 00	ariæfolia (Tall California Spiræa)	60	6 50
•	25	2 50	Douglasii (Douglas' Spiræa)	60	6 50
arbutifolia (Chokeberry)	10	2 50 75	gigantea (Giant Meadow Sweet)	75	
Aucuparia (European Mountain Ash)	50	5 00	salicifolia alba (White Meadow Sweet)	25	2 50
rivularis (Oregon Crab Tree)	90	5 00	Staphylea pinnata (European Bladdernut).	15	1 25
Quercus—Oaks. Only a few sorts this			Sterculia	10	1 20
season, from 25 cts. per lb. to \$6 per bus.			diversiloba (Bottle Tree)	60	6 00
Rhamnus			platanifolia (Chinese Parasol)	15	1 50
Alaternus (Barren Privet)	10	1 00			4 00
Californicus. From California	30	3 00	Stuartia psuedo-camellia. From Japan	40	
catharticus (Buckthorn)	10	75	Styrax Japonica (Japanese Shrub)	25	2 50
Carolinus (Alder Buckthorn)	15	1 00	Syringa	7.0	7 00
Purshianus (From Washington)	35	3 50	vulgaris (Lilac)	10	1 00
Rhododendron			Japonica (Japan Lilac)		16 00
Catawbiense. From North Carolina	40	4 00	Taxodium distichum (Deciduous Cypress).	10	75
maximum (Great Laurel)	60	6 00	Tecoma radicans (Trumpet Creeper)	25	2 00
	00	0 00	Tilia		
Rhus (D. o.f. Cowards)	10	1 00	Americana (American Linden)	10	60
copallina (Dwarf Sumach)	10	1 00	argentea (Silvery Linden)	10	75
cotinus (Smoke Tree)	25	2 50	Europæa (European Linden)	10	75
glabra (Smooth Sumach)	10	1 00	grandiflora (Large-leaved Linden)	10	75
integrifolia (California Sumach)	25	2 50	Ulmus		
laurina (From California)	25	2 50	campestris (Common Elm)	15	1 00
typhina (Staghorn Sumach)	10	1 00	crassifolia (Texas Elm)	25	2 50
venenata (Poison Sumach)	20	2 00	Americana (American Elm)	20	2 00
Robinia pseudacacia (Yellow Locust)	10	40	Montana (Large-leaved Elm)	15	1 00
Rosa			Ulex Europæa (Furze, Gorse or Whin)	10	75
blanda (Early Wild Rose)	10	75		10	10
canina (Dog Rose). For stocks	10	35	Vaccinium	0-	0.50
Caroliniana (Swamp Rose)	15	1 50	corymbosum (Swamp Blueberry)	25	2 50
lucida (Dwarf Wild Rose)	30	3 00	ovatum. From Washington	40	4 00
pomifera (Apple-bearing Rose)	10	75	ovalifolium (Oval-leaved)		
rubiginosa (Sweetbrier)	10	75	vaccillaris	25	2 50
rugosa (Ramanas Japan Rose)	25	2 50	Viburnum		
		1 50	cassinoides (Appalachian Tea Tree)	25	2 50
setigera (Prairie, or Climbing Rose)	15	1 50	dentatum (Arrow-wood)	20	2 00
Rubus			Lantana (Wayfaring Tree)	10	75
leucodermis (White Raspberry)		6 00	lantanoides (Hobble Bush)	25	2 50
Nutkanus (Salmon-berry)	75		Lentago (Sweet Viburnum)	20	1 75
spectabilis (Showy Raspberry)			nudum (Withe-rod)	15	1 50
vitifolius. From Washington	60	6 50	Opulus (Snowball)	15	1 00
Salisburia adiantifolia (Maiden-Hair Tree,			prunifolium (Black Haw)	15	1 00
or Ginkgo)	10	90	Tinus (Laurestinus)	10	75
Salix			Virgilia lutea. See Cladrastis tinctoria.		
alba (White Willow)	15	1 00	Vitex agnus-castus (Chaste Tree)	10	1 00
purpurea (Purple Osier)	15	1 00	Walnuts. See Juglans.		
viminalis (Osier)	15	1 00	Wistaria		
Sambucus		_ 0	frutescens (American Wistaria)	15	1 50
Canadensis (Common Elder)	15	1 50	Sinensis (Chinese Wistaria)	35	3 50
glauca (California Elder)	40	4 00	Yellow Locust. See Robinia.	50	., 0.7
racemosa (Scarlet-berried Elder)	40	4 00	Zanthorhiza apiifolia (Hardy Shrub)	1 50	
Sassafras officinale (Sassafras)	15	1 00	Zanthorniza apinona (Harty Shrub) Zanthoxylon fraxineum (Toothache Tree).	20	2 00
Schinus molle (Pepper Tree of Cal.)	15	1 25	Zizyphus sativa (Cultivated Jujube)	15	1 25
Commus mone (repper free or Car.)	10	1 20	Liejpinus saura (Outervaieu sujuse)	10	1 20



HARDY ANNUALS (hA) .- Sow in April or May, according to the latitude, in shallow boxes or pots placed in a warm window, a hotbed, or, if possible, in a greenhouse. A second sowing ought to be made from two to four weeks after, for a succession, as well as to provide against failure the first time. For sowing seeds in, there is nothing better than

shallow boxes from 2 to 3 inches deep and of any convenient size. The most suitable soil in which to sow seeds of all the smaller kinds is a very fine, rich, sandy loam; if some fine charcoal can be mixed with it, it will be beneficial. The soil from old hotbeds is excellent, or sods from an old pasture, piled up and allowed to rot for two or three years, and then mixed with a little old stable-manure and sand. The selection of a proper soil in which to sow fine seeds is very important, as upon this depends the success or failure of them. After the seeds are up, care must be taken to give them plenty of air and moisture, and yet not too much water, or they will "damp-off." When the young plants are well out of the seedleaf, they must be transplanted to new boxes. If pots 2 inches or more in diameter can be had, set out from three to a dozen or more of the young seedlings along the edges of the pot, so that as soon as the ground is warm enough they may be easily turned out and planted singly, as by that time they will have made good roots. When the pots cannot be had, boxes, tin cans, etc., may be substituted; or a cheap and effective plan is to take out the inside of a potato or turnip, leaving a shell half an inch thick. After filling these with the compost above referred to, set out the seedlings in them, and place the whole in boxes, filling in the spaces between the potatoes or turnips with soil. When the plants are ready to set in the open ground, it is an easy matter to transplant them, and as the decay of the turnips or potatoes affords nourishment to the young plants, a double purpose is served in using them. Treated in this way, the seedlings receive no check in growth, and require none of the extra care in watering or shading necessary with other methods.

ANEMONE.

A common mistake in sowing flower, as well as other seeds, is covering too deep. As a general rule, cover only to the depth of the thickness of the seeds, or with medium-sized seeds, like Balsams, Zinnias, etc., half an inch or so is none too much. Such fine seeds as Portulacas need only to be pressed into the soil with a piece of board or the palm of the hand. Always press the earth down firmly after sowing all flower seeds, else there is danger of their drying up before the roots can get firm hold of the soil. Seeds of the hardier Annuals may be sown where they are to grow; but as a rule it is preferable to transplant, as the plants are generally stronger and stand the drought better. During very dry weather, and when the seedlings are first set out, they should be watered frequently. Provide some support for all such Annuals as require it, else the plants become weak and straggling, and do not make the show they otherwise would.

The weeds should be kept down and the ground loosened often, so that the plants will receive the full benefit of the rains and dews, which they will not if the ground is allowed to become hard and baked.

Seeds of Biennials and some Hardy Annuals may be sown in September in boxes, and placed in coldframes. They will make strong plants by spring, and come into flower early. Do not put on the sashes until heavy rains and frosts render this necessary, and then always remove during the day, and whenever the temperature is above freezing in winter.

HARDY BIENNIALS (hB) and PERENNIALS (hP).—These require the same treatment as the Hardy Annuals. In addition to the above, both Hardy Biennials and Perennials may be sown in the open border in September; for if not sown until spring, the seeds of many Perennials require two years before they germinate. In this case it is a good plan, at the commencement of frost, to cover them lightly with straw, leaves or any dry litter, in order to afford some protection from the extreme severity of the winter. As soon as the frost is out in the spring, remove the covering and loosen the surface around the plants, which, when large enough, may then be transplanted to the flower garden where they are to remain.

HALF-HARDY ANNUALS (hhA).—These may be sown in shallow boxes, pots, or a hotbed, as directed for Hardy Annuals. They may be sown thus at any time after the middle of April, as the hotbed will be sufficient protection; but it is best to cover the glass with a mat or straw at night until danger of frost is past. In the day give all the air possible by partially or wholly removing the lights. After the end of May sow in the border, like Hardy Annuals.

HALF-HARDY BIENNIALS (hhB) and HALF-HARDY PERENNIALS (hhP) require the same treatment. Though plants and their bloom are greatly forwarded by sowing the seeds early in boxes under cover, it may be stated that nearly all kinds of hardy and half-hardy flower seeds may be sown in the open border in a warm and sunny spot, as soon as the soil has become dry and warm; so that those who have no glass frames or greenhouses need not be without flowers. They can have them, but it will be later.

TENDER ANNUALS, BIENNIALS and PERENNIALS.—The best method to obtain an early bloom of the Tender Annuals (tA), and to insure strength to the plants, is to sow the seeds in boxes or pots in March, placing them in a warm greenhouse, or plunging in a moderate hotbed, carefully protecting them from the cold, shading from the midday sun, and watering with a fine rose. The seed should be sown in very light, sandy compost, and the pots well drained by placing broken pots or bits of sods in the bottom. The finer seeds must not be covered more than an eighth of an inch deep, and the soil pressed down closely over them. Water frequently, particularly if the house or hotbed is very warm. As soon as the plants are out of the seed-leaf, transplant into shallow boxes or small pots, and when they have acquired sufficient strength transplant into the flower beds; not, however, before the middle of May.

CREENHOUSE SEEDS (g) should be sown as directed for Tender Annuals, in pans, pots or shallow boxes, and be kept in the house, carefully watched, slightly watered occasionally, and sheltered from the hot sun till strong enough to transplant. Most varieties may be sown at any season of the year.

The smaller seeds of Greenhouse Plants are sometimes difficult to germinate, unless great care be taken in the mode of sowing. Hence the supposition is produced that the seed itself is not good, whereas the fault is not in the seed, but in the treatment. Fine seeds of this description should be sown in leaf-mould or peat, with some fine sand added to it; press firmly down in the seed-pan or pot, and make perfectly level at the top, so that the mould may not afterward sink materially with watering. Sow the seed very thin, and cover very lightly with a little compost, or with silver sand. Success is more certain if a pane of glass is placed over the pan or box till the plants have appeared, when it should be removed. By this method the difficulty of starting fine seeds will be removed. As soon as the young plants have two leaves, they should be transplanted into similar compost in another pan or box. To do this, do not pull them out of the seed pan, but break up the soil by running a stick or trowel under it, when the plants can be taken out with good roots. After transplanting they should be kept in a shady part of the greenhouse for a few days, and watered very sparingly, until they are somewhat established in the new soil, when they may be removed to the light.

There are many minute plants from the finer seeds killed by drenching with water while very young. One way to avoid this is to give the water by dipping a clothes-brush in water, shaking off the greater part of the water from the brush, and then (holding the brush over the seed-pan) drawing the hand over the bristles several times, which will cause the water to be thrown on the young plants almost like dew. Some of the vaporizers and atomizers (as used for perfumes) now in use are admirably adapted for watering tender young plants. In the first stage of their existence, plants require moisture in a minute quantity, often repeated, and not in such large quantities as to saturate the soil in which they are growing.

Primula Sinensis.—The Chinese Primrose is deservedly one of our most popular winter-blooming plants. For winter use it is easily grown from good seed, if sown at the right time and properly treated. Sow the seed in drills, in a light, rich soil, in shallow boxes, at any time from the middle of March to the middle of May; the earliest sown seed will naturally produce the earliest bloom. Cover the seeds about an eighth of an inch, and press the soil on them with a board or the bottom of a pot. Water moderately, avoid forcing the seed, and keep the young plants away from drip. The boxes may be placed in the greenhouse, or out of doors in a frame. As soon as the plants are well out of the seed-leaf, transplant them singly into 2 or 2½-inch pots, using a light, rich soil. The object now is to make good, stocky plants, and they must therefore be repotted as often as the pots become tolerably filled with roots, until they are in 5 or 6-inch pots, when they may be allowed to flower.

Previous to this, any flower stalks that appear must be pinched out. In a suitable place the plants will do better out of doors than in the greenhouse during summer. They need a liberal supply of water. The plants will bloom continuously during the winter in either the greenhouse or a well-lighted sitting-room, not too warm; they should not be moved about often.

Cineraria. Years ago the Cineraria was a popular plant among florists. Bedding plants crowded it aside, but it is now fast taking its proper place again among choice winter-blooming plants. It is, to be sure, a rather difficult plant to grow and bloom well if its requirements are not understood. The mistake generally made is in growing it in a warm house instead of a cool one. The seed should be started in the greenhouse. For winter blooming, sow the seed in April and May, in shallow boxes, in fine soil; drop the seed in shallow drills, cover, and press the earth rather firmly with a piece of board or the bottom of a pot. Set the box where it will get the morning sun, but be free from drip; water moderately and carefully. The treatment of the seedlings should be similar to that given to the Chinese Primrose. As soon as the plants are out of the seed-leaf, transplant singly into small pots, in a rich soil, with some vegetable mould in it. Repot as often as the pots become moderately filled with roots, or sufficiently often to prevent the roots from becoming pot-bound, and so avoid checking the growth. If specimen plants are wanted, the repotting should be continued until the plants are in pots from 8 to 10 inches in diameter. The last two pottings should be liberal ones, and drainage well provided for, as the plants will need copious waterings. When the flower stalks appear, manure water may be used once or twice a week. Aphis and red spider are the chief enemies to be guarded against; and this is best done by frequent syringings or sprinklings overhead. The plants will do best during the summer out of doors, in some place where they will not get too much sun, and be free from the drip of trees. In the fall the plants should be placed in a cool greenhouse, where the temperature can be kept·low and the air moist. The plants should be placed on a table by themselves, and the pots always kept far enough apart to prevent the leaves in one pot from touching those in the next. In the winter it may be necessary to smoke the plants with tobacco occasionally, to keep down the "green fly," or aphis. This may easily be done with tobacco "stems," which can be had at slight cost; they can be burned on a shovel, or in a regular "fumigator," made for the purpose.

Calceolaria.—The herbaceous varieties of the Calceolaria are very beautiful and popular plants. They should be flowered in a cool greenhouse. The seeds are very small, and should be sown on the surface. Sow in shallow boxes, filled with a light, sandy soil, that has been sifted. Sow moderately thick in rows on the surface, and cover very lightly with sifted sphagnum moss, cocoanut waste or very light soil. Press the soil firmly on the seed. The watering should be done carefully; an atomizer or brush may be used to advantage. To retain the moisture, the box may be covered with panes of glass, which must be removed, however, as soon as the plants make their appearance. The box should have plenty of light, but not much sun. As soon as the plants can be handled, transplant singly into pots 2 to 2½ inches in diameter. The soil should be light and rich, and vegetable mould is an excellent addition. Repot as often as the pots are fairly filled with roots, and continue the repotting, if fine flowers are wanted, till the plants are in pots 8 inches in diameter. If the pots become root-bound the plants are apt to run prematurely into flower. Water regularly and abundantly, to prevent drooping. As the pots increase in size, drainage must be supplied to carry off the surplus water. Place in a cool greenhouse in the winter, as directed for Cinerarias, and keep the pots apart to prevent the leaves from touching. An occasional smoking with tobacco will keep down the green fly.

Pansy.—For spring blooming, the seed should be sown in August, September and October, in a coldframe with a southern aspect. Plenty of air and light is essential. During mild weather the sashes should be removed; when it is frosty, coverings are preferable to artificial heat. If wanted for winter bloom, sow in July, and as soon as large enough plant in beds or benches near the glass in the greenhouse, in a low and even temperature.

Ceraniums.—The Scarlet or Horseshoe Geranium (or, more properly, Pelargonium), now so extensively used for bedding, may be easily grown from seed at any season of the year. If during the summer, better out of doors than anywhere else; but in a greenhouse or sitting room during the winter. Sow the seeds in pots or shallow boxes, in any common soil; cover about an eighth of an inch, and press the soil on the seed. Transplant as soon as out of the seed-leaf, into small pots, in a soil only moderately rich; or, if the seeds were started out of doors, the plants may be put in the border. Seed sown indoors in the fall or early winter, and the plants grown in the greenhouse, will show flowers in June or July, while plants from those sown in March or later will not come into flower till August and September, and some even later. Much, however, depends upon the treatment, those receiving special care in pots blooming much sooner than those turned into a border or bed.

Petunias.—Fill shallow boxes with fine, light soil, say an even mixture of leaf-mould and sand, and wet thoroughly by pouring on boiling water, which kills insects and heats the soil. When the soil has cooled sufficiently but is still warm, sow the seeds very thinly in the boxes, so that the plants may be 1 inch apart; cover seeds very slightly with a little sifted sand, and place slate or glass on top of the boxes. If the white root-points of germination appear before the leaves, sift on more sand and replace slate, and watch closely. When the small leaves appear, remove slate and give plenty of light, to produce strong, stocky plants. The soil may now need water, which should be applied very gently, that the tiny seedlings may not be displaced. Later the larger plants may be transplanted from seed boxes into other boxes or pots. As the weakest plants frequently give the finest blossoms, care should be taken to preserve every plant until the blossoms appear.

Explanation of the Flower Seed Catalogue.

We have endeavored to make our flower seed department as complete in detail and easy of reference as possible, and instead of the usual description, have adopted a system of classification in

columns, using simple abbreviations to denote the various characteristics of the varieties in regard to color, time of flowering, hardiness, etc.

The first column gives the NUMBER, by which the different varieties may be ordered, without writing out the whole name

The second column gives the BOTANICAL NAME, in Roman characters, and the following additional information:

The asterisk (*) designates ornamental-leaved plants; these plants are grown for their foliage.

The dash (-) designates the repetition of the name above it as applied to the variety to which the dash is prefixed. in vars. designates in varieties, or in mixed colors. fl. pl. designates flore pleno, or double-flowered.

The third column presents in figures the COMPARATIVE TIME OF FLOWERING. As it is impossible, in our varied extent of climate, to state the exact month any plant may flower in, we have adopted the simple plan of classing the different varieties into early, intermediate and late-flowering sorts. Thus:

1 designates early—blooming in spring and early summer. intermediate—blooming in midsummer.

late-blooming in late summer and autumn.

The fourth column gives the duration or character, and hardiness.

A represents Annual-lasting but one year, and producing flowers and seed the same season.

B represents Biennial-lasting two years, and generally blooming during the second season.

P represents Perennial—lasting three or more years.

 \mathbf{E} Evergreen—retaining foliage the entire year. 66

S Shrubs-plants of bushy habit.

66 greenhouse plants—such as do best when kept under glass. bu 66 bulbous plants—plants forming bulbs or bulbous roots.

designates, in every case, repetition.

But as a large number of Biennials and Perennials, if sown early, flower the first season, this distinguishing mark (†) is affixed to such.

The hardiness is denoted by the following abbreviations, but it should be understood that this is intended to apply to the climate of the Middle Atlantic states, and further north or south these designations apply only in a comparative way:

h represents hardy-plants for open border.

half-hardy-plants that require to be forwarded in pots or frames. tender—requiring protection.

The fifth column gives the COLOR in full, except as abbreviated below:

```
ap. for apetalous.. | bff. for buff ....... | lav. for lavender.... | scar. for scarlet.
       " black... car. " carmine ... ptd. " painted... spot. " spotted.
" brown... cr. " crimson... pur. " purple.... stri. " striped.
" tricolor... sul. " sulphur... var. " variegated.. ver. " vermilion.
```

The sixth column gives the height in feet to which the plants grow under ordinary cultivation; trai. signifies trailing; cr. stands for creeping.

The seventh column shows the price per packet at which the flower seeds will be delivered by mail to any post office.

The eighth column gives brief observations respecting the various classes of plants catalogued, with special directions respecting their culture, where required. As these notes have been very carefully prepared, their suggestions are worthy of attention,



CAMPANULA.


FLOWER SEEDS.

*For Seeds of Running Vines, Gourds, Everlastings and Ornamental Grasses, see end of Flower Seeds.
Flower Seeds delivered free by mail on receipt of the stated price.
For See explanation of figures and signs, on page 74.

		Time of	Hardiness and n.	uration f	Height in Form	Ber Jeer	'cket
	NUMBER and NAME.	Jo	Hardiness and n.	Color of the Fig.	ıt in	per	General Observations.
NG.	~¼oz, at oz. rate only on articles quoted at	ime F	ardi	olor	eigl	Price p	-
	\$1 per oz. and over.	H	12	/ 5	/ 平	/ P4	
$2065 \\ 2066 \\ 2067$	Abronia umbellata—grandiflora arenaria.	2	hA 	rose yel.	trai.	cts. 5 5 5	Elegant trailers. Do best in light, sandy soil. Sow in open ground in May.
2078 2079 2081	Abutilon compactum "Fireball" Edouard Lagueillon Darwini	2 3	gS 	d. red	4	25 25 25	Free-growing decorative shrubs, with bright bell-shaped flowers. Suitable either for house, green-
2082	Mixed			mixed	• • • •	25) house or garden.
2084 2085 2086 2087 2088	Acacia albicans. dealbata. armata decurrens Farnesiana	1	• • • •	yel.	6	10 10 10 10 5	Greenhouse shrubs, with graceful branches and fine racemes of yellow flowers, richly scented.
2089 2090 2091 2092 2104	lophantha melanoxylon eyanophylla mollissima floribunda. Fine Mixed	• • • •	• • • • • • • • • • • • • • • • • • • •	mixed	7	10 10 25 10	2092 is a most charming shrub, with its wealth of fragrant golden flowers.
$\frac{2107}{2108}$	Acanthus mollisspinosus	3	hP	white pur.	3	. 5 5	The leaves are ornamental and valuable for decorative purposes.
2110 2112 2114	Aconitum Napellus (Monk's Hood) pyramidatum. Mixed			blue mixed	4	5 5 5	Hardy, popular plants, with panicles of helmet-shaped flowers.
2116	Adenophora liliifolia	2 3		l. blue		10	Elegant hardy border perennial;
2120	Adonis autumnalisper oz., 25c.		hA	scar.	1	5	fragrant.
$2121 \\ 2122$	æstivalis	1	hP	crim. yel.	1½	5 5	Attractive, bright flowers. 2120 is intensely red, with black center.
2128	Agapanthus umbellatus		tP	blue	1	10	(African Lily.) A beautiful tuberous-rooted plant.
2 128 <i>a</i>	Agave Virginica		hP	yel.gr.	6	10	f "False Aloe;" or, "Virginian Century Plant."
2129 2130	Ageratum conspicuum		†tP	white	1	5	1
2132	Lasseauxi per oz., 40c.		hhA	rose blue	$1\frac{1}{2}$	5 5	Free-flowering bedding plants of low growth, contrasting well with
$\frac{2135}{2136}$	—album			white rose		5 10	Geraniums, Perillas and Dwarf Amaranths. "Little Dorrit" is a
2138 2140	—Dwarf Blueper oz., 60c. —Dwarf White '60c.			blue	3/4	5	lovely azure blue, very florifer-
2141	-Little Dorrit " 75c.			white blue		10	ous and fine for bedding. "Swan- ley Blue" is a fine new large-flow-
2142 2143	—Swanley Blue " 75c. —Mixed " 40c.			mixed	1	10 5	ered variety.
2144	Agrostemma Cœli-Rosa (Rose of						
2145	Heaven)		hA	rose	1	5 5	The Rose of Heaven is very free-flowering and easily grown. It
2146	coronaria (Rose Campion)		thP	rose		5	is fine for beds. The Rose Cam-
$\frac{2146a}{2147}$	-Dark Blood Red			d. red white		5 5	blooming and very pretty. Ex-
$\frac{21476}{21476}$	—Mixed per oz., 40c.			mixed rose		5 5	cellent for naturalizing in dry situations.
2148	Alonsoa grandiflora	1	hhA	scar.	2	5	
2149 2150	-alba			white		5	Bright little annuals of fine habit; require some protection in cold
2153 2155	linifolia			scar.	1½ 2½ 2	5 5 5	weather. Sow in hotbed, and plant out early in May.
2100	Althæa rosea				-	,)	See Hollyhock.
2157	Alstromeria pulchella	1 2	gP	vel.&r.	3	10	2157 is a brilliant yellow, with red
2158	Mixed			mixed		10	streaks.

AQUILEGIA CŒRULEA. See page 77.

		Time of	bo /	z /	4 /	1 2 /	1 2 /
		i	rin/	Color of the Flor	Height in E.	Price per	
	NUMBER and NAME.	100	Hardiness and n		1 / 12	er ler	General Observations.
		0 4	din	the the	Sht	9,0	, contra observacione.
AST	F1/4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Zim.	far	,010,	Teig	ric	
	or per oz. and over.		/ ~	/ 3	/ ~	cts.	
2159	Alyssum maritimumper oz., 40c.	1 3	hA	white	trai.	5 5	2159 is the well-known Sweet Alys-
$\frac{2160}{2161}$	-compactum, Dwarf " 50cThorburn's Bouquet				$\frac{1}{2}$ $\frac{1}{4}$	10	sum, so much used for edging.
2162	—"Little Gem"				trai.	5	"Thorburn's Bouquet" is a very dwarf and compact new sort, of
$\frac{2163}{2164}$	—procumbens, "White Carpet" saxatile compactumper oz., 60c.	$\frac{\cdots}{2}$	'nР	yel	1	10 5	the neatest habit; most suitable
2166	argenteum				1/2	5	for borders or pots.
$\frac{2167}{2168}$	*Amarantus Abyssinicus *bicolor ruber		tA	d. red	$\frac{3}{2}$	5 5	
2169	*cruentus (Prince's Feather)			d. red	3	5	Strong-growing, highly orna-
$2170 \ 2170a$	*caudatus, "Love-Lies-Bleeding". *coleifolius (new)					5 10	mental plants. The tricolor va-
2171	*Henderi			cr.& y.	4	5	rieties are very valuable for bedding, having elegant orna-
$\frac{2172}{2173}$	*melancholicus ruber* *salicifolius			red pur.	2½	5 5	mental foliage, variegated crim-
2175	*speciosus			yel.		5	son, yellow and green; they are also well adapted for growing in
$\frac{2176}{2178}$	*sanguineus nanus *tricolor (Joseph's Coat)			scar. mixed	diff.	5 5	pots. For decorations, of course,
2179	*—giganteus				6	5	the finest marked plants should be selected, as seed saved from
$\frac{2180}{2182}$	*—splendens *atropurpureus			dk.&p'r	$\frac{3}{2}$	5 5	the finest sorts produces some
2183	*Fine Mixedper oz., 20c.			mixed		5	very inferior plants.
	Collection of Amarantus, including 12 varieties, choicest sorts					50	
	Amethyst						See Browallia.
2186	Anagallis, in variety		hhA			5	Plant in sunny situation.
2190	Anchusa capensis	2		pur.	$\frac{1\frac{1}{2}}{2}$	$\frac{5}{25}$	Very attractive. Fine for cut-
2192 2194	Anemone coronaria, Single Caen	1	hP 	d. blue mixed		25 5	flowers and bouquets. Very beautiful spring flowers, re-
2195	-"St. Brigid" Poppy-flowered					10	quiring rich, deep soil. 2198 has
$\frac{2196}{2198}$	Japonica rosea	3		rose white		$\frac{10}{25}$	large, pure white flowers, inval- uable for cutting. No. 2194 is
2199	occidentalis				- 1	10	the beautiful Caen strain of sin-
2206	sylvestris	• • • • .			1½	10	gle Windflowers. See cut, p. 76.
2210	Angelonia grandiflora		gP	pur.	1	25	Beautiful, sweet-scented; for pots. See Snapdragon.
	Aquilegia (Columbine)—)
$\frac{2212}{2214}$	caryophylloides		hP	strip.	1½	25	(Columbine.) Very elegant and
2214	chrysantha			yel. blue	3	$\frac{10}{25}$	free-blooming, hardy perennials, suitable for beds, borders or
$\frac{2217}{2218}$	flabellata nana alba			white	1	$\frac{10}{25}$	shrubberies; they prefer a moist,
2219	Hybrids Canadensis and Blue sorts Hybrids and species mixed			mixed	1½	25 25	sunny situation. 2216 is the Rocky Mountain blue Columbine,
$\frac{2220}{2221}$	truncata (splendid)			sc.&y.	1	$\frac{10}{25}$	a most beautiful species. No. 2218 is a most beautiful new
2222	Skinnerivulgaris Double White			sc.& gr. white	2	5	strain of hybrids of the scarlet
2224 2225	-Double Mixed			mixed		5 5	and blue sorts. No. 2221 is a
2220	—Single Mixed Collection of Aquilegia, including						very handsome and quite distinct variety.
0000	12 choice varieties		110	1	0	50	
$\frac{2230}{2231}$	Aralia Sieboldii	2	hhP	white	3	10 10	Handsome palm-like shrubs. No.
2232	spinosa				8	10	2232 is the "Angelica Tree."
$\frac{2235}{2236}$	Argemone grandiflora.per oz., 40c. —lutea		hA	vol.	2	5	In a large garden their glaucous foliage and large, poppy-like
			bb A	yel.	7	5	flowers are very effective.
2238 2240	Arnebia cornuta	3 2	hhA hP	pur.	1 4	25	Rich yellow-maroon. Silkweed; sweet-scented.
2242	Curassavica	1 3	gP	orange	3	5	Swallow-Wort; free-bloomer.
$\frac{2248}{2249}$	incarnatatuberosa	2 3	hP	rose p.		5	Swamp Milkweed.
2250	Asperula setosa azurea	2 3	hhA	I. blue	1	5) Sweet-scented, long bloomers; for
2252	odorata (Woodruff)		hP	white	11/2	5	borders or rock-work.
2256	Asters, Chrysanthemum-flow'd— —Half Dwarf White	3	hhA		1	10	1
2257	Scarlet			scar.		10	· ·
$\frac{2258}{2259}$	— ——Scarlet and White — ——Lilac			sc.&w. lilac		10 10	(Callistephus.) The common
2260	————Lilac, White border			li.& w.		10	name is from Aster, a star, in
$\frac{2265}{2268}$	— ——Rose			rose mixed		10 10	allusion to the shape of the flower-heads. The genus is very
2270	Truffaut's Pæony Perfection-						large, containing over 200 spe-
	Snow White per oz., \$2			white	$1\frac{1}{2}$	10	cies, but we offer here only the



NUMBER and NAME.

Of Wissenia Dains

\$1 per oz. and over.

Hardiness And Duration Color of the Flower Height in Feet Price per

General Observations.

	or par ear and ever	/	/ -	/	1 '	1
					1	cts.
	Asters, Truffaut's Perfection, con.				14.	
2271	—Crimson	3	hhA	crim.	$1\frac{1}{2}$	10
2272	—Rose		1	pink		10
2273	—Scarlet			d. red		10
2275	—Deep Mauve			mauve		10
2276	-Rose and White Striped			striped		10
2278	-Light Blue			l. blue		10
2279	-Mixedper oz., \$1.50			mixed		10
2287	Victoria, Whiteper oz., \$2			white		10
2289	-Rose			rose		10
2290	—Peach Blossom			pink		10
2291	—Light Violet			violet		10
2292	—Dark Scarlet			d. scar.		10
				mixed		10
2294	-Mixed per oz., \$2					
2295	Shakespeare, White			white		10
2296	—Crimson			crim.		10
-2297	-Dark Blue			d. blue		10
2298	—Mixed			mixed		10
2299	Comet, Rose			rose		10
2300	—Carmine			car.		10
2301	—Crimson			crim.		10
2305	-White, Carmine Striped			stri.		10
2308	-Rose and White			ro.& w.		10
2308a	-Light Blue			l. blue		10
2309	—Dark Blue			d. blue		10
2309a	-Snow White			white		10
2310	-Mixed per oz., \$2			mixed		40
2311	-Giant White			white		10
2312	Mixed			mixed		10
2312	Imbricated Pompon, White			white		10
2315	——Dark Blue		• • • •	d. blue		10
			• • • •			10
2316				rose		10
2318	——Mixed per oz., \$1.50			mixed		
2320	Queen of the Market, White			white		10
2321	——Crimson			crim.		10.
2322	——Rose			rose		10
2323	——————————————————————————————————————			d. blue		10
2324	——Mixed per oz., \$1.50			mixed		10
2326	Non Plus Ultra, Crimson			crim.		10
2327	— ——Rose			rose		10
2328	White			white		10
2330	———Mixed			mixed		10
2332	Triumph, Dark Scarlet			d. scar.		10
2333	Jewel, Apple Blossom			I. pink		10
2334	Japanese Tassel			rose		10
2335	Mignon			white		10
2336	Snowball					25
2337	Mixed, Betteridge'sper oz., 50c.			mixed		5
2337a	—Semple's Branching					10
2337b	-Vick's Branching					10
2338			• • • •	-• • • •		10
2339	-Washington		• • • •		1	10
	-Victoria Needle				_	10
2340	-Giant Emperor				1½	
2340a	-Crown					5
2341	—Quilled, or Chinaper oz., 50c.					5
2342	-Single Annual				1-2	10
2343	—Perennial		hP			10

choicest double sorts. The special attention given of late to the cultivation of the Aster has resulted in the production of many truly magnificent varieties. Among them we may mention the Victoria, which produces the most beautiful and perfectly-formed flowers, and is also the best for pot culture. For cutting and bunching, the long-stalked, perfectly globular flowers of the Jewel are especially desirable. The Truffaut class is remarkable for its large, incurved flowers and the bright-ness of the colors. The Japan-ese Tassel Aster is a very dis-tinct new variety, with long, wavy petals and flowers of immense size. In this latitude Asters should be sown from the middle of March to the first part of May, on a spent hotbed or in pots or shallow boxes, in a frame or in the house. When an inch high, they should be transplanted into fine soil spread over a dis-carded hotbed, whence they can be bedded out when 3 or 4 inches high. This should be done before or during showery weather. Asters do finely sown in the open ground from the middle to the last of May, but bloom quite late. They can also be well grown in pots; use fine and rich soil, and water well.

COLLECTIONS.

We invite careful attention to the collections offered below. These are put up in Germany, by men of long experience in selecting the best flowers, and contain only seed saved from the very finest plants. In each collection the colors are separate; for instance, the collection of 24 Truffaut's Pæony Perfection contains 24 separate and distinct colors or varieties of the class.

\$1.00


COLLECTIONS OF CHOICE ASTERS.

\$1.50 | 12 Cient Comet

△T	A ICTOI	144 7 1 1 1 7 7 6			 	 	 фΤ	00	12 Glant Comes	. 00
18	6.6	6.4			 	 	 1	25	6 " "	60
12	6.6	4.4						90	12 Large Rose-flowered	75
6	6.6	4.4			 	 		50	6 " " "	45
24		ut's Pæ						25	12 Giant Emperor	00
18									6 " "	60
12	4.4		4.6	6.6				75	6 Queen	45
6	6.6		4.4	6.6				45	6 Mignon	50
6	Prince	ss (nev	ar \					75	6 Lilliput	40
		Chrys							12 Imbricated Pompon	90
		Chrys						75	6 " "	50
								50	4 White-centered Crown	40
		idal Dy						75	6 Ball or Jewel	50
14		idai Dy								45
8								50	6 Goliath	
6	6.6		66	. 6.6	 	 		40	6 Washington	50

			diness	Color of the Flor	I day	Price per	acket
	NUMBER and NAME.	0 to 1	Liness	of he F	ht in	per ,	General Observations.
AT.	-¼oz, at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and r	Color	Height in	Price	
	Aubrietia deltoidea		hP	pur.	trai.	10	Resembling Alyssum in characte
2347 2348	GræcaLeichtlinii (rosy carmine)	1 3		car.		$\frac{10}{25}$	fine for rockwork or bedding.
2349	Auricula, finest			mixed	1/2	25	(Primula auricula.) Beautif
2350	Azalea hybrida		hS		2	25	shades of color. Seed from finest varieties.
	Balsams			ĺ			
2352 2353	Double Whiteper oz., \$1.00 —Cream White "1.00		hhA	white		10	
354	-Peach Blossom " 1.00			pink		10	
2355 2356	-Carmine			lav.		10	(Impatiens.) These are magni cent and popular summer-flow
357	-Lavender " 1.00 Spotted White. " 1.00			lav.		10	ering annuals, producing ma
359	-Light Pink " 1.00			1. pink		10	ses of most perfectly forme
361	-Rose			rose		10	and brilliantly colored flowe
362 365	-Bright Scarlet " 1.00 -Red, Spotted White " 1.00			scar.		10	in the greatest profusion. The prefer a rich, sandy soil, ar
380	-White, Sp't'd Sc'l't " 1.00			spot.		10	must be kept well watere
381	-Dark Blood Red " 1.00			d. red		10	Transplanting two or three
396	-Solferino " 75			l. lav.		10	times has a tendency to dwa
398	-Pale Yellow " 1.00			yel.		10	them and make the flowers modouble. The collections
$\frac{400}{401}$	- Camellia-fl'd White '' 1.00 Mixed			white mixed		10	Camellia-flowered and Ros
402	-Finest Mixed " 75					10	flowered are exceedingly fin
103	-Common Mixed " 40					5	Sow in the open ground
	Collections of Balsams, including-		:			0.5	May.
	6 var. Improved Camellia-flow'd. 12 "Double Rose-flowered 6 "" "" "" ""					65 65 35	
	Balloon Vine						See page 107.
	Banana						See Musa Ensete.
418	Baptisia australis		hP	blue		5	(False Indigo.) It has beautif
419	leucantha			l. yel.	1-2	5	light blue flowers.
420 421	—nana 160e. 160e. 160e.		hA	yel.	$\frac{3}{1\frac{1}{2}}$	5 5	Golden yellow flowers; very fr grant in the evening.
	Beet—						Don't having no tubous but wi
422 423	Brazilian, G'ld'n-veined, per oz., 20c. *—Scarlet-veined					5	Beets having no tubers, but wi handsome ornamental folia
124	*—Crimson-veined " 20c.					5	of very beautiful, rich color
425	*Chilian Scarl't-rib'd " 20c.					5	Very effective in center of bed
426	*—Yellow-ribbed " 20c.					5	or anywhere in contrast wi
127 128	*Victoria					5 5	other plants.
134	Begonia, Single Tuberous-rooted		gP	mixed		25	
435	Double Tuberous-rooted		gı	mixed		75	
138	*Rex, Ornamental-leaved				. 1	25	Fine for growing in pots, being perfect in habit, with very han
139	semperflorens			rose		25	some foliage. 2439 and 24
440 442	-alba			white red		25 25	are very free-flowering, and fir
143	-Vernon, red, for borders"Bijou," Bright Scarlet(new)			scar.	1/2	25	for bedding. No. 2446 has sea
146	-fol. aureis, yellow-leaved				î	25	let flowers and beautiful gold
	Collections of Begonias, including— 12 var. Tub'rous-root'd; fine col'rs					1 75	yellow leaves; excellent f
	6 " " " "					1 00	J
	Bellis perennis						See Daisy.
148	Bidens atrosanguinea	2 3	hA	d. red	2	10	Showy, like the Calliopsis.
150	Blue Bottle						See Centaurea Cyanus.
	Bocconia Japonica		tP	white	4	5	Ornamental habit and foliage.
154	Brachycome iberidifolia	3	hhA	pur.	1	5	(Swan River Daisy.) For edgin
156 158	—alba. —Mixed			white mixed		5 5	Should be started in hotbed.
160	Browallia elata		gA	blue	.2	10	(Amethyst.) Elegant greenhou
461	-alba		gA	white		10	annuals; fine for cutting. 24
	—Mixed			mixed		10	has large, lovely flowers, son
164				white		25	white, some pale blue.
164	Rœzlii (fine for pots)						
164 166	Rezlii (fine for pots) Buphthalmum cordifolium		hP	yel.	1	5	Very ornamental hardy perennial
164 166 168 170	Buphthalmum cordifolium Cacalia coccinea		hP hA	yel. scar.	1 2	5	
464 466 468 470 471 472	Buphthalmum cordifolium						Very ornamental hardy perennial (Tassel Flower.) Very pretty at nuals; easily grown.

	•		ån /	z /	~ / ·	ы /	+> /
			diness	atio	- A	90	acke
	NUMBER and NAME.	00	iness	of Fe F	it in	per	General Observations.
AG .	1/0z, at oz. rate only on articles quoted at	Time of	Hardiness and p.	Color of the Flore	Height in E.	Price per	*
	\$1 per oz. and over.					cts.	
$2474 \\ 2475$	Calandrinia discolorper oz., 50c. speciosa	2 3	hA	rose pur.	1/2	G	Brightly colored little plants, fine for edgings; plant in sunny sit-
2480	umbellata		hhP	violet	1/2	10	J uations.
2482	Calceolaria hybrida— Large-flowered, Self-colored		gP	mixed	2	25	Splendid greenhouse plants, with flowers beautifully striped,
$\frac{2484}{2486}$	—Tigered or Spotted —Dwarf Tigered				1	25 25	blotched and variegated. Our seeds are saved from the finest
$\frac{2488}{2490}$	—Tigered and Self-col'r'd, Mix'd rugosa (shrubby)				2	25 50	varieties. Special cultural directions are given on page 73.
2491	Calceolaria pinnata		hA	yel.		10	Excellent bedding varieties. See
2492	scabiosæfolia			• • • • • • • • • • • • • • • • • • • •		5	also Calceolaria hybridu.
2493	Calendula— officinalis, doubleper oz., 25c.			orange	1	5	
$\frac{2494}{2497}$	——grand.sulphurea " 40c. ——Nankeen " 25c.			yel.		5 5	(Pot Marigolds.) Very showy, free-flowering, hardy annuals;
2499	——Meteor					5	very effective in backgrounds,
$\frac{2500}{2502}$	——La Reine " 40c.					5 5	beds or mixed borders. No. 2494 is a very fine light yellow,
$2504 \\ 2505$	suffruticosa					5	large-flowered, double sort.
$\frac{2505}{2506}$	Pongei fl. pl			white		5 5	J
2507	Calla Æthiopica	3	gP		$1\frac{1}{2}$	10	The popular Calla Lily.
$2508 \\ 2508a$	Calliopsis marmorataoz., 30c. cardaminifolia		hA	r. & y.		5 5	(Coreopsis.) Very showy annual
2514	Drummondiiper oz., 30c.			y.& br.	1	5	or perennial plants, easily cultivated in ordinary soil. They are
$2515 \\ 2515a$	elegans picta	2 3	hP	yel.	2	5 10	abundant in bloom, and of bright,
$2516 \\ 2517$	lanceolata per oz., \$1				1	10	attractive colors. C. lanceolata and C. grandiflora are fine for
2518	-New Fancy Mixed trichosperma	2	hВ	mixed yel.	3	10	cutting. 2517 has very large flowers in great variety of beautiful
2519	Mixed per oz., 30c. Collection of Calliopsis, including		hA		2	5	forms and various shades of yel-
	8 vars. choicest sorts			,		35	low and brown.
$2520 \\ 2525$	pedataper oz., bdc.	1 3	hP hA	c. & w. v. & w.	trai.	5	Free-flowering, of pretty colors. Start in frame early.
2529	Camellia Japonicaper oz., 25c.		gP	mixed	3	10	Grand greenhouse plant.
$2530 \\ 2531$	Campanula carpatica	1	hP	blue	1/2	5]
2532	—Mixed	1 3		white mixed		5 5	
$2533 \\ 2534$	Medium Blue		†hB	blue white	2	5 5	(Canterbury Bells.) One of the
2535	Rose			rose		5	best known plants grown in the
$2536 \\ 2537$	—Mixed —Double Blue			mixed blue		5 10	garden. The hardy perennials, if sown early in good soil, will
$2538 \\ 2539$	——White			white rose		10	bloom early the next season, The first two on the list are very
2540	——Mixed			mixed		10	fine for edgings and beds. All
$2541 \\ 2542$	—calycanthema		hB	blue white		5 5	the varieties are fine old plants, and should be grown exten-
2543 $2543a$	——Mixed	3		mixed		5	sively. <i>U. macrostyla</i> has large,
2544	nobilis alba		hA hB	white	3	5 10	lovely violet flowers. C. persici- folia, Blue and White, are splen-
2544a $2544b$	persicifolia grandiflora, Blue White		hP 	blue white		25 25	did perennials, with superb large flowers. A fine effect is pro-
2545	pyramidalis		†hhP	blue	4	5	duced by planting the blue and
2546a				white blue	1	5 10	white varieties together.
2546b	Collection of Campanulas, includ-		gP	white	2	10	
	ing 12 vars. choicest sorts					60	J
2547	Candytuft— Iberis affinis, Dwarf	1 2	hA		1/2	5	
$2548 \\ 2549$	—amaraper oz., 25c. —coronaria, Rocket " 25c.				1	5 5	Showy annuals for beds or edg-
2550	——"Empress" " 60c.					5	ings; several are sweet-scented.
2553 2555	—umbellata " 25c.			pur.		5 5	They can be sown at any time in the house or open ground.
$2557 \\ 2559$	——carnea			flesh d. cr.		5 5	The dwarf varieties are good bedders, and useful for cutting
2561				lilac		5	as well; largely grown by flor-
2563	——carminea " 40c.			car.		5	ists, especially the white varie-



					. 1	/	42 /
		Time of	grif	Color of the Flore	Height in E.	Price per	/ ckei
	WANT		Hardiness	Transfer Transfer		/ / * /	Goneral Observations
	NUMBER and NAME.	of of		r of p	rht	• pe	General Observations.
40	1/4 oz. at oz. rate only on articles quoted at	Įį.	larc an	010	feig	ric	
	\$1 per oz. and over.		14	/ 0	/ 44	ets.	
0505	Candytuft, continued—					Cos.	l tion for florel more for which
2565	Iberis umbellata, Dwarf Hybridper oz., 75c.	1 2	hA	mixed	1	5	ties for floral work, for which they are very well adapted. 2569
$2567 \\ 2569$	-Mixed Annual "25c. -sempervirens		hP	white		5 5	makes a magnificent show the second year from seed.
2570	—Gibraltarica			pink		10	goodha gour from seed.
	6 vars. choicest sorts					30	
9571	*Canna, Dark-leavedper oz., 40c.	1 3	gP	mixed	4	5	Cannas, or Indian Shot, are very
2572	*Green-leaved " 20c.					5	ornamental, and much employed in sub-tropical gardening for
2584	*Crozy's Finest Mixed " 75c.			• • • •	3½	10	groups and masses.
2590	Cannabis gigantea " 20c.		hhA		10	5	(Giant Hemp.) For backs of borders.
	Canterbury Bells						See Campanula.
2594	Carduus Benedictus	2	hA	yel.	2	5	(Blessed Thistle.) Pretty.
	Carnation (Dianthus caryophyllus)						
$2597 \\ 2598$	Margaret, White	2 3	†hhP	white yel.	111/2	$\frac{10}{25}$]
2599	" Mixedper oz., \$1.50			mixed		10	
$\frac{2600}{2604}$	Very Dwarf Mixed Giant, Mixed				1	$\frac{10}{25}$	Saved from the finest collections of Germany. Grown in pots
2608	Chabaud Perpetual, Mixed				11/2	25	and in good soil, no flowers can
$\frac{2610}{2611}$	Dwarf Perpetual (<i>d tige de fer</i>) Comtesse de Paris. Very dwarf;	• • • •	hhP	****	1	50	be finer or more worthy of general cultivation. Are very fra-
2612	yellow; comes true from seed Mme. B. Chabaud. A superb		• • • • •	yel.		50	grant, and present great diversity and brilliancy of coloring.
2012	novelty of the Perpetual class.						The culture of seedlings is very
	Yellow background, shading to salmon and bright cherry-red		†hhP			50	interesting. The half dwarf "Margaret" is especially adapted
2613	Giant Perpetual, Pure White			white	1½	50 50	for outdoor culture, flowering in
$\frac{2615}{2616}$	Yellow Fine Mixed			yel. mixed		50	five months from time of sow- ing, and is remarkable for the
$\frac{2617}{2618}$	Rose-leaved		hhP	red	2	50 25	richness and profusion of its flowers, as well as for its vigor-
2619	Early Dwarf Viennaoz., \$1.25	2		mixed	1	10	ous growth. It is also suitable
$\frac{2620}{2624}$	Fine Doubleper oz., \$1	2 3			2	10 5	for pot-culture, flowering the first season from seed. Our
2625	" Single " 50c.					5	seed of these varieties is grown
	Choice Collections, including—50 vars. Carnation and Picotee.					\$3 00	exclusively by Mr. Chabaud, in the famous Garden of Carna-
	25 " " " " " " " "					$\begin{array}{ c c c c c } 1 & 75 \\ 1 & 25 \end{array}$	tions, Provence, France.
	12 " " " " " "					1 00	
	· ·					50	Ornamental plants, with beautiful
2630	Castilleia indivisa		†hhP	b. red	$1\frac{1}{2}$	25	bracts.
	Castor Oil Plant						See Ricinus.
$2631 \\ 2632$	Catananche alba		hA †hP	white blue	2	5 5	Everlasting flowers. Bright colors and free-flowering.
	Catchfly	••••	1111	brac			See Silene.
2636	Cedronella cana		hP	pur.	3	5	Purplish crimson flowers.
				-			(Fine for vases; splendid foliage
$\frac{2637}{2638}$	Golden Feathered	3	tA	yel.		5 10	plants. Nos. 2640 and 2641 pro-
$\frac{2639}{2639a}$	Crimson Feathered	2		crim.		10 10	duce very large plumes, which are curved and curled in resem-
2639b	Red, scarlet-tipped; fine; new			r.& sc.		10	blance of an ostrich feather. They sometimes do not attain to
$\frac{2640}{2641}$	Ostrich Feather Crimson — Orange			orange		10	full perfection till late in the
	Celosia cristata						See Cockscomb.
2648	Centaurea Americanaoz., 40c.	3	hA	pur.	3	5)
2650	*candidissima1,000 seeds, \$1		hhP	white	1	10	N 9070 6071 10070
$2651 \\ 2652$	*Clementei " " 50c. *gymnocarpa per oz., 80c.					10	Nos. 2650, 2651 and 2652 are silver- leaved plants, fine for ribbon
2653	macrocephala		hP	yel.	- 3	10	borders and edging of beds.
$\frac{2654}{2655}$	odorata Chameleon		1	war.		10	The "Victoria" is a new miniature Cornflower; very fine for

			89 /	Color of the Flores	J / 3	Price per	/ ket
			Hardiness and D.	rati Flow	Height in Fact		
	NUMBER and NAME.	P. O.	line	0 / 0	ht i	be be	General Observations.
19	*1/oz, at oz, rate only on articles quoted at \$1 per oz, and over.	Time of	Hardiness and Des	C010 ₂	Heig	Price	
	Centaurea, continued—	,				ets.	
2656	Cyanus (Cornflower), per oz., 30c.	2	hA	blue	$1\frac{1}{2}$	5	} pots and edgings. "Chameleon"
$\frac{2657}{2658}$	—Emperor William " 30c. —Victoria Dwarf Compact				3/4	5 10	and "Margaritæ" are superb new sorts, with very large and fra-
2658a	-nana compacta hybrida; fine for pots and edging			mixed		10	grant flowers; fine for cutting. The others are showy plants
2659	-Mixedper oz., 25c.	****	• • • •	····	1½	5	when in bloom. For other Cen-
2660	—Double Mixed Collection of Centaurea, including	• • • • •	• • • •	• • • •		5	taureas, see Sweet Sultan.
	6 vars. C. Cyanus (Cornflower)				•	30]
2661	Centauridium Drummondii	••••		yel.	••••	5	Pretty little Composite.
2663	Centranthus— macrosiphonper oz., 30c.	1 3		red	1	5	
2665°	—albus " 30c.			white		5 5	Very pretty, free-flowering An- nuals, suitable for rockeries and
$\frac{2668}{2669}$	—nanus			red mixed	$\frac{1}{2}$ 1	5	vases.
2671	Cerastium tomentosum	2 3	†hP	white	trai.	25	Fine edging plants; pretty.
2673	Cerinthe retorta per oz., 40c.		hA	yel.	1½	5	Valuable for bees.
$\frac{2675}{2676}$	Chelone barbata coccinea —hybrida, Mixedper oz., 50c.	3	†hhP	pur. mixed	2	5 5	Very pretty; bright color.
2685	Chorizema varium	1 3	gS	scar.	3	25	A fine greenhouse plant.
	Christmas Rose						See Helleborus niger.
0.000	Chrysanthemum, Annual—						
2690	coronaria, Double White per oz., 40c.	2 3	hA	white	$1\frac{1}{2}$	5	·
$\frac{2693}{2694}$	——Yellow			yel.		5 5	
2694a	——imbricatum			mixed		10	The aunual Chrysanthemums are
$\frac{2695}{2696}$	——Mixed per oz., 40c. tricolor, White "40c.			white		5 5	showy, free bloomers, and should
2697	—Yellow " 40c.			yel.		5	be grown in gardens in large beds, where they will show their
$\frac{2698}{2698a}$	—Scarlet " 40c. —Golden Feather " 50c.			d. scar. w. & r.		5 5	bright colors finely. Perfectly
2699	—Eclipse " 50c.			br.&yl.	1	5 5	hardy and very desirable. C. multicaule is a valuable bedding
$\frac{2700}{2702}$	-Mixed			w. & r. mixed		5	plant. C. tricolor "Golden Feather" has yellow foliage and
$2703 \\ 2703a$	—Double Golden " 60c. — —White			yel. white		5 5	white and red flowers.
2703 <i>a</i> 2704	— — Mixed per oz., 75c.			mixed		5	
$\frac{2706}{2710}$	— —Golden-leaved sorts, Mixed—Hybrid Double Mixed		,			25 5	
2717	multicaule (fine bedder)			yel.	1/4	5]
$\frac{2718}{2721}$	inodorum, Double frutescens (Paris Daisy)			white	1	10	For bouquets or edgings. C. frutescens is the Paris Daisy,
2121	Choice Collections including-					50	or "Marguerite."
	12 vars. Chrysanthemum, Annual					35	
2730	Chrysanthemum, Perennial— Indicum grandiflorum	3	hP	mixed	3	10	These are the celebrated sorts of
2731	Japonicum		шг	mixed		10	the autumn shows, that attract
2732 2733	—From finest flowers —Pompon				1½	25 10	so much attention; bloom late in fall.
	· ·				-/2		
2735	Cineraria hybrida— White	1	†gP	white	2 .	25	
2737	Azure Blue		lgr 	blue		25	Among the most ornamental and useful of greenhouse plants:
$2738 \\ 2739$	Crimson, Large-flowered Blood Red, Large-flowered			d. red		25 25	very beautiful and showy, the
2739a	Splendid Mixed			mixed		25	colors being distinct and bright. The seeds we offer are saved
$\frac{2741}{2745}$	— — Half Dwarf — — Large-flowered Prize				$\frac{1}{2}$	25 50	from the finest named flowers.
2750	——Large-nowered Prize ——Double	2				75	See a special note on page 73.
2753 2755	Cineraria maritimaper oz., 40c. candidissima " 50c.		hhP	yel.		5 5	$\left. \left. \right\} C.\ maritima \ ext{is the popular "Dusty} ight.$ Miller."

	-/	åo /	# /	<i>t</i> / :	<i>t</i> ₆ /	4
		diness	Color of the Fron	I F.	Price per	Lack.
NUMBER and NAME.	Time of	Hardiness	r of	Height in	e per	General Observations.
\$1 per oz. and over.	Tim	Har	Colo	Heig	Price	
Clarkia—					cts.	
2758 elegans rosea per oz., 30c. 2758a — Double " 40c.		hA ····	rose	1½	5 5	
2758b —alba, Double			white mixed		5	Very pretty, free-flowering, and of easy cultivation. A bed of these,
2762 ——Double			rose		5 5	especially the double varieties, is very beautiful. They are use-
2764 — — Double 40c. 2765 — alba 40c.			white		5	ful as edging plants, or for vases and hanging baskets.
2766 —marginata " 40c. 2768 —White Tom Thumb. " 40c.			bord. white	3/4	5 5	and hanging suchees.
2777 —Mixed			mixed	1½	5	J
2779 Clary, Purple-top per oz., 25c. 2779a Red-top " 25c.			pur. red	2	5 5	(Salvia Horminum.) Odd but
2780 White-top			white	$1\frac{1}{2}$	5	f Curious; very ornamental, in Cas-
2784 Cleome pungens		tB hA	pink pur.	2	10 10	tor Oil plant style. Sandy soil suits them best.
2785 Clianthus Dampieri	1 2	gS	scar.	3 6	10 10	Greenhouse plants, bearing showy, pea-shaped flowers.
2792 Clintonia (Downingia) pulchella	2	hA	tri.	1/2	10	Very pretty for edging.
Cobæa scandens						See page 107.
Cockscomb— 2794 Empress, Dwarf Crimson	2 3		crim.	3/4	10	(Celosia cristata.) If transplanted into rich soil at the time they
2796 Mount Ætna			scar.		25 10	show a disposition to form, the combs will be much larger. Fine
2798 All-agiow (new)			scar.	1/	25	for borders. Can be preserved
2800 Ğlasgow Prize			crim.	1	10	for winter bouquets by cutting off the heads before they are
2812 Japan Scarlet 2813 —Crimson 2823 Mixed per oz., \$1			scar. crim. mixed	3	10 10 5	ripe, and drying in the house. "All-aglow" has very large, fiery scarlet combs.
2828 Coffea Arabica		gS	white	5	50	Coffee Tree. Very ornamental. White flowers, scarlet berries.
2833 *Coleus (Fine hybrids)		gP		2	25	Splendid bedding plants, with
12 varieties			1		\$1 25 75	beautifully colored foliage. Very useful for decorative purposes.
2835 Collinsia Bartsiæfolia.per oz., 50c	2	hA	pur.	1	5	
	1 2		p.&w. white	1½	5 5	Free-flowering Annuals. If sown in autumn, will stand the win-
2840 candidissima " 30c. 2843 grandiflora " 30c.	2		blue	1	5	ter, and flower early in spring. All the species are brightly col-
2845 multicolor			w.& ro.		5. 5.	ored, and excellent for growing in patches or clumps; easily
2850 verna 40c. 2852 Mixed 25c.	1 3		bl.& p. mixed	1/ ₂ 2	5 5	grown in any garden soil.
2854 Collomia coccineaper oz., 25c. 2856 grandiflora	2 3		s.& y.		5 5	Fine for bees; suitable for pot culture; very pretty.
Columbine			. , ,			See Aquilegia.
2862 Commelyna cœlestis		hhP	blue	1	5	Showy, favorite plants for pots
2865 —alba 2868 *—variegata			white var.	2	5 5	and gardens, where they grow finely.
2870 Convolvulus tricolorper oz., 25c. 2872 —White		hA	blue white	1	5 5	These are fine Dwarf Morning
2875 —unicaulis " 25c. 2876 —Crimson-violet " 25c.			pur. crim.		5	Glories for growing in clumps or beds, and well adapted for
			rose		5 5	rockeries and hanging baskets; bloom for a long time. For
Choice Collection, including— 8 vars. Convolvulus minor					35	climbing sorts, see end of Flower Seeds, "Vines and Climbers."
2880 *Cordyline australis	3	gS	white '	3 10	10 10	Beautiful foliage plants for vases or decorations.
Coreopsis		• • • •		10	10	See Calliopsis.
Cornflower					•	See Centaurea Cyanus.

CENTAUREA CYANUS.

See page 84.

CLARKIA PULCHELLA.

.See page 85.

EUPHORBIA MARGINATA.


See page 89.

			7				
No.	NUMBER and NAME. -14.02. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and r	Color of the Flor	Height in E	Price per	General Observations.
2884	Corydalis nobilis	2 3	hP	yel.	3/4	cts. 10	Beautiful hardy perennial.
2885	Cosmidium Burridgeanum	2	hA	orange	2	5	Very showy.
2886 2887 2888 2889 2890 2891 2892	Cosmos, Large-flowered— Ciant Fancy White. " " Red. " " Pink. " " Mixed Tints of Dawn. Marguerite Single Dahlia-flowered.			white red pink mixed d. crim.	3	15 15 15 15 15 25 15	The Cosmos has been so much improved in recent years that it is now one of our finest and most popular autumn-blooming flowers. Start the seeds early inside and transplant to open ground in May. The "Giant Fancy" strain produces flowers of
2893	Roseta			pink		10	immense size, often over 5 inches across, and in great diversity of
2894 2895 2896 2897	Erlinda. Conchita. Yellow White Pearl per oz., 75c.			white crim. yel. white	2 3	$\begin{bmatrix} 10 \\ 10 \\ 25 \\ 5 \end{bmatrix}$	form and coloring. "Tints of Dawn" are white ground, flushed pink, and exquisitely beautiful. The "Marguerite" has deeply and
$\frac{2898}{2899}$	Pink Pearl			pink mixed		5 5	irregularly fringed petals resembling Marguerites.
2902	Cotton (Gossypium)		tA	yel.		5	Curious; for pots and gardens.
2903	Cowslip (Primula veris)	1	hP	mixed	1/2	10	Favorite spring flower.
2904	Crucianella stylosa	2		pur.		5	A handsome Crosswort.
2905 2906 2907 2908	Cuphea miniata. platycentra purpurea eminens.	1 3 3	†hhP	crim. s. & w. pur. s. & y.	$\begin{array}{c c} 1 \\ \cdots \\ 1\frac{1}{2} \end{array}$	5 10 5 10	These are very pretty greenhouse plants, and are also good for the border, being continually in bloom. No. 2906 is well known
2909 2910	Rœzliistrigulosa			yel.&r. violet	1	10 10	as "Cigar Plant."
2911 2912 2913 2914 2914 <i>a</i> 2915 2917 2917 <i>a</i>	Cyclamen giganteum—per 100 seeds —album "Mont Blanc" \$1.50 —atropurpureum 1.50 —superbum 1.50 —robustum 1.50 —-hybridum 1.50 —roseum, bright rose 1.50 Persicum —splendens	1	gbu	white d. red w. &r. w. & d.r. c. & w. rose mixed red	3/4	25 25 25 25 25 25 25 25 10 10	Sow the seed in small boxes or seed pans, in a compost of well-rotted manure, leaf mould and sand. Cover lightly with moss, which remove after the seed germinates. Prick out into small pots when the flowers have two leaves. The plants flower in 10 or 12 months from time of sowing.
2917b	Cyperus alternifolius		tP	apricot	2	25	Perennial greenhouse or window plant of elegant habit.
2918 2919 2919 <i>a</i> 2919 <i>b</i> 2920 2921	Cypress Vine Dahlia, Fine Doubleper oz., 75c. Double Dwarf. Pompon Double. Lilliput Double. Dwarf Single, fine strain,oz., \$1.25 Jules Chretien, very dw'f' 1.50 Choice Collections, including—		†hhP	mixed	$\begin{array}{c} 6 \\ 3 \\ \cdots \\ 1\frac{1}{2} \\ 1 \end{array}$	10 10 10 10 10 10	See Ipomæa Quamoclit, page 107. All the varieties are fine. "Jules Chretien" is a new, very dwarf, single strain, growing from 10 to 15 inches high, and flowering the first season from seed. It is a valuable bedding sort, flowering through the summer from June
	12 vars. beautiful Single Dahlia					\$1 00 60	to October in great profusion. Also fine for pots.
2922 2923 2925 2927 2928 2929	Daisy, Double White per oz., \$5 Double Rose (Longfellow) Double Finest Collec per oz., \$5 Double Snowball		†hP	white rose mixed white mixed w. & r.	1/4 	25 25 25 25 25 25 25 25	(Bellis perennis.) The poet's favorite; very popular flowers. No. 2928 produces very large flowers. If in open ground, sow in May.
	Daisy, Paris						See Chrysanthemum frutescens.
2933	Daphne Mezereum		hS	pink	3	25	Early flowering and scented.
2935 2936 2937 2938 2939 2940	Datura metelloides		hhA	w. & br. w. & pr. yel. white violet mixed		5 10 10 5 5 5	Very showy and large, trumpet- shaped flowers. No. 2936 has immense flowers, beautifully col- ored. "Golden Queen" is a splen- did new, double, bright yellow and very showy variety.
2941 2942 2942 <i>a</i> 2942 <i>b</i> 2943	Delphinium (Larkspur)— Ajacis Dwarf Rocket p'r oz., 30c. —Tall Rocket		†hB †hP	blue	1 2 3	5 5 5 5 25	Very ornamental, free-blooming hardy plants, of erect, branching habit; they are quite effective in masses or mixed bor-

| 4 | 4 | 4 | 4 |

		diness	Polor of the Flore	10 h	Price per	cket
NUMBER and NAME.	1 2 3	Hardiness and r	Dura of B	Height in	Jer.	General Observations.
	Time of	rdin	Color of	ight	ice 1	
\$1 per oz. and over.		H _a	/ 3	H _e	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Delphinium (Larkspur)-contin'd.				1	ets.	ders, being very rich and varied in colors. The taller sorts are
2944 cardiopetalum per oz., 40c. 2945 cardinale	2 3 2	hA hP	blue scar.	$\frac{1}{2}$	5 25	in colors. The taller sorts are fine for shrubberies, and the
2946 Cashmerianum	2 3	†hP	blue	3	25	dwarf varieties for beds. They
2947 Chinese, Mixedper oz., 50c. 2948 elatum, Bee, Blue " 50c.		†hB †hP	mixed blue	2 3	5 5	are easily cultivated, but for special attention they return
2949 — — Mixed " 50c.			mixed		5	splendid results. The scil should
2950 Emperor, Imperial Branching Roseper oz., 60c.		hA	rose	2	5	be dug deep, and a liberal sup- ply of well-rotted manure incor-
$2950a \text{White} \dots 60c.$			white		5	porated, to obtain the best
2951 formosum		†hP	blue	3	10 25	growth. D. Brunonianum is a
2954 nudicaule			scar.	1	10	distinct sort, with lovely blue, musk-scented flowers.
Choice Collections, including 12 vars. Dwarf Rocket					50	We invite special attention to the
6 " " "					30	choice collections here offered.
12 " Tall Rocket					50 30	
6 " Dwarf Candelabra					35	
6 " Emperor					35	
8 " Tall-branching					35	
6 " " " "					25	
6 · " Hybridum Finest Double Dianthus					75	See Pink, Carnation and Picotee.
2955 Dicentra eximia		hP	flesh	1½	10	Handsome native variety.
2956 Dictamnus Fraxinella			red	2	10	Fine dwarf herbaceous plants.
2958 — albus			white		10 10	The leaves, when rubbed, have
2960 —Mixed	• • • •		mixed		10	a fine odor; flowers showy. See Foxglove.
2964 *Dracæna Draco	2	gP	white	10	25)
2966 *indivisa lineata					10	See Cordyline. Ornamental green-
100 seeds, 20c.; 1,000 seeds, \$1. 2968 *rubra			red	5	10 25	house plants, with elegant leaves; very rich and desirable.
2970 *Veitchii			white	3	25	
2972 Dracocephalum Moldavicum	3	thP	blue	2	5	Ornamental.
2974 Echeveria secunda	2	gP	yel.	1/4	25 25	Interesting greenhouse succulents, which are largely used for "car-
2976 superba					25	pet" bedding.
2976a agavoides	3	gS	wh.& r.	2	25 10	Handsome evergreen shrub.
2977a Elscholtzia cristata	2	hA	lilac	1½	5	Fine for bees.
2978 Epacris hybrida superba	1 2	gS	mixed	div.	50	Free-blooming, like Heath.
2980 Erica (Heath), Finest Mixed				2	25	Charming evergreen shrub.
2983 Erinus alpinus	2	hP	blue	1/4	10	Beautiful for baskets.
2984 Eryngium cœlestinum	2 3			$1\frac{1}{2}$	5	Beautiful sky-blue flowers.
2985 Arkansanumper oz., 30c.	1 2	hA	yel.		5	Free-flowering; of bright colors
2986 Peroffskianum " 30c.			orange		5	and neat habit. E. crista-galli is the Coral Tree.
2987 Erythrina crista-galli	2 3	gS	scar.	4	10	A splendid greenhouse shrub,
2989 Bogotensis					10	with large racemes of bright,
Eschscholtzia-						deep scarlet flowers.
2990 Californica per oz., 40c.	1 3	hA	yel.	1	5 5	Large, vase-shaped flowers of
2990 <i>a</i> — alba			white car.		5	bright colors, continuing long
2992 croceaper oz., 40c.			orange		5 5	in bloom; excellent for borders or bedding, and very showy.
2995 — Double Orange " 75c. 2996 — Double White			white		5	Are also fine when grown in
2997 "The Golden West" (new)			yel.& or.		25 5	pots. E. maritima is a splendid new variety. "The Golden West"
2998 tenuifoliaper oz., 50c. 2999 maritima			yel.		10	is a superb new variety, with
3000 Mandarin per oz., 50c.			orange		5	flowers 4 to 6 inches in diameter.
3001 Mixed	1 0		mixed		5	Very graceful little plants. Ex-
3003 Eucharidium grandiflorum 3004 Breweri	1 2		rose		5 10	tremely showy when grown
3010 Eupatorium Fraseri		†hP	white		5	No. 3010 is fine for cutting, form-
3011 ageratoides				3	5	ing large clumps.
3012 perfoliatum		hP 	pink	5	10 10	("Boneset.") A fine wild flower.
parparoam			Park			

			Hardiness	the Flores	Height in Fo	Price per	acket
	NUMBER and NAME.	of	ines	of Jo	ht is	per	General Observations.
49	Yoz, at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and Dr.	Color Che	Heigi	Price	
3014	*Euphorbia marginataper oz., 30c.		hA	w.& gr.	2	ets. 5	Very pretty leaves; showy.
3020	Eutoca multiflora	3 1 3	hB hA	pink blue	1	5 5	Are good, serviceable flowering
3022	viscida		,	mixed		5	plants for bedding; free blooming.
3027	Mixed Everlastings	*****	••••	mixed	::::		See page 113.
3030	Fenzlia dianthiflora	1 2		rose	1/4	25	Pretty for ribbon gardening.
	Ferns-Choice collection, including 12 of the finest sorts	. 44				\$1 25	Most graceful plants; do best in sandy, peaty soil.
	Feverfew	:			3	Ψ1 20	See Matricaria.
	Flax						See Linum.
3046	Forget-me-not (Myosotis)— alpestrisper oz., 75c.		†hhP	blue	trai.	10	
3047	-rosea			rose		10 10	
3048 3049	—albaper oz., 90c. —elegantissima	,		white blue	1/ ₂	10	All are beautiful and much prized
$\frac{3050}{3051}$	-robusta grandiflora Victoria (fine for pots)					$\frac{10}{25}$	for spring gardening. The Myo- sotis palustris is the true "For-
3052 3053	—Mixed			mixed d. blue		10 25	get-me-not" of Europe. All the species are favorites, being early-
3054 3055	—cœlestina arvensis.		hA	l. blue blue		25 10	flowering and easily grown.
3056	dissitiflora	1	thhP		3/	10	They prefer a moist situation.
$\frac{3058}{3062}$	palustris per oz., 75c.	1 2	hP 	b. & w. blue	1 3/4	10	}
3065	Foxglove (Digitalis), White	2		white	2	5 5	j
3070 3072	Large-flowered	1 2		l. y.	1½	5	Digitalis—from digitus, a finger, referring to the shape of the
3075 3076	Purple			pur. mixed	div.	5 5	flowers. The Foxgloves are
3078 3079	Gloxinia-like, White	2 3		white pur.	3	5 5	showy for backgrounds and borders, and are beautiful when
3080 3082	—Rose			rose		5 5	planted among shrubs. They thrive in any ordinary garden
3002	-Mixed per oz., 40c. Choice Collections, including			mized	****	40	soil.
3089	12 varieties Foxglove Four O'clock, Hybrid, per oz., 20c.		hA		2	5	(Minchilia) Gallad Rasso Olahada
3090 3091	longiflora alba " 25c.	2 3.		white mixed		5 5	(Mirabilis.) Called Four O'clocks because they open their blossoms
3091a 3091b	Tom Thumb, White " 30c.			white	. 1	5 5	at that hour in the afternoon. They are also known as "Marvel
30310	Choice Collections, including-					1	of Peru." Handsome, free-flow- ering, sweet-scented; blossoms
	10 vars. Four O'Clock	,				45 30	variegated, striped and various colors.
3092	6 " " Stripl'v'd Fragaria Indica	1 2	hP	yel.	trai.	30 10	Beautiful scarlet fruit.
3093	Freesia refracta alba	3	gBu	white	2	10	Very sweet flowers.
$\frac{3094}{3094a}$	Fuchsia procumbens (for vases) triphylla (charming dark-leaved		gS	blue	trai.	25	("I adiable at 12 and 1
3095	species)			scar. mixed	div.	50 50	("Ladies' Eardrop.") Well-known greenhouse plants. They require
3095a	Finest Mixed Double Collection of Fuchsias, including					50	a firm, rich soil and a shady location.
	12 choice varieties:					75	
3096 3096a	Caillardia amblyodongrandiflora maxima		†hhP	fine r. golden	2	5 10	
3097 3098	pieta		hA	yel. mixed		5 5	Showy and free bloomers. They are good bedders; very beau-
3099	-Lorenzianaper oz., 50c. -Aurora borealis			sc. & y.		5 5	tiful; fine for bouquets, and should be more generally culti-
3102 3103	-Salmon-Redper oz., 40c.			salmon		5	vated. They do best in a good, light soil.
	Collection of Gaillardia, including 6 choice varieties					40) and some
3106	Calactia glabella		hP	pur.	4	10	Handsome twining plant.
3108 3110	Galega officinalis			blue white	3	5 5	Tall, ornamental plants, suitable for borders or for cutting.
3112	Camolepis tagetes	1	hhA	yel.		5	Fine for beds.
3114 3116	Gardenia Thunbergii		gS †hhP	white pur.	$\frac{2}{1\frac{1}{2}}$	25	Flowers very fragrant. Worthy of cultivation.
0110	Garaoquia Detonicolues		THIL	par.	1/2	,	, or ourse, words



				 ,			
#9	NUMBER and NAME.	Time of	Hardiness and r	Color of the Flore	Height in E.	Price per	General Observations.
	Caura Lindheimerianaoz., 40c.		hP	w. & r.	-3	cts.	Very effective in clumps.
3119	Genista Canariensis	2 1	tP	yellow d. b.	2 1/4	10	ing.
3120 3120 <i>a</i> 3121 3124	Centiana acaulis Andrewsii campestris cruciata		hA hP	blue pur. blue	1 1/2 1	10 25 10	Fine, showy hardy plants. Should be in every collection for the beauty of their flowers.
3129 3132 3138 3139	Geranium (Zonale)per oz., \$1.25 Double Scarlet sanguineum		gP hP	scar.	1½	10 50 50 25	The most popular of bedding plants. For cultural directions, see page 73. See, also, Pelargonium.
3141 3143	Cesneria macrantha Extra Mixed	$\frac{1}{2}$	gP	sear.	1/2	50 50	Beautiful greenhouse plants, with long-tubed flowers.
3145 3146	Ceum Chiloense coccineum pl —atrosanguineum fl. pl		hP	scar.	1½	5 5	Blooms freely for a long time. Fine for bouquets.
3147 3148	Cilia Achilleæfolia	1 2	hA	blue white	1	5 5	
3149 3152	—roseacapitata			rose blue		5 5	Free-blooming Annuals; fine for
3153	—alba			white		5	beds. Will bloom in any situa-
$\frac{3153a}{3154}$	laciniatalinifolia (for borders)				1/2	5 5	tion, look well on lawns in beds, are good for rockeries, and can
3158	nivalis				1	5 . 5	be planted at any season.
$\frac{3160}{3167}$	tricolorrosea splendens			tri.		5	
3169	Mixedper oz., 20c.			mixed		5	Horned Poppy. Showy border
3171	Glaucium luteum	2 3	†hP	yellow	••••	5	plants, with gray foliage.
3173	Globularia trichosantha	2	gP	blue	1/2	10	A very handsome plant.
3174 3176	Gloxinia hybrida, Mixed —crassifolia erecta	1 3		mixed		50 50	Beautiful greenhouse plants. They grow well in a light, rich soil.
3177	— —horizontalis					50	Befiance "is of an intense, glow-
3178 3179	—grandiflora "Defiance" (new) — French Tigered and Spotted			scar.		50 50	ing scarlet, and one of the finest of recent introduction.
3182	Godetia rubicunda splendens		hA	b. r.	1	. 5)
3183	Princess of Wales			d. cr.	$1\frac{1}{2}$	5 5	All the varieties are fine, profuse-
3184 3185	Lady Satin Rose Fairy Queen (spotted carmine)			white		10	blooming, hardy Annuals of beautiful colors. Can be grown
3186 3187	grandiflora maculata, fine					5 5	in pots. G. Whitneyi is a mag-
3188	The Bride			w. & c.		5	nificent species of compact habit, with very large, rosy flowers
3189 3190	Duchess of Albany Lady Albemarle			white crim.		5 5	blotched with crimson; makes
3190a	Lindleyana			blush	1 2	5 5	a good pot plant. "Duke of Fife" has very large flowers, intense
$3190b \\ 3190c$	Bijou			d. rose	$1\frac{1}{2}$	5	red, with white spots at base of
3191 3192	-BrilliantDuke of Fife (new)			car. b. red		5 5	petals. "Duchess of Fife" is a very beautiful variety, having
3193	—Duchess of Fife			w. & r.		5	white flowers with satiny flesh- colored spots, and bright red at
3195	Mixedper oz., 30c. Collection of Godetias, including 6 choicest varieties	••••	••••	mixed	• • • •	30	base of petals.
	Golden Feather					.	See Pyrethrum, page 101.
	Courds						See page 113. See page 112.
3196	Grammanthes gentianoides	2	hhA	yellow	1/2	10	For edgings, pots or baskets.
0105	Grasses, Ornamental		~				See page 114.
3197	Grevillea robustaper oz., 90c.		gS bD	orange	5 c	10	Elegant, graceful foliage plant.
3198 3199	Gunnera manicata		hP	red	6 4	25 25	Beautiful decorative hardy peren- nial lawn plants.
3206 3207	Cypsophila elegansper oz., 30c. —rosea		hA	white rose	2	5 5	Fine for bouquets. Free bloomers
3211 3213	muralis 16 50c.		hP	pink white	½ 2	5	for rockwork or shrubbery, and will grow in any soil.
3213	paniculata	3	hA.	vellow	. 2	5)
3220	Red			red		5	(Hieracium.) Showy plants, of
3222 3223	Whiteper oz., 40c.			white mixed		5 5	free growth and varied colors.
	, , , , , , , , , , , , , , , , , , , ,						

		/	ing/	Color of the Flore	Rose Rose	Price per	tet /
	NIIMPED and NAME	/	Hardiness and D.	Flor	ii	7 / 20 F	General Observations
	NUMBER and NAME.	To of	dine	T of	ght	o pe	General Observations.
AT.	*1/20. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and D	Colo	Height in	Pric	
3224	Hedysarum coronarium	3	†hB	red	3	ets.	(So-called "French Honeysuckle,"
3224a		i		white		5	but no relation to that vine. This is not a climber.
3225	Helenium Douglasii	2 3	hP	yel.	2	5	{ Free-flowering Composite, with yellow flowers.
	Helichrysum						See page 113.
3230	Heliotropium Peruvianum		gP	pur.		10	(Heliotrope.) These well-known
$\frac{3232}{3235}$	Mad. de Blonay Chieftain (dark)			white d. pur.		10 10	greenhouse and bedding favor- ites are highly valued for their
$\frac{3236}{3242}$	grandiflorum					10	scented flowers. They should
3244	Fine Mixedper oz., \$1.50 Collections Heliotrope, including-			mixed		10	have light, rich soil. Mad. de Blonay is a splendid white-
	12 choicest varieties					90 50	flowered variety, suitable for bouquets.
3248	Helleborus niger	1 2	hP	pink	1	10) (Christmas Rose.) Very desirable;
3249	-New Hybrids Hesperis		••••	mixed	••••	25	spring-flowering. See Rocket.
3250	Heuchera sanguinea	2 3		crim.		25	Nothing more beautiful for cut-
3252	Hibiscus Africanusper oz., 25e.		hA	yl.&br.	2	5	flowers. Showy annuals.
$\frac{3254}{3260}$	Sabdariffa (Roselle) Syriacus, Doubleper oz., 30c.		hS	yel. w. & p.	6	10 5	The Rose of Sharon.
3262	"Crimson Eye"		hA	w.&cr.		10	(No. 3263 ("Golden Bowl") is a
3263	"Golden Bowl"			l. yel.	4	10	splendid new variety, with very large flowers, 5 inches in diameter; light sulphur color, with
3264	Moscheutos roseus		hP	rose	3	10	purple center.
3264a	Hieracium ramosum			yel.	1-2	10	Fine green foliage.
$\frac{3265}{3265a}$	Hollyhock, Double— White		†hP	white	4	10	
3265b	out collar			l. yel.	3 4	10 10	(Althau rosea.) These magnifi-
3265c	Bronze Black " 1.25			bz. blk.		10	cent double varieties are grown from Chater's celebrated collec-
3266 a 3266 a	Crimson			crim. salmon		10 10	tion, which is admitted to have
$\frac{3267}{3267a}$	Rose			rose lilac		10 10	entirely revolutionized the popular estimation of the Hollyhock.
3268	Magenta " 1.25			mag.		10 10	They are of the finest shades of color, and in every respect most
$\frac{3268a}{3269}$	Mixed, very fine " 75			straw mixed		10	desirable. May be sown as late as August, to flower the follow-
	Choice Collections, including— 12 vars, Hollyhocks, D'ble Prize					\$1 00	ing year.
	8 " " " " " " "					75 60	
3272	Honesty (Lunaria biennis)		†hB	pur.	2	5	Pretty plants, with curious silvery silicles.
3274 3275	Humea elegans	1 3	†hhP	rose	5	10 10	Sweet-scented. Should be kept in pots the first season.
3276	Hunnemannia fumariæfolia	2 3		yel.	1	5	Large, showy flowers.
3279	Hyacinthus candicans		hBu	white	2-3	10	A fine summer Hyacinth.
$\frac{3281}{3282}$	Hypericum elegans densiflorum	3	hP	yel.	1½ 3	5 10	Bright green leaves; large, showy flowers.
	Iberis						See Candytuft.
3284	Ice Plant (Mesembryanthemum crystallinum)per oz., 50c.		tA	white	1/2	5	Covered with watery vesicles resembling pieces of ice.
3286	Impatiens glanduligera	2		pur.	1½	5	(Touch-me-not.) Beautiful; 3287 is
$\frac{3287}{3288}$	Sultani, Scarlet	2 3	gP ····	scar. mixed	1	25 25	very desirable and free-blooming, especially for house culture.
2000	Ipomœa	1.0		11	1.	7.0	See page 107.
3292 3294	Ipomopsis aurantiaca	1 3	†hhP †tB	blue orange	11/2	10 5	Exceedingly pretty little plant.
3298	elegans	2 3		scar.	3	5	Showy and beautiful; colors very bright. Seed should be started
3299 3300	sanguinea Mixed		hB	mixed	$\frac{1\frac{1}{2}}{3}$	5 5	in the house.
3302 3303	Iris Kæmpferitenax	$\begin{array}{c c}1&2\\2\end{array}$	hP	pur.	2 3/4	5 10	3302 is the beautiful Japan Iris.
2300		-		par.	/4	10	,

-			<i>&</i> o /	# /	Wer.	et /	, o /
	NUMBER and NAME.	Time of	Hardiness and r	Color of the Flor	Height in F.	Price per	General Observations.
A)	3/4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Tin	Haj	Col	He	Pri	
3305	Isotoma petræa	1	hhA	cream	1	ets. 10	Showy and beautiful.
3306	Jacaranda mimosæfolia alba	2 3	gP	white	10	25	Magnificent greenhouse shrub.
3308 3310	Jacob's Ladder per oz., 25c. White	2	hP	blue white		5 5	(Polemonium.) Beautiful, hardy, old-fashioned flowers.
3312 3316 3320	Jacobæa, White Senecio Purple Senecio Mixed		hA	pur. mixed		5 5 5	The Senecios are all free-flowering plants, good for the border and for pots.
	5 vars. Dwarf Double	3	tA	tri.	2	35 5 25	See also Amarantus.
3323	Justicia multiflora		gP	scar.	3		Splendid pot plant.
3324 3325 3326 3327	Kaulfussia amelloides —atroviolacea —kermesina —Mixed per oz., 50c.	2	hA	blue d. v. v. red mixed	1	5 5 5 5	Fine for edging; good habit and color. The high colors are best for pots.
3334	Lantana, Fine Mixed	1 3	gS		2	5	Rapid - growing plants, forming
0,,01	Choice Collection, including 6 vars. of Lantana					50	small, bushy shrubs; exceedingly free in bloom. See Delphinium.
3348	LarkspurLasthenia CalifornicaLathyrus.	1	hA	yel.	1	5	A pretty yellow Composite. See Sweet Peas, page 110.
3350	Lavatera trimestris	- 2		red	2	5	Showy and free-flowering. L. ar-
$3352 \\ 3352a$	—albaper oz., 30c.			white mixed		5 5	borea has beautifully mottled
3353	arborea variegata		hhP	red	3	10	foliage.
3354	Lemon Verbena	2 3	gP	white		10	Fine; lemon-scented foliage.
3356	Leontopodium alpinum	3	hP	yel.	1/2	25	Curious; the "Edelweiss." (Beautifully formed flowers and
3357	Leptosyne maritima		hhA		2	10	elegant foliage.
3358 3360	androsaceus	2	hA	orange blue	$\frac{1}{2}$	5 5	
3361	—albus			white		5	Fine for edging or rockeries;
3362 3365	carmineusdensiflorus			car.		10 5	blooms in masses. L. carmin- eus has very beautiful carmine
3366	—albus			white		5	flowers.
3374 3375	hybridus	1 3		mixed		5 5	
3380	Liatris scariosa	2 3	hhP	pur.	2	10	(Blazing Stars.) Pretty plants,
3388	Limnanthes Douglasii		hA	w. & y.	1	5	blooming in summer and autumn. Free-flowering and fragrant.
3390	Linaria bipartita alba	2	hP	white		5	Snapdragon-shaped flowers; de-
$3390a \\ 3391$	—splendida Maroccana	2 3	hhA	pur.	$\frac{1}{2}$ $\frac{3}{4}$	5 5	sirable for edging, and very
3393	Cymbalaria (Kenilworth Ivy)		hP	rose violet	trai.	5	good for rockwork.
3394	Linum flavum		thhP	yel.	3/4	10	(Flax.) Handsome, free-flower-
$3394a \\ 3394b$	grandiflorum rubrum, per oz., 20c. Lewisii variegatum "60c.	1 2	hhA †hP	li. & w.	3	5 5	ing plants. The tender kinds make pretty pot plants.
	Lisianthus Russellianus	2 3	gA	blue	$1\frac{1}{2}$	25	Fine; like the Gentians.
3396	Loasa aurantiaca		hhA	orange	6	5	Elegant foliage, and flowers of
3398	tricolor	• • • •	hA	tri.	2	5	curious structure.
3399	cardinalis	2	hP	scar.		10	
3400	splendens				3	10	All the Lobelias are suitable for
$\frac{3401}{3402}$	ramosa Erinus (gracilis)	1 3	†hhP	blue	trai.	$\frac{10}{5}$	beds, edging and ribbon borbers. L. gracilis is fine for
3404 3406	—speciosa —alba				1/2	10	hanging baskets or vases. L. E. speciosa and its varieties are the
3407	-kermesina			white crim.	trai.	10 5	finest edging plants, and con-
3408 3410	-Lindleyana			rose		5	trast beautifully with scarlet
3411	Paxtoniana			b. & w. blue		10 10	Geraniums. These should have a rich, open soil, and be pro-
3412	-erecta, "Crystal Palace"				1/2	25	vided with plenty of manure-
$3412a \\ 3412b$	"Emperor William"			l. blue blue		$\frac{10}{25}$	water when beginning to flower. 3413 is a splendid new variety,
3413 3414	-Royal Purple			pur.		10	with deep blue flowers and dis-
3+14	-Mixedper oz., 60c. Choice Collections, including— 12 vars. Lobelia			mixed	1	60	tinct white eye. "Golden Queen" is also a fine new variety, with golden yellow leaves.
	6 " " …					40	J

	NUMBER and NAME.	/ to 1	Hardiness and p.	Color of the Flow	in Foot	Price per	General Observations,
40	" '/ _k oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and p	Color o	Height in F	Price p	
3428 3429	Lotus Jacobæus per oz., 20c.	1 2	gA hA	d. & br. yel.	2 ³ ⁄ ₄	cts. 5 5	Pretty and interesting. (Winged Pea.)
3431	Love-Lies-Bleedingper oz., 20c.			erim.	3	5	{\((Amarantus \) caudatus.\) Graceful, showy flowers, of tall habit.
3432 3435 3436 3438	Love-in-a-Mist per oz., 25c. White Double ' 25c. Blue Spanish ' 30c. White Spanish ' 30c.			blue white blue white	1	5 5 5 5	(Nigella.) Curious and ornamental; Fennel-leaved; easily grown
3439 3440	Mixed Spanish ' 25c. Mixed, all sorts ' 25c.		• • • • • • • • • • • • • • • • • • • •	mixed		5 5	and hardy.
3450 3454	Lupinus Cruikshankii		hP	var. b. & pk.	3	5 5	A large genus of very ornamental annual or perennial plants. No. 3479 grows five or six feet high, and has immense racemes of
3456 3460	—albushirsutus		hA	white blue	2	5 5	lovely dark blue flowers. No.
$\frac{3462}{3465}$	-ruberluteus			rose yel.		5 5	3470 has very fragrant flowers, nearly white when first open, and
$\frac{3470}{3472}$	mutabilisnanus		hP hA	var. b. & v.	3 1/2	5 5	at length with tinges of yellow and purple. Some varieties are
3479 3480	polyphyllus—Mixed Perennialper oz., 30c.		hP	blue	5	5 5	especially charming, having spikes of highly colored flowers,
3484	subcarnosus		hA	white	2	5	silver foliage and good habit. A rich loam will produce the finest
$\frac{3493}{3498}$	tricolor elegans per oz., 20c.		hP hA	o. & ro. mixed	3	5 5	plants and flowers. The dwarf
	Collection of Lupinus, including 12 choicest varieties					40	species make the best bedding plants. All the varieties are very free-flowering, bright, at- tractive and easily grown.
3500	Lychnis Chalcedonica		hP	scar.	2	5	Brilliantly colored border plants;
$\frac{3505}{3506}$	—albaper oz., 40c.			white mixed		5 5	3507 is a superb variety, and the original of the beautiful Haage-
$\frac{3507}{3509}$	fulgens		tP hP	scar. mixed	1	10 10	ana hybrids, which include the choicest flowers.
3513	Madia elegansper oz., 40c.	2	hA	yel.	2	5	Handsome flowers; should be in a shady position.
$\frac{3517}{3520}$	Malope grandiflora			red white		5 5	Mallow-like flowers; very pretty. Sow early.
3522	—Mixed per oz., 20c.			mixed	• • • • •	5	,
3524 3528	Malva miniata (Sphæralcea Munroana)		gP	scar.	4	5	Beautiful flowers; has been adver- tised as "Sunset Plant."
3529	Marigold, African per oz., 50c. —El Dorado "60c.		hA	yel.		5	(Tagetes.) Saved from finest
$3530 \\ 3531$	-Nugget of Gold " 75c. -Pride of the Garden			gold yel.	1½	5 10	double flowers. They are highly ornamental in the fall. The
3532 3533	—Delight of the Garden —Mixedper oz., 50c.			lem. mixed	2	$-\frac{10}{5}$	dwarf varieties are useful for bedding. "Pride of the Garden"
3534 3535	Dwarf Striped '50c. —Gold Striped '50c.			strip.	1½	5 5	is a new, very dwarf variety of
3536	French			orange	1	5	regular, compact habit and extra large double flowers of a beauti-
3537 3538	-Legion of Honor -Mixedper oz., 40c.			yel.& br. mixed		10 5	ful golden yellow color. "Legion of Honor" is a very pretty single
	8 vars. Marigold, Double French 6 " " African					35 25	dwarf yellow and brown French variety. See also Calendula.
3547	6 " " African Martynia Craniolaria		bk A	341 6 030	1½	25	
3549	proboscideaper oz., 30c.		hhA	w.& sp.	172	5	Curious and very handsome plants
$3550 \\ 3552$	lutea			yel.		5 5	for the border.
	Marvel of Peru						(Mirabilis.) See Four O'Clock, page 89.
3554 3555 3556	Matricaria eximia plena		hA	white yel.	2 1¼	5 5 25	(Feverfew.) Pretty and neat; small double flowers.
3557	Mathiola bicornis		hhA	white	1/4	5	Very fragrant at night, but closing during the day.
3560	Melilotus cœruleaper oz., 30c.	3	hP	blue	11/2	5	Ornamental; like the Lotus.
3570	Mesembryanthemum tricolor	1 2	tA	tri.	1/2	5	Beautiful dwarf edging plants,
3573 3575	—album		tP	white yel.		5 25	flowering profusely in dry and sunny situations. Fine for pots.
.3576	crystallinumper oz., 50c.		tA	white		5	3576 is the "Ice Plant."

				/	-	d = 1:	
			diness	Color of the Flore	wer wer	Price per	2ket
			Hardiness	ura	Height in	=	Pag /
	NUMBER and NAME.	Time of	ine	10 of 6	ht i	be	General Observations.
***	74oz. at oz. rate only on articles quoted at	me	ard and	lor	e je	ice	
400	\$1 per oz. and over.	Li	H "	/ පි	H	\ <u>4</u>	
	Mignonette—					cts.	
3577	Reseda odorataper.oz., 15c.		hA	w.& bf.	1	5	The well-known "Frenchman's
3578 · 3580	—grandiflora			b. yel.		5 5	Darling." Highly scented and
3581	Crimson Queen. " 30c.			crim.		5	very desirable, flowering freely.
3583	- Machet, Dwarf . " 60c.				3/4	10	If wanted in winter, seeds should be sown in July. Machet and
3584 3585	——Gabrielle			d. red		10 10	Gabrielle are fine for pot grow-
3586	——Miles' Spiral " 30c.			cr.& bf.	1	5	ing, having large and numerous spikes of red flowers. The lat-
3587 3588	——Giant Pyramidal. " 20c. ——Allen's Defiance.		,	red	1½	5 10	ter is particularly dwarf and
3589	——Elois François			red	1	10	compact in habit. "Elois Fran- çois has very long spikes, and is
3590	-Parsons' White			w.& bf.	3/4	5	the best of all for forcing under
	10 vars. Mignonette		ı			50	glass.
3592	Mimosa pudicaper oz., 75c.		tA	pink		5	(Sensitive Plant.) Very odd.
3598	Mimulus cardinalis	1 2	†hP	scar.	$1\frac{1}{2}$	10	(Monkey Flower) Von alama
$\frac{3603}{3610}$	hybridus cupreus Roezli		hA	mixed yel.	1/2	$\frac{10}{25}$	(Monkey Flower.) Very showy, musk-scented, and free-flower-
3611	ringens		hP	blue	2	10	ing. The hardy kinds are well
$\frac{3612}{3613}$	tigrinus per oz., \$1.50 —grandiflorus	1 3,	hA	spot.	1	$\frac{10}{25}$	suited for borders. Any common soil suits. See Musk Plant.
		2 3	1.75	••••			\(\) A splendid new Shell-flower, with
3615	Molucella spinosa	4 3	hP	rose	7	25	very fine foliage.
	Morning Glory						See Climbers, page 107.
	Monk's-Hood						See Aconitum.
	Mourning Bride						See Scabiosa.
3620	Musa enseteper 100 seeds, \$1.50	1 2	$_{\mathrm{gP}}$	y.& br.	10	25	{ (Abyssinian Banana.) Splendid tropical plant.
3625	Musk Plant		tA	yel.	½ ½ ½	10	Musk-scented Mimulus.
3627	New Compact				1/3	10	Jarush Societo Miniarus.
	Myosotis						See Forget-me-not, page 89.
3633	Nasturtium (Dw'f Tom Thumb)— —Yellowper oz., 15c.	2 3	hA		3/4	5	,
3638	—Beauty		нд.	y.& scr.		5	(Tropæolum.) Beautiful bedding
3639 3645	—Spotted " 15c. —Black " 15c.			s. spot.	· · · •	5 5	plants. Planted in poor soil,
3647	-Bluish Rose " 15c.			black blue		5	they flower profusely and for a long time. The colors of the
3648	—Crimson " 15c.			crim.		5	flowers cannot be excelled.
$\frac{3650}{3652}$	—Ruby King " 20c. —Cloth of Gold " 20c.			red yel.		5 5	The dwarf varieties should be planted so that they will con-
3654	—Cream-colored " 15c.			cream		5	trast either with white or blue
3657 3660	—Scarlet			scar. rose		5 5	flowers. The foliage is also beautiful, being generally dark
3662	—Empress of India " 20c.			crim.		5	green. "Empress of India" is a
3663 3664	—Aurora " 20c. —Golden King " 20c.			var. golden		5 5	splendid variety, with very dark
3665	—Lady Bird " 20c.			yel.& r.		5	foliage and beautiful crimson flowers. The "Lilliput" is in
3666 3670	-King of Tom Thumbs " 25c.			scar.		5	every respect smaller than the
3672	-Mixed " 10c.			y.& cr. mixed		5 5 ₁	"Tom Thumb," and is a most charming little plant, with near
3674	Lilliput (new)				1/2	25	habit and bushy foliage, and a
	12 vars. Dwarf Tom Thumb					40	great variety of the brightest colors.
	8 " " " " …					35	J
0.455	Nasturtium, Tall						See Climbers, page 109.
3677 3678	Nemesia compacta alba —cœrulea		tA	white ro.& b.	11/2	5 5	Very pretty and neat flowering plants for edging. 3679 is a new
3679	strumosa Suttoni		hA	var.		25	and very beautiful variety.
3680	Nemophila atomariaoz., 20c.			w. & pu.	1	5)
3682 3684	—oculata			b. & w.		5 5	
3686	insignis per oz., 20c.			blue		5	This genus consists of very pretty
3690 3694	—alba" 20c. —marginata			white	'	5	annuals of easy growth; they deserve extensive cultivation;
3698	maculata			bord.	1/2	5 5	are good in pots and for edging,
3700	Mixed " 20c.			mixed	div.	5	in rockeries, or in the garden.
	Choice Collection, including— 8 vars. Nemophila					30	
					1		



PRIMULA SINENSIS FIMBRIATA. See page 100.



PAPAVER NUDICAULE. See page 99.



EVENING PRIMROSE. See page 100.




LAVATERA TRIMESTRIS. See page 93.



PHLOX DRUMMONDII. See page 98.



PAPAVER GLAUCUM (TULIP POPPY). See page 99.



DOUBLE RANUNCULUS-FLOWERING POPPY.
See page 100.


	Time of	g /	и /	Jo / *0,	70 /	49 /
		Hardiness	Color of the Flows	Height in Feet	Price per	
NUMBER and NAME.	P OF	dine	r of	Sht	e pe	General Observations.
*** 1/2 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Lim I	Hardiness	Colo	Heigh	Pric	
3701 Nertera depressa	2 3	gP	white	cr.	ets. 25	Plant bearing coral berries.
3702 Nicotiana affinis (fragrant)		hhA		3 10	$\begin{array}{c} 5 \\ 25 \end{array}$	Species of tobacco; valuable as
3702 <i>a</i> colossea				3	5	decorative plants; deliciously
3704 sylvestris				3	10	fragrant flowers.
3705 Nierembergia gracilis 3706 frutescens		$^{\mathrm{gP}}_{\mathrm{hP}}$	w. & li.	$\frac{1}{2}$	$\begin{array}{c c} 10 \\ 10 \end{array}$	Handsome flowers; fine for hanging baskets or edging.
Nigella						See Love-in-a-Mist
3707 Nolana atriplicifolia	2	hA	b.w.&y. white	1/2	5 5)
3710 —alba			b. & w.	• • • •	5	Are very showy when in flower, and should be planted in the
3716 paradoxa violacea			b. & v. blue	trai.	5 5	border; fine trailing plants.
3719 Mixed per oz., 20c.			mixed	1	5	}
3720 Nycterinia selaginoides	2 3	hhP	pink	3/4	5 5	Pretty dwarf plant.
3721 Capensis	2	†hP	w.b. r.&y.	3	5	Showy bedding plants.
Œnothera	_		, ,			See Evening Primrose.
3727 Orobus lathyroides	2 3	hP	blue	1½	5	These deserve a place in gardens;
3730 niger	2	tP	pur.	3	5 10	fine pea blossoms. Charming little plants.
3737 Oxyura chrysanthemoides	2 3	hA	white	trai.	5	Showy Composite.
3740 Pæonia officinalis	2	hP	red.	2 .	5) -
3744 Sinensis		• • • • •	mixed	3	10 10	Beautiful hardy plants, with large, handsome flowers.
3746 Palafoxia Hookeriana		hA	blush	1½	5	Very good everlasting.
3750 Palava flexuosa	2 3	hhA	rose		5	Pretty rose flowers.
3752 Pansy, *Black "Faust" oz., \$1.25	1 3	hA	black	. 1/2	10]
3753 *Lord Beaconsfield			violet 4-color		10 10	
3755 *Fire King " 1.50			golden		10 25	(Viola tricolor; Heartsease.) Most of the varieties are saved from
3757 Peacock			brown b. & w.		25	fine, choice flowering plants
3758 *Emperor William " 1.25 3759 Fawn Color " 1.00			blue fawn		10 10	They cannot be surpassed in color or blooming qualities
3760 *Light Blue " 1.00			l. blue		10	They should be carefully culti
3761 Tiger " 1.50 3762 Violet-margined " 1.25			strip.		10 10	vated, and will richly pay for good treatment in their large
3763 *Gold-margined " 1.00					10	flowers and foliage. The seeds
3764 Victoria, fine red " 3.00 3765 Odier, five-blotched " 5.00			red spot.		25 25	should be sown early in autumn if large flowers are expected
3765a — Yellow " 5.00			yel.		25	and preferably in a frame. I
3766 Bugnot's Superb Strain " 8.00 3767 *Trimardeau White " 3.50			spot. white		50 25	sown in spring, the flowers will not be as large as from seed
3768 *—Yellow (Golden Crest) " 3.00			yel.		25	sown in autumn. No. 3757 is a
3769 *—Striped			lilac strip.		25 25	new variety, with large peacock blue flowers, edged with white
3769a *-Azure Blue			l. blue		25 25	No. 3766 has exceedingly beau
3770 *Mixed			d. blue mixed		25	tiful, extra large flowers, with very broad blotches and upper
3771 *Black Blue " 1.00 3772 Bronze " 1.25			bk.&bl. bronze		10 10	petals finely lined. No. 3775 is
3773 *White, black center " 1.25			white		10	a new French variety of a dis tinct mauve color. "President
3774 *Azure Blue			blue		10 10	Carnot" has pure white petals cach with a deep violet blotch
3776 Red Riding Hood " 2.00			red		10	It is a strikingly beautiful new
3777 *Yellow, black center ' 1.25 3778 Yellow Gem (pure) ' 1.50			yel.		10 10	variety. No. 3786 is the richest and most choicely varied mix
3781 Snow Queen " 1.25			white		10	ture ever offered. It produces
3782 President Carnot " 5.00 3784 atropurpurea " 1.00			w. & v. dk. pur.		25 10	only the handsomest colors and finest forms, and these in great
3785 —alba marginata " 1.25			pr.& w.		10	diversity. The collections here
Large Strain " 5.00			mixed		25	offered merit special attention and are sure to give splendid
3788 *Mixed French " 1.25					10	results.
Choice Collections, including-	• • • • •	• • • • •	• • • •		5	Varieties marked thus (*) are best for bedding, but all the others
24 vars. Pansy or Heartsease		1			\$1 25 1 00	also do well for this purpose if
12 " " "			- 4		75	planted out early in the spring.
6 " " "					60 50	
					, 00	

			s- /	~ /	·	42 /	4)
			diness	Color of the Flore	Height in E.	Price per	/ _{Kel}
			Hardiness and r	El El	7 1	/ A	ğ /
	NUMBER and NAME.	\ o \ a	ine ine	0 / F	ht.	be pe	General Observations.
N/C	-14oz. at oz. rate only on articles quoted at	Time of	ırd. ma	lor	eig.	,ice	
ASSET	\$1 per oz. and over.	/H	H ₂	/ වී	#	/ A	
	Davis Daisy					cts.	
	Paris Daisy				I I		See Chrysanthemum frutescens.
	Peas, Sweet	0 0	- D			0-	See page 110. (Beautiful greenhouse plants. No.
$\frac{3790}{3792}$	Pelargonium, Fancy Odier (superb)		gP	mixed	2	25 50	3792 is from magnificent exhibi-
0,02	Pentstemon—				1		tion flowers. (Among the most beautiful of our
3804	Murrayanus		hP	scar.	3	10	herbaceous perennials, and
3813 3814	spectabilis			blue	2	10	should be grown extensively, being very hardy and free-flow-
	Pacific coast			mixed	vars.	10	ering; fine for bedding; as va-
3824	Mixed Europeanper oz., 40c.				var.	5	ried in color as gladioli.
3830 3837	*Perilla Nankinensisper oz., 20c. *laciniata	2	hhA	pur.	1½	5 5	Ornamental-leaved; for ribbon gardening and beds.
3840	Persicaria, Red	3	hP	red		5	
3842	White			white		5	Showy for backgrounds.
0040	Petunia hybrida—	0 0	abb to A			10	
3843 3844	—Large-flowered, White —intus aurea		†hhA	yel.		$\frac{10}{25}$	These are well-known, very orna-
3845	—Crimson Giant (new)			crim.		25	mental plants, producing freely
$\frac{3846}{3847}$	—Purple —Rose			pur. rose		25 25	fragrant and beautiful flowers, and continuing a long time in
3848	—The Rainbow			yel.		50	bloom. They do well in the
3849 3852	—Ring of Emerald—alba magnifica (new). Beauti-			pk. & g.	••••	50	garden, house or conservatory, and will thrive in almost any
	ful clematis-flowered			white		50	sort of soil. The newer varie-
$\frac{3853}{3854}$	-superbissima, tigered throatThorburn Superb Giant			mixed		50 25	ties are of brilliant colors and fine form. "The Rainbow" has
3855	—Superb, single mixed					25	richest colorings, with intense
$\frac{3856}{3857}$	—Fringed White, "Snow Storm" —Crimson			white crim.		25 25	yellow throats. "Ring of Eme- rald" has large pink and crimson
3858	——Titania. Beautiful			pur.		50	flowers, bordered with green.
$\frac{3859}{3860}$	——Ruffled Giants ——Mixed			mixed		50 25	The "Ruffled Giants" are new extra large-flowered sorts, beau-
3861						50	tifully ruffled, fluted and fringed.
3862 3863	—Double Mixed					50 75	3867 is a dwarf, bushy variety,
3864	— —Fringed Mixed			white		75	with regularly striped flowers, and is very effective, either in
3866 3867	Countess of Ellesmere Inimitable Dwarf			pr. & w.	3/4	10	masses or in pots. "Thorburn Superb Giant" is a strain of
3868	venosa (veined)				11/2	10	great merit. The flowers are
3870	Mixed Singleper oz., \$1.25				• • • •	5	very large and extremely deep-
	Collections of Petunias, including— 12 vars. Fine Large-flowering					\$1 00	throated; some of them are exquisitely penciled and beau-
	6 " "					1 50	tifully fringed. The collections of Large-flowering and Double
	12 " Double Fringed 6 " "					80	Fringed here offered contain
	12 " Double Large-flow'ng.					1 50 80	only the finest varieties.
3872	6 " " Phacelia congesta	2	h A	pur. bl.			Excellent for bees. P. Parryi is
3873	Parryi		hA	d. blue		5 10	a beautiful rich, deep blue.
0055	Phlox Drummondii						
$\frac{3875}{3880}$	—atropurpurea striata—Black Warrior.	2 3		strip.	1	5 5	
3888	-variabilis atropurpurea			pur.		5	
3893 3900	—Leopoldi —Radowitzii			w. & cr. white		5 5	
3901	-rosea			rose		5	The name is from phlox, flame, in
3903 3906	—oculata alba —coccinea			w. & l.		5 5	allusion to the general brilliancy of the flowers. This is a very ele-
3917	-cuspidata (Star of Quedlin-						gant genus of flowering plants,
3923	burg)per oz., \$1 —Dwarf White Snowball			mixed white	1/2	10 25	being highly colored, especially P. Drummondii, an annual, the
3925	-Dwarf Fireball			fire		25	varieties of which are of the
3926 3927	—Dwarf Fancy Mixedoz., \$2 —Mixedper oz., 50c.			mixed	····	10 5	brightest colors. A bed of these will be highly prized for good
3931	-grandiflora, Chamois Rose			rose		10	habit, richness of color and du-
3932 3933	——Eclipse (blue-veined) ——Half-Dwarf Blood Red			d. red	3/4	10	ration and profusion of bloom. All grow well in pots or as
3933a	Crimson Bouquet			crim.		10	trailers. By making two or
3934 3935	— ——Black-brown			d. br.	1	10 10	more sowings, they will flower till frost. Should be grown in
3936	—_alba			white		10	rich, loamy soil, and given
3937	— —kermesina splendens			sc. & w.		10	plenty of water. Especially fine

			δρ /	Ħ l	<u>+</u> /	t /	**/
		Time of	9rin	Color of the Fron	Height in E	Fee	General Observations
	NUMBER and NAME.	/ % -	Hardiness			Price per	General Observations.
		9,0	rdin r	1 2 4	igh	80	
Na	*Yoz, at oz. rate only on articles quoted at \$1 per oz. and over.	Ä	Ha	/ 3	/ He		/
	Phlox Drummondii, continued—					cts.	effects may be had by planting
3939	—grand. stellata splendens	2 3	. hA	crim.	1	10 10	masses of contrasting colors.
3940	——Mixedper oz., 75c. Collections, including			mixed			
	10 vars. Phlox Drummondii Phlox (Perennial)—					50)
3943	hybrida superba		hP	:	3	10	Brightest colored sorts.
3944 3945	subulata Phormium tenax		gP	pur. white	6	25 10) (New Zealand Flax.) No. 3945α has
3945a	—fol. variegatis					25	handsome variegated foliage.
$\frac{3946}{3946a}$	Physalis lobata		hP †hP	violet scar.	$\frac{1}{2}$	10 15	Ground or Winter Cherry. P. Francheti is a most ornamental
							new variety from Japan.
$3947 \\ 3949$	Yellow Ground		hhP	w.&sp. y.&sp.		50 50	From show varieties. Very rich and beautiful, and finely per-
$\frac{3951}{3956}$	Slate Ground Extra Fine Mixed			slate mixed		50 50	fumed; few flowers are more
3957	Mixed			····		10	attractive.
3963	Pink (Dianthus)— Chinensis Double Mixedoz. 40c.		†hB		1	5)
3965 3966	—Double White			white d. red		5	
3967	dentosus hybridus			lilac		5	(Dianthus.) Beautiful and orna-
3969 a 3969a	Heddewigii, Singleper oz., 75c. —Eastern Queen			mixed rose		5 10	mental genus; for beauty and sweetness contains some of the
3970 3971	—Crimson Belle —Double Mixedper oz., 75c.			crim. mixed		10 10	most prized flowers we possess. The leaves of the hardy peren-
3972	-Double "Mourning Pink"			dark		10	nials are green all winter. Many can be grown in pots and kept
$\frac{3973}{3974}$	—diadematus, Doubleoz., \$1.25 —laciniatus, "Salmon Queen"			mixed salmon		10 25	in the house. No garden should
3975 3977	——Singleper oz., \$0.75 ——Double Mixed "1.25			mixed		5 10	be without some of the varieties of the Dianthus family, which
3979 3981	imperialis, Double Mixed. oz., 50c.					5	for color and fragrance cannot be surpassed. They succeed
3983	-Double Dark RedDwarf Double White			red white	3/4	5	well in any fairly rich soil, but
3986 3987	——Double Mixedper oz., 50c. superbus, Dwarf Double White			mixed white		5 5	when the production of large flowers is aimed at, a bed of
3988	plumarius, "Pheasant's Eye," fringedper oz., 50c.				1	5	turfy loam, leaf-mould and well decomposed manure should be
3989 3990	-Scoticus, Double Scotch Pink			mixed		25 5	specially prepared for them. No. 3989 is the very finest strain of
3995	—Single Mixed Pinkper oz., 40c. —Semi-double Grass Pink					10	the double Scotch or Florists'
	Collections of Pinks, including— 12 vars. Fine China					50	Pink.
	8 " " " " …					40 30	
4012	Pittosporum undulatum	1 2	gP	white	3	5	Handsome greenhouse shrub.
4016 4018	Platystemon Californicum Platycodon grandiflorum	2 3 2	hA hP	yel. blue	$\frac{1}{2}$	5 10	(California Poppy.) (Large Chinese Bell-flower.) Very
4019	-album			white		10	fine flowering plants. P. Mariesi is a fine dwarf, dark blue variety.
4020 4022	Mariesi Podolepis chrysantha	$\overset{\dots}{2}$	hhA	blue yel.	$\frac{1}{\frac{1}{2}}$	10 5	Curious and pretty. Does well
4023 4025	affinisgracilis			red		5 5	exposed to the sun.
	Polemonium						See Jacob's Ladder, No. 3308.
4030 4033	Polyanthus. Finest.	1 3	†hP	mixed		$\frac{10}{25}$	(Primula.) Fine varieties. From named varieties.
4034 4035	Gold-Laced			red	3-4	25 5	
4036	-Mephisto (scarlet and black		1.4				
4 036a	spots, with other shades) —Flag of Truceper oz., 75c.		hA	mixed white		5 10	
4037 4037a	-Orientale -The Shirley (a fine and distinct)		†hP	d. red	• • • •	10	(Papaver.) Very showy and free-
4038	race)per oz., 75c.		hA	mixed	11/	10	flowering. For beds or borders, with a background of green, they
4038a	—glaucum (Tulip Poppy) —pavonium (Peacock)			scar. sc. & b.	11/4	10 5	are beautiful; admirable for nat-
4039 4040	——aurantiacum. Iceland		†hP	yel.	2	10 10	uralizing in woody spots. "The Shirley" is fine for cut-flower
4041 4041a	album Poppy			white mixed		10 10	use, having long flower stems and a not unpleasant odor. Seed
4042	—umbrosum		hA	crim.	$1\frac{1}{2}$	5	should be kept from forming,
4043 4044	—lævigatum —Danebrog			scar.		10 5	to secure continuous flowering. They are easily cultivated, the

			ring	ttion /		190	1 / CKet
	NUMBER and NAME.	of of	ness	of Fig.	t in	per	General Observations.
NEW YEAR	**/_oz, at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness	Color of the Flower	Height in Fort	Price per	
					, . ,	cts.	
4046	Poppy, continued— Papaver Double White	1 2	hA	white	$-1\frac{1}{2}$	5	most suitable soil being a sandy
$\frac{4048}{4049}$	— — Scarlet			scar. w.& cr.		5 5	loam. 4038 is called the "Tulip Poppy," on account of the in-
4050	——Cardinal			scar.		10 10	tensity and brilliancy of its
$4051 \\ 4052$	— —American Flag. per oz., 75c. — —Carnation-flower'doz., 20c. — —Pæony-flowered " 20c.			scr.&w. mixed		5	flowers, resembling the scarlet Duc van Thol tulip. 4051 is
$\frac{4054}{4055}$	——Pæony-flowered" 20c. ——Ranunculus-flow'd" 30c.					5 5	of compact and robust habit, and is brilliantly variegated in
1000	Collections of Poppies, including—						scarlet and white.
	12 vars. Double Carnation 12 "Pæony-flowered					50 50	
	6 "D'ble Dwf. Pæony-fl'd. 6 "Ranunculus-flowered					30 30	
4067	Portulaca splendens		tA	crim.	1/2	5	These cannot be rivaled for the
4069	Rose Carnation-striped Thellusonii			strip.		5 5	brilliancy and delicacy of their
4072	albiflora			white		5 5	colors, and are very effective in beds, edgings or rock-work.
4074 4089	aurea, deep golden			golden yel.	• • • •	5	beds, edgings or rock-work. The last eight have double
$\frac{4090}{4092}$	roseaper oz., 50c.			ro. str. mixed		5 5	flowers, and are very beautiful, many of them resembling min-
4111	Double Scarlet			scar.		25	iature roses. The seed of these always contains many single
4112 4114	—Salmon —Orange			salmon		25 25	flowers, which bloom earlier
4115	-Bright Rose			rose		25 25	than the double ones, and may in this way all be pulled out be-
$\frac{4117}{4120}$	—Dark Rose, Carnation-striped —White			d. rose white		25	fore the double ones come into flower. Portulacas bloom best
$\frac{4127}{4130}$	—Purple —Mixed			pur. mixed		25 10	in a light, sandy soil. They will
. 1100	Collections, including— 12 vars. Portulaca, beautiful 6 " double					60	not germinate till hot weather sets in, and seed should, therefore, be sown late.
4133	Potentilla atrosanguinea	1 3	hP	pur.	1½	10)
4135	Mixed Collection, including— 6 vars. Potentilla, choicest			mixed		5 75	Showy and hardy border plants.
4140	Primula cortusoides	3		red		10	These are the hardy Primroses.
4141 4143	Cashmeriana			rose mixed	1/4 1	25 10	P. Japonica is called the
4145	English Yellow Primrose			yel.		10	"Queen of Primroses."
4156 4157	Primula Sinensis fimbriata rubra ——coccinea		gP	fr. red b. red	3/4	25 25	From primus, first, referring to
4158	— —alba			white		25	their early flowering. The Chi-
$\frac{4159}{4161}$	— —punctata atropurpurea			pur.sp.		25 50	nese Primroses (Primula Sinen- sis) are fine for winter and
4161a	— —kermesina splendens			crim.		25 25	spring blooming; they are free- flowering, and especially valua-
4161 <i>b</i> 4163	— —Mixed — —filicifolia alba			mixed white		25	ble for cut-flowers or for house
$\frac{4169}{4170}$	———rubra			red		25 25	and window culture; a cool place suits them best. The seed
4171	— —globosa rubra			red		25 25	is saved from the finest colors and largest flowers. The seed
$\frac{4174}{4176}$	— ——alba — ——Mixed			white mixed		25	should be sown in light soil, but
$\frac{4190}{4193}$	— —plena rubra			red white		75 75	for the final potting a richer soil is necessary, consisting of two
4195	— — —Mixed			mixed		75	parts loam to one each of well-
4196	obconica grandiflora		†gP	white	1/2	25	decayed manure and leaf-mould. They require to be well venti-
	12 vars. Chinese Fringed 10 "" ""					\$1 50 1 25	lated, well watered and slightly shaded throughout the summer.
	8 " " " …					1 00	The collections here offered contain the finest varieties grown.
	6 " " " Double					75 1 25	cam the mest varieties grown.
4203	Primrose, Evening— Enothera bistorta	2 3	hA	pur.	2	5	The Enotheras are fine, free-
4205	-Drummondii	1 3		yel.	1	5	flowering plants, best for back-
$\frac{4207}{4210}$	—grandiflora —Lamarckii		hB		3 1½	5 5	grounds or shrubbery borders; Œ. acaulis has large, shining
$\frac{4220}{4222}$	-rosea Mexicanaper oz., 75c. -taraxacifolia alba or acaulis	1 3	tA hA	rose	1/2	5 5	white flowers, quite transparent. E. Drummondii is of
4227	—tetraptera					5	rich sulphur color; profuse flow-
4 230	-Mixed Annual per oz., 30c.			mixed	div.	5	J ering.

			8 - /	~ /	e. / ,	La /	4 /
			Hardiness and n	Color of the Flore	E Por	Price per	acker V
	NUMBER and NAME.	of Jo	ness		ıt in	per	General Observations.
DF.	4oz, at oz. rate only on articles quoted at	Time of	Hardiness and p	olor	Height in F	rice	
==	\$1 per oz. and over.	1	/ 14	/ 0	/ म्प	ets.	
	Punica Granatum	2 3	hS	red	. 10	25	Pomegranate Tree.
1233 1234	Pyrethrum atrosanguineum		hP 	dk. sc.	1	5 25	No. 4236, known as Golden Feat
4235	Tchihatchewii	1 3		white		5	er, is fine for edging, and make
4236 4237	Parthenium aureum	2 3		yel.	1/2	5 10	a moss-like tuft. 4237 is a beatiful fern-leaved sort.
1238	Golden Gem					5]
1254 1255	Rheum palmatum	1		white	3	5 5	(Ornamental Rhubarb.)
1258	Rhododendron arboreum		hS	mixed	10	25	Grand evergreen shrubs.
1270	Ricinus Borboniensis. per oz., 15c.	2	hhA	violet	15	5	1
1272 1275	Africanus Gibsoni			div.	8 5	5 5	The Castor Oil Plants are fre
1276	macrophyllus			d. pur.	6	5	growing, tender annuals; ve
4277	Cambodgensis (dark), per oz., 40c.			h.i	5	5	ornamental and quite tropic in appearance when plants
$\frac{1278}{4280}$	cœruleus macrocarpus			d. pur.	6 5	5 5	singly on lawns; also much
1282	Philippinensis			pur.	6	5	used for centers of subtropic beds. 4277 is one of the han
$\frac{4284}{4286}$	-purpureussanguineus			red		5 5	somest and most graceful of the
4288	Zanzibariensis per oz., 50c.			var.	8	10	Ricinus, with foliage and ste nearly black. 4288 is a ne
4289	Mixed			mixed	6-8	5	variety, surpassing all oth
	12 vars. Ricinus, choicest sorts					50 30	sorts in size and beauty.
4290	Rivina humilis	3	gP	white	2	10	Ornamental in fruit. For gree houses.
1295	Rocket, Sweetper oz., 20c.		†hP	w.& pur.		5	(Hesperis.) Free-blooming an
4 300	White " 20c.			white		5	very sweet-scented. (California Tree Matilija Poppy
4310	Romneya Coulteri		hhP			10	Fine flowers, resembling a popp
4320	Rosa multiflora nana		hP.	mixed		25	Flowers first season from seed.
	Rose Campion						See Agrostemma coronaria.
	Rose of Sharon		. ,				See Agrostemma Cæli-Rosa. See Hibiscus Syriacus.
4350	Rudbeckia amplexicaulis	.2		yel.	3	5	Showy, large, yellow flowers, wi brown cone.
4351	Sabbatia brachiata	2 3		rose		10	American Centaury.
4352	Saintpaulia ionantha		†gP	blue	1/2	25	From Central Africa. Love violet-like flowers.
4356	Salpiglossis azurea		hhA		1	5	1
4360 4366	Coccinea			scar.		5	These annuals have very show
$\frac{4367}{4367}$	Dwarf Mixed per oz., 60c. Tall Mixed "60c.			mixed	1/2	5 5	large, funnel-shaped flower mottled, veined and self-colored
	Collections, including-				1		fine for beds. They require
	8 vars. Salpiglossis, Tall 8 " Dwarf					40	rich soil, and will well repa
	6 " " "					35)
4370 4372	Salvia argentea			white	3	_	Sage plants are well-known for
4380	patens	2	hA †tP	l. blue blue		$\frac{5}{25}$	their brilliant colors, and plants can be finer for bedding
$\frac{4387}{4388}$	Rœmeriana		hP	crim.	1	-5	particularly the splendens v
1390	splendensper oz., \$1.50 —grandiflora pendula	3	†hhP	scar.	$\frac{2}{1\frac{1}{2}}$	$\frac{10}{25}$	rieties. They are easily grown free-flowering and showy. N
1392	-compacta erecta "Bonfire"			d. scar.		25	4394 has golden yellow foliag
4393 4394	—erecta, long spike				1	$\frac{10}{25}$	which contrasts very striking with its scarlet flowers.
4397	Sanvitalia procumbens fl. pl		hA	yel.	1/2	25 5	§ Pretty Composite for beds; exce
4400	Saponaria Calabrica per oz. 40c.			red	1	5	lent for borders.
4403	—alba			white		. 5	Pretty dwarf bedding plants Should be cultivated for the
4405 4410	—Scarlet Queen (new)		hP	scar.	• ½	-5 5	beauty and long blooming.
4414	Saxifraga Aizoon	. 2		white	1	25	Curious little plants; especiall
4415	Huettiana		hA		1/2	25	adapted for rockwork.
$\frac{4417}{4418}$	Scabiosa candidissima —Double Snowball	2 3			$2\frac{1}{2}$	5	
4418a	Black Purple			pur.		5 5	
$\frac{4419}{4419a}$	minor aurea fl. pl. (new)			golden		10	The Mourning Bride is a show
2 1 2 1/16	Guacasica (Spienulu)		hΡ	lilac		10	border plant, with beautifull



		/	\$0 /	По /	φ. / ·	1 e /	1 2 /
			Perin	Jolor of the Flor			Lack
	NUMBER and NAME.	Jo G	1. 10. 1. 10. 1. 1. 10. 1. 1. 10. 1. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 1. 10. 10	, o , l	ht i	pe ₁	General Observations.
Næ-	% oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness	Color of the Flor	Height in E.	Price per	
	Scabiosa, continued—					cts.	
4420	Mixed Tallper oz., 40c.		hA	mixed	2½	5	variegated flowers. It succeeds
4422	Dwarf Double Mixed. "40c. Collections Scabiosa, including—		• • • • •		1½	5	in ordinary garden soil. 4419 is a beautiful golden yellow, new
	8 vars. Dwarf Double					35	variety.
	6 " " "					30	
4.40#	6 " " "		1			30	
4425 4427	Schizanthus Grahami		hhA	s. & o. p. v.	$\frac{2}{1\frac{1}{2}}$	5 5	Elegant and very free-blooming annuals. Large, beautiful flow
4430	porrigens papilionaceus			bk.eyd.		5	ers of many colors, blotched
4433 4436	retusus			r. & o. white	2	5 5	dark purple and spotted with orange; fine for bedding. Grown
4440	Mixed per oz., 30c.			mixed	div.	5	in pots in early spring in green
'	Collection, including 6 vars. Schizanthus					30	house, they become fine foliage plants, with masses of blossoms.
4443	Schizopetalon Walkeri	1 2	hA	white	3/4	10	Curious fringed, fragrant flowers.
	Schrankia uncinata	3	hP	red	2	10	Like Sensitive Plant, its leaves
	Sedum cœruleum	2	hA	blue	1/4	10	droop at the slightest touch. Stone Crop.) Showy little plants
4453	Maximowiczii		hP	yel.	1	10	excellent for carpet beds. Plant
4454	Mixed Senecio elegans		• • • •	mixed	3/4	10	J in sandy soil. See Jacobæa.
4455	Sensitive Plantper oz., 75c.		tA	pink		5	(Mimosa.) Pretty and curious.
4460 4461	Silene Armeria	1 2	hA	red white	1	5 5	
4462	—Mixed per oz., 20c.			mixed		5	(Cotcheller) Bright coloured from
4463 4464	orientalispendula, rose		hP	rose	2	5 5	(Catchfly.) Bright colored, free- flowering annuals, suitable for
4465	—Double Rose.		hA	red	1	5	rock-work or open border. S.
4467	-ruberrima,			rose		5 5	pendula is largely grown for spring flower gardening. They
4467a 4468	—Bonnetti, dark stems Mixed per oz., 20c.			mixed		5	succeed in any light, loamy soil.
4470	Virginica		hP	pur.		10	
4471 4473	Douglasii			blue		10 10	"Blue-eyed Grass." Very pretty.
	Smilax (Myrsiphyllum aspara-) For table and house decoration.
:	goides)per oz., 75c. Snapdragon—	2 3	gP	white	6	10	fine for florists.
4480	Delila, carmine and white	2	†hP	c. & w.	$1\frac{1}{2}$	5	
4483 4485	Galathee, crimson and white Striped			cr. & w.		5 5	The Antirrhinum is one of the
4488	Firefly, scarlet and white			S. & W.		5	finest border perennials. The
4492 4493	WhiteYellow			white yel.		5 5	Tom Thumb strain is admirably adapted for bedding, being very
4495	Mixed per oz., 50c.			mixed		5	dwarf and free-flowering. Light
$\frac{4497}{4498}$	Fine Dwarf Mixed "50c. Tom Thumb Mixed "\$1				1/ ₂	5 5	soil, well enriched with manure, is most suitable for them. Sow
	Collections, including-		****				in May or in autumn.
	12 vars. Snapdragon, Finest Tall.					50 30	
	Sphenogyne speciosa	3	hA	yel.	1	5	Pretty, showy annuals.
4502 4 504	Spiræa ariæfolia	2	$rac{ ext{hS}}{ ext{hP}}$	white	3 3-4	10 10	Beautiful shrubs; flower pro- fusely.
	Spraguea umbellata	2 3	hhA	rose	1/2	25	Fine for rockwork or edges of
	Stachys lanata	3	hP	strip.	${2}$	5	flower beds. Silver-leaved, fine perennial.
4509	Statice Bonduelli	2	tA	yel.	1½	5) .
4514 4515	ineana hybridasinuata	$\frac{\dots}{2}$	hP tA	mixed blue	····	5 5	(Sea Lavender.) Beautiful for winter bouquets. Pretty little
4516	candidissima			white		5	flowers, which ought to be in all
$\frac{4517}{4517a}$	Suworowi, bright rose Perennial Sorts Mixed		hA hP	rose mixed	$\frac{11}{2}$	5 5	gardens.
	Stenactis speciosa			pur.	2	5	Showy purple Composite.
	Stephanophysum longifolium		hhP	scar.	1½	25	An acanthaceous plant, with
	Stevia serrata	2	gP	flesh		10	bright-colored flowers. Fine for bouquets; scented.
	Stocks, German Ten-Weeks-)
4528 4529	Dwarf Snowflake Forcing White Dresden Perpetual	1 2	hhA	white	1	$\frac{25}{25}$	
4 530 .	"Cut-and-Come-Again,"oz., \$3					10	(Mathiola.) These seeds are
4 531	Dwarf Large-flowering— —Whiteper oz., \$4					10	saved from the finest double varieties. Unsurpassed for bed-
4532	Canary Yellow			yel.		10	ding, massing, edging or pot-
4 533	——Crimsonper oz., \$4			crim.		10	culture, being very free and long

		/	δn /	# /	£ / 3	D /	0
		Time of	Hardiness and n	Color of the Flore	Height in Face	Price per	ack /
	NUMBER and NAME.	of	Hardiness and n	1 0 0 A	it in	per	General Observations.
Bar	14 oz. at oz. rate only on articles quoted at	nne H	ırdi	lor	igh	je ₀	
	\$1 per oz. and over.	/ E	H ₂	/ පි	/ H	/ Å	
	Stocks, Ger. Ten Weeks, cont'd.						
1504	Dwarf Large-flowering-	1 0	2.2.4	1	,	10	
4534 4535	— —Chestnut. — —Blood Red		hhA	brown blood	1	10	bloomers, and of much diversity and brilliancy of color. They
4536	Carmine			car.		10	are also very attractive in form,
4537	——Rose			rose		10	and richly fragrant. The double
4538	Light Blueper oz., \$4		* * * * * *	l. blue		$\begin{array}{c c} 10 \\ 25 \end{array}$	white sorts are largely used in
4539 $4539a$	——Shining Purple Carmine ——Mixedper oz., \$3			d. red mixed		10	summer for bouquets and floral work. In this latitude Stocks
4540	Giant Perfection, White			white	$1\frac{1}{2}$	25	should be sown from the middle
4541	— —Mixedper oz., \$3			mixed		10	of March to the first part of May,
4542 4543	Wall-flower-leaved, White			white crim.		10 10	on a spent hotbed or in pots or
4544	—Crimson			mixed		- 10	shallow boxes, in a frame or in the house; and when an inch
4545	Dwarf German Bouquet				1	10	high, they should be trans-
4546	——Mixedper oz., \$3					10	planted into fine soil, which
4547	Ordinary Mixed " 75c. Stocks, Autumnal, etc.—				1½	5	should be spread over a dis-
4548	Intermediate White	2 3	hhB	white		25	carded hotbed, whence they can be bedded out when three or
4549	-Crimson			crim.		25	four inches high; this should be
4550	-Mixed			mixed		25	done before or during showery
4551	Emperor Large-flowering, White			white		25	weather. Transplanting sev-
$\frac{4552}{4553}$	—Crimson —Mixed			crim. mixed		25 25	eral times in the early stages of growth tends to give them a
4554	Brompton Scarlet Winter			scar.		25	more compact and dwarf habit.
4556	-White Winter			white		25	Stocks do well sown in the open
4558	-Mixed Winter			mixed		10	ground from the middle to the
$\frac{4560}{4562}$	Dwarf Crimson Bouquet Winter Queen Purple	• • • •		crim.	$\frac{1}{1\frac{1}{2}}$	· 25	last of May.
4564	-White			white	1/2	5	For choice collections of Stocks,
4567	-Scarlet			scar.		5	see below.
4568	—Mixed			mixed		5	j
4570	Strelitzia augusta		gP	white	10	50	("Bird of Paradise Flower.") Mag-
4571	Reginæ			o.& pur	5	25	f nificent greenhouse perennials.
4572	Streptocarpus, Veitch's New Hybrids	1 2			2	50	Very ornamental, profuse bloom-
4572a		1 2		mixed		50	ing greenhouse plants.
							Bell-shaped flowers, followed by
45 73	Styrax Japonica	1	hS	white	6	10	white berries. Fine.
4574	Sultan, Sweet, Purple		hA	pur.	1½	5	(Centaurea.) Pretty border an-
$\frac{4577}{4580}$	White			white	*****	5	nuals, with long stems and fra-
4582	Yellow			yel. mixed		5 5	grant flowers. Do not transplant. Fine for cutting.
100-	Sunflower (Helianthus)—	••••		mixed) plants Timo for castings
4583	Single Russian per oz., 10c.	3		yel.	- 5	5	Derives its name from the popu-
4584	-"Henry Wilde" " 15c.					5	lar supposition that its large
4585	—Primrose-colored " 20c.					5	heads of flowers follow the sun
$4586 \\ 4588$	macrophyllus giganteus "15c. cucumerifolius (cucumber-l'v'd)				3	5 5	in its course. Showy for back- grounds and shrubberies. Like
4589	argophyllus, "Texas Silver	2 3			3	9	the Eucalyptus, good to absorb
	argophyllus, "Texas Silver Queen"per oz., 20c.	3			4	5	the miasma of low grounds.
4590	California Double " 15c.	2 3		d. y.	2-5	5	The large flowers are very rich
$\frac{4591}{4592}$	Globe-flowered Double "15c. Green-centered Double "15c.	-		yel.	3	5 5	and effective. No. 4589 has silvery foliage and very handsome
4593		2 3		y.&gr. vel.	21/2	5	small flowers.
4594	-Variegated foliage			var.	-/2	5	

CHOICE COLLECTIONS OF STOCKS.

We invite special attention to the collections here offered; they contain only the very choicest varieties.

24	vars.	GERMAN TEN-WEEKS. Dwarf Large-flowering\$1	50	6	6.6	Giant Perfection\$0	60 50
18	66					Wallflower-leaved, Large-flowered	60
12	4.4		85	U		" " "	50
8	6.6		60	6	66	Dwarf Perpetual	40
6	+ 6	46	50			WINDLESS FOR	
10	4.4	Pyramidal Dwarf Large-flowering	60			AUTUMNAL AND WINTER, ETC.	
6	. 6		50	8		Intermediate German	60
12	4.6	Large-flowering Emperor	85	6		44	50
6	6.6	" "	50	4	6.6	East Lothian Autumn	40
• 12	6.6	Dwarf Bouquet	75	12	6.6	Fine Winter	80
6	4.6	44 44	40	6	6.6	66 66	50
6	4.6		50	6	6.6	Dwarf Bouquet Winter	50
8			60	6	6.6	Cocardeau Winter	50

NUMBER and NAME. Solution So	
Sweet Pea "Cupid"	
Sweet Pea "Cupid"	er Soo also
Sweet Pea "Cupid"	er Soo olso
Sweet Sultan See Sultan	is. Dec also
Sweet William— 4598 White Single:per oz., 40c. 2 3 hB 1½ 5]	
4599 —Double	A mount non
4601 — — Double	
4602 Auricula-floweredper oz., 40c. mixed 5 ducing large heads colored flowers. Verification 4603 Mixed Single "30c. 5 5 colored flowers. Verification	
4604 — Double	ery enecure
Collection, including 6 vars. Sweet William 30	
4605 Tacsonia Van Volxemii	vine.
4606 Tagetes lucida 2 tP yel. 1 5 Pretty, and fine for be 4607 signata pumila 2 3 hA 5 (also Marigold.	edding. See
4607 signata pumila	
4600 Tacana Smithi (mlandid) ap laman c [50] [Large heads of rich let	mon flowers,
Thunbergia gr lemon 6 50 flushed orange. See page 109.	
4609 Tommasinia verticillaris hP yel. 1 25 Splendid single lawn	plant.
4610 Torenia Fournieri tA pur 25 For borders and bask	
4611	
4616 Trachelium cœruleum	greenhouse
4616a Trachymene cœrulea (Didiscus) gA 5 Fine long blooming an	
4618 Trifolium suaveolens	
4691 Intoma uvaria 2 3 hnr or red 3 10 flowering plants;	have very
showy spikes of block	om.
Tropæolum See page 109. 4622 Tunica saxifraga 2 white 1 5 Pretty for rockwork.	
4623 Tydæa hybrida grandiflora gP mixed 50 Popular greenhouse pl	ant.
4624 Valeriana alba	weet-scented
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
4628 Venidium calendulaceum 2 3 hhA orange 1 5 Beautiful for borders of	or pots.
4630 Venus' Looking-Glassoz., 25c. 1 2 hA blue %4 5 (Specularia.) Pretty; 4633 White	good edg-
4635 Venus' Navelwort (Omphalodes) white 5 ing plant.	lower, easily
linifolia)	Resutiful
4637 Verbascum pannosum nP yel. 5 10 \ white, woolly leaves.	
Verbena hybrida— 2 3 hhP scar. 1½-2 10)	
4640 —Defiance 10 4641 Blue Black, White Eye bl.&w. 10	
4642 Yellow yel 10 All of this genus ar	
4642a Golden-leaved 10 beautiful and ornan defa candidissima (pure white) white 10 ering profusely, eit	
4644 auriculæflora mixed 10 plants or in the g	arden. Our
4646 Italica striata	
4649 Mixed per oz., 75c mixed 5 duce healthy plants	, with flow-
4651 Mammoth Mixed " 2.50 10	
Collection, including 6 vars. Verbena	
4652 Verbena (Aloysia) citriodora gP white 3 10 (Lemon Verbena.) Sce	nted leaves.
4652a Veronica Virginica	
4654 Wick Cowardii 9 9 h	
4655 fulgens d. red 10 Pretty pea-snaped now	ers.
4657 Vinca alba (pure white) tP white 10 Fine for conservatory, 4662 rosea rose 10 days and harders on	
4663 —alba ro.&w 10 dows and borders or pretty.	beds; very
4664 —Mixed mixed 10 presty. 4665 Violets, Sweet-scented 1 2 blue ½ 10) (Viola.) All have gr	reat beauty
4667 The Czar. 10 and fragrance. The	seed takes
4669 White white 10) a long time to germin	rate.

-		Time of	Hardiness and n.	Color of the Flow	John de la constant d	Price per	70/
	NUMBER and NAME.	1	988	$\left egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} arr$	i ii	7 / 2 A	General Observations
	NUMBER and NAME.	16 01 F.	din	the contraction of	Sht	og og	General Observations.
AST .	¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Tim	Hardiness	Colc	Height in	Pric	
4673	Viola cornuta, Purple Queen	1 2	tP	pur.	1/2	ets. 10	Fine and early-flowering. See
$\frac{4674}{4675}$	-Mauve Queen			white		10 10	Violets.
4677	Virginian Stockper oz., 20c.		hA	red	1	5	
$\frac{4678}{4678a}$	White			white crim.		5 5	(Malcolmia maritima.) Early flowering and fine.
4678b	Mixed " 20c.			mixed		5) we were and and
4679 4680	Viscaria elegans picta			sc.&w.	$\frac{1\frac{1}{2}}{\frac{3}{4}}$	5 5	Abundant blooming, hardy an-
4680a	—cœrulea			blue		5	nuals, very effective in massing.
$\frac{4681}{4681}a$	—alba —Mixed			white mixed		5 5	They are easily grown, and succeed best in light, rich loam.
4681b 4682	Wallflower, Brownper oz., 40c.		hP	brown	$\frac{1}{1\frac{1}{2}}$	5 5)
4683	Yellow			yel.		5	(Cheiranthus Cheiri.) Favorite
$4683a \\ 4684$	Harbinger, Early			golden		5 5	sweet-scented flowers, of fine
$\frac{4686}{4687}$	German Double		hA			10 10	colors; useful as spring bedders. No. 4687 is one of the
2001	Collections of Wallflower, includ'g		HZX		• • • •		most valuable of recent intro- duction, flowering the first sea-
	12 vars. Double German					\$1 00 80	son from seed.
4000	6 " " "					65	
$\frac{4688}{4689}$	Whitlavia grandiflora.per oz., 40c. —alba			white		5 5	Pretty bell-shaped flowers; free-
4690 4691	gloxinioides	2 3		b. & w.		5 5	flowering.
4692	Worms (Scorpiurus)		†tP	scar.	1 4	10	Seeds are very curious. Fine tropical leaves.
	Xeranthemum						See page 113.
4693	Yucca baccata		hhP	gr. wh.	3	10)
$\frac{4694}{4695}$	brevifoliafilamentosa				15 3	10 10	Very showy, attractive plants for the sub-tropical garden, with
$\frac{4697}{4697a}$	Whipplei				2	10 10	numerous large white flowers.
40310	Zinnia, Double—					10	
4698	Tall Carmineper oz., 40c.		hA	car.		5	7
$\frac{4699}{4700}$	—Flesh-colored " 40c.			flesh		5 5	
$\frac{4701}{4702}$				lilac pur.		5 5	
4703 4704	—Rose " 40c.			rose scar.		5 5	
4705	-Violet			violet		5	Fine bedding and border plants,
$\frac{4706}{4707}$	-Yellow, Sulphur " 40c.			white yel.		5 5	blooming long and abundantly. Beds of these are greatly ad-
$\frac{4708}{4709}$	——Golden " 40c.			mixed		5 5	mired. The colors are varied and bright and the plants easily
4710	-Pompon " 50c.					5	grown. Should be more exten-
4711 4711a	-Mammoth Porcupine Quilled					5 10	sively cultivated, as the varieties have been much improved
$4712 \\ 4713$	Dwarf Crimsonper oz., 50c. —Purple			crim.	11/4	5 5	of late. 4721 and 4721a are very dwarf double varieties, forming
4714 4715	—Salmon " 50c.			salmon		5	compact, free-flowering bushes;
4716	-Bright Scarlet(fine) " 75c.			b. scar.		5	fine for edging. 4711 has most magnificent, extra large blos-
4717 4718	—White			white yel.		5 5	soms of rich colors. 4723 is a splendid new variety, most grace-
4719 4720				mixed		5 5	fully curled and crested. The collections here offered will be
4720a	-Lilliput Scarlet Gem			scar.	3/4	10	found very choice, and are sure
4720t 4721	-Tom Thumb Whiteper oz., \$1			white	1/2	10 10	to give satisfaction. Zinnias succeed best in a rich, deep,
4721a $4721b$	———Orange			orange mixed		10 10	loamy soil and in a sunny situation.
4722	-Haageana, Double. " \$1.25			yel.	1	10	
4723	—Curled and Crested Mixed Collections of Zinnia, including—			mixed		10	
	10 vars. Beautiful Double					50 40	
	8 " Dwarf Double					50 40	
4724	Zygadenus glaberrimus		hP	white	2	10	Handsome native wild-flower.

VINES AND CLIMBERS.

			ring	Polor of the Fi	ower.	reet	icket
	NUMBER and NAME.	Jo. 7.	iness	of Fig.	it in	per	General Observations.
AT.	%oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness	Color of the Ri	Height in E.	Price per	
4725	Abrus precatorius	2	gP	pur.	12	ets.	"Prayer Bean." Very pretty green-
4726	Adlumia cirrhosa		hB	pink	15	10	Beautiful climber.
$4727 \\ 4727a$	Aristolochia Siphoelegans		hP gP	br.& yl. pu.&w.	30 20	25 25	The "Dutchman's Pipe."
4728 4729 $4729a$	Asparagus verticillatusoz., \$2 Sprengeri		hP gP	white	12 	10 25 10	Very beautiful fern-like foliage, fine for bouquets.
4730	Balloon Vineper oz., 20c.	2 3	hhA	w.&gr.	10	5	(Cardiospermum.) Very pretty.
4732	Calampelis scabra	3	†hP	orange	6	10	Fine for trellis.
4734	Canary-Bird Flowerper oz., 50c.	2 3	hhA	yel.	10	5	One of the best old favorites.
4738	Centrosema grandiflora	1 2	hP	var.	6-8	10	("Butterfly Pea.")
4750 4752 4759	Clematis flammulapaniculata	2 3		white	15 8-40 var.	5 5 10	(Virgin's Bower.) Very fragrant; for other sorts, see Tree Seeds.
4764 4766	Clitoria ternateaalba		hВ	blue	15	10 10	Beautiful greenhouse and conservatory climbers.
4768 4769 4770	Cobæa scandens per oz., 75c. —alba macrostemma (new)		†tP	pur. white violet	20	10 25 10	Rapid-growing; start in the house.
4774 4776 4777 4778	Convolvulus aureus superbus major, Morning Gloryoz., 15e. —Double Morning Glory Imperial Japanese Morn'g Glory.		hhA hA	gold mixed	5 10 	10 5 10 10	Pretty, and fine for baskets. The Morning Glory is good for screens. No. 4778 has very large flowers in great variety of most
4780	Mauritanicus		hP	blue	trai.	10	exquisite colorings, and hand- some variegated foliage.
4782	Cypress Vine		hA	pur.	10	5	See Ipomæa Quamoclit.
4784 4786 4787	—alba '' 15c. —Mixed '15c. gigantea			white mixed white		5 5	(Hyacinth Bean.) Rapid-growing and free-flowering; good for screens.
4795 4796	Humulus Japonicus	3	tA 	green	15–20	10 10	(Climbing Hop.) 4796 has beautiful variegated foliage.
4798 4800	Ipomœa coccinea per oz., 15c. —lutea "20c.		hA	scar.	10	5 5)
4801 4802	chrysantha		†gP			10	These are very beautiful, free-
4804	scarlatina		hA	scar. mixed	30	10 10	blooming plants of the Morning Glory family, and useful for
4806 4807	Northern Light Horsfalliæ		tP	lav.	15	$\frac{10}{25}$	covering verandas, trellis-work, etc. No. 4816 is the so-called
1808	hederacea grandiflora		tA	blue		5	"Moon-Flower." Nos. 4807, 4824,
4810 4812	—marmorata			mar.		5 5	4826 and 4828 are also beautiful greenhouse climbers. No. 4830
1814	limbataper oz., 20c.			v. & w.	5	5	is the beautiful "Brazilian Morn-
4816 4817	Mexicana grand. alba " 75c. — — hybrida	3		white	15	10 10	ing Glory." "Northern Light" is a cross between the Moon-
4820	bona nox (Good Night)oz., 20c.	2 3				5	Flower and the Brazilian Morn-
4822 4824	hybrida "Heavenly Blue" Leatii		gP	blue v. b.	10 15	25 25	ing Glory. It is very early, and the flowers are extra large and
4826	rubro-cœrulea			b. red	8	10	of a lovely pink-lavender color.
4828 4830	— —alba setosa		tP	white		10 10	
4835	Quamoclit (Cypress Vine)	••••			10		I. Quamoclit is the well-known
4836	—White per oz., 30c.		tA	scar.	10	5 5	Cypress Vine; has very beautiful, bright flowers, and is de-
4837 4838	—Mixed		hA	mixed scar.		5 5	servedly popular.
1000	Collection, including 12 varieties		нА	Scar.		50	J
4845 4854	Kennedya cœrulea	1 3	gP.	blue scar.	12 4	25 25	These are fine, profuse bloomers for the greenhouse. Do best in
4855	rubicunda			d. red		25	sandy loam.
4860	Lapageria rosea			rose	15	50	Beautiful greenhouse climber.

VINES AND CLIMBERS-continued.

			gu /	ion	le /	200	/ ket
	NUMBER and NAME.	J	Hardiness and n	Color of the Flore	Height in Fo.	Price per	General Observations.
, POT/	oz, at oz. rate only on articles quoted at	Time of	rdin	lor chi	igh	ice 1	
	\$1 per oz. and over.	/E	Ha a	/ °C	He	A	
	athyrus—	0		2. 2		cts.	
880 881	Everlasting Pea, White	2	hP	white scar.	8	$\begin{bmatrix} 10 \\ 5 \end{bmatrix}$	
882	splendens			Sour.		10	See also Sweet Peas, page 110
883	——Mixed per oz., 50c.			mixed		5	Handsome perennials, produc
883a 884	splendens (true)	1 3	hA	scar. blue	6	10 5	ing beautiful flowers. For dwarf Sweet Pea "Cupid." se
885	White " 15c. 15c.			white		5	pages 105, 111.
885 <i>u</i>	rotundifolius		hP	red		- 5	
885b	tingitanus	2 3	hA tP	d maga	8	5)
886 L 886a	coccineum	4 5		d. rose scar.		$\frac{10}{25}$	Trumpet-shaped flowers.
	andevillea suaveolens		gP	white	10	10	Seautiful greenhouse climbers
	aurandya antirrhiniflora	1 3	†gP	pur.		10	very fragrant.
890	Barclayana			bl.&w.		10	Abundant bloomers, and very de
892	alba			white		10	sirable for the greenhouse an
894 895	Emeryana rosea			rose pur.		$\begin{vmatrix} 10 \\ 10 \end{vmatrix}$	garden. Should be in ever collection.
900	Mixed			mixed		10	confection.
901 N	lina lobata		tA	wh.&r.	15	10	Curious; free-bloomer; fine.
IV	loon-Flower						$\{ \begin{array}{ll} { m See} & Ipom lpha a & Mexicana & grand \\ & flora & alba. \end{array} \}$
	lasturtium, Tall-		16		_	_	, jiora aioa.
902 903	Blood-coloredper oz., 15c. Orange	2 3	hA	d. red orange	5	5 5	
904	Yellow			yel.		5	
905	Scarlet " 15c.			scar.		5	
906 907	Shillingi, bright yel. " 15c. Rose " 15c.			o. yel.		5 5	(Tropwolum majus.) Very goo
908	Striped			strip.		5	for screens or stone walls; a are very showy in flower, an
910	Schuerianum " 15c.			spot.		5	desirable acquisitions to grow of
910a - 911	—coccineum " 15c. Schulzi " 15c.			scar.		5 5	a trellis or fence. In light so
911a	Edward Otto " 15c.			brown		. 5	they flower profusely and for
912	hemisphericum "15c.			orange		5	long time.
912a C	Mixed per lb., 75e "10c. ollections, including—			mixed		5	
·	12 vars. Nasturtium, Tall					50	
0107 🗪	8 " " " " " " " " " " " " " " " " " " "		hh A	Lloo	10	40)
9120 F 913	Passiflora cœruleaedulis		hhA	blue white	$\frac{10}{25}$	10	Called "Passion Flower" on a
914	gracilis			· · · · ·	10	10	count of a fancied resemblance
$\frac{914a}{914b}$	incarnatalutea			pink	25	10 10	in the flower to the appearance presented at Calvary.
	Phaseolus Caracalla			yel.	5	10	
916 F	amœnus		hA	red	3	25	Curious fragrant flowers.
917 S	milax (Mrysiphyllum aspara-						Extensively used for floral dec
	goides)per oz., 75c.		gP	white	6	10	frations; very pretty foliage.
918 T 919	hunbergia alata		hhA	bff.&d. white	5	5 5	Very ornamental climbers an
920	-aurantiaca			orange		5	abundant bloomers. They a
922	—Bakeri			white		5	also very effective as beddin plants, if a little pains be take
924 926	Fryeri. sulphurea			orange sul.		5 5	with them. Thrive best in
928	—intus alba			p. yel.		5	rich compost of fibrous loam ar
930	-Mixed per oz., 40c.			mixed	10	5	The Canary-bird Flower.
932 T 936	ropæolum Canarienseoz., 50c. Lobbianum Brilliant "25c.			yel. d. scar.	10	5 5	The Canary-bird Flower.
938	-Crystal Palace " 25c.			br. red		5	
940	—Asa Gray " 30c.			white		10	These are very beautiful improve
944 945	-Queen Victoria " 25c. -fulgens " 30c.			scar.		5 5	Nasturtiums, of most brillian
946	-Lucifer " 30c.					5	colors. Fine for either the conservatory or outdoor decoration
948	—Spitfire " 25c.			hlood		5 5	Thrive in light, rich soil. Se
949	-Crown Prince of Prussia "30c. -Lilli Smith "30c.			blood cr.& sc.		5	also Nasturtium. No. 4954 ar
951	—Mixed " 20c.			mixed		5	4956 should be grown in pot 4952 is a new strain, with ver
952	Mad. Gunter Hybrids		+aD	0 6 77		10	dark foliage and a richness
1954 1956	pentaphyllumtricolor grandiflorum		†gP	o. & y.	5	25	color surpassing all other sort
	ollections, including-						
	12 vars. Tropæolum Lobbianum					50	



SWEET PEAS, NAMED VARIETIES—continued.	Dow 1/1h	Don 1b
Bronze KingStandards coppery bronze; wings pure white; distinct\$0 10	Per ¼lb. \$0 20	\$0 60
Butterfly		60
Captain of the Blues Bright purple and pale blue 10 Captivation Light magenta, self-colored 10		$\frac{60}{100}$
Captivation Light magenta, self-colored 10 Cardinal Crimson-scarlet 10		50
CoquetteDeep primrose, shaded fawn		. 75
Countess of Aberbeen White, margined with pale pink		75
Countess of Radnor Standards delicate lavender; wings dark mauve; lovely 10	30	1 00
Crown Jewel Creamy white, veined with violet-rose		75
Cupid, White		1 25
Cupid, Pink		2 00
Daybreak Crimson-scarlet on white ground 10 Duchess of York White, suffused with delicate pink 10		1 00 60
Duke of YorkBright rosy pink standards; primrose wings, tinted white 10		60
Duke of ClarenceRosy claret; self-colored flowers; extra large		1 00
Eliza Eckford	25	75
Emily Eckford	30	1 00
Emily HendersonSplendid pure white; good for forcing		60
Fairy Queen		75
Firefly		1 00 75
Caiety Standards white, striped rosy lilae; wings blush 10 Golden Gleam Beautiful primrose; the finest yellow 10		1 00
Cray Friar Beautiful watered purple, on white ground 10		1 00
Her Majesty Beautiful soft rosy pink; very large flowers		75
IgneaFiery crimson-scarlet, slightly flushed with purple 10	30	1 00
Indigo KingMaroon-purple standards; indigo-blue wings	20	60
Invincible Scarlet		60
Isa Eckford		75
Juanita		1 00
Katherine Tracy Soft brilliant pink 10 Lady Beaconsfield Salmon standards, tinted rose; wings pale yellow 10		1 00 75
Lady Penzance Beautiful bright rose; splendid form 10		75
Lemon Queen		75
Little Dorrit	30	1 00
Lottie EckfordRose and white, edged with blue	. 25	75
Meteor Bright orange-salmon standards; wings light pink 10		1 00
Mikado Orange-cerise ground, striped white 10		75
Mrs. Eckford		75
Mrs. Gladstone Delicate soft pink, with rosy blush wings		75 75
Mrs. Sankey		75
NoveltyScarlet, orange-tinted		1 00
OddityPale carmine, edged bright rose		1 00
Orange PrinceOrange-pink, flushed with scarlet		75
Ovid		60
Peach Blossom		60
Prima DonnaLight blush pink; very beautiful; large flower		1 00
Princess of Wales		. 75 75
Queen of the IslesWhite and red, striped and mottled		60
RamonaVery large flowers, creamy white, shaded pale pink 10		1 00
Red Riding-HoodRosy pink, shading to blush white at the calyx	25	. 75
Royal RobeDelicate pink standards; wings soft blush pink 10		75
Senator		75
Stanley		75
The Bride Beautiful pure white 10 The Queen Mauve and pink 10		1 00 60
Venus Salmon-buff; standards delicately shaded with rosy pink 10		75
Vesuvius		60
SWEET PEAS IN MIXTURE.		
	Per ½lb.	Per lb.
new and choice large-flowering varieties	\$0 40	\$0.75
Eckford's Mixed. Composed of Eckford's varieties only 10 20 Standard Mixed 10 10	30 20	50 30
Five cent packets may be had of all Sweet Peas except those otherwise markets	ed.	

ORNAMENTAL GOURDS and FRUIT-BEARING VINES and PLANTS.

-			ring	tion	Foor	2001	cket
	NUMBER and NAME.	P. O.	Hardiness and D.	Color of the Flor	Height in Food	Price per	General Observations.
N. T.	$\sqrt[1]{}$ oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hard	Colon	Heig	Price	
4964	Abobra viridiflora	2 3	tA	green	6	ets.	Pretty scarlet fruit.
4965	Arcisia crenulata		gS	red	5	25	Splendid decorative plant, bearing
	Balsam Pear and Apple						bright coral berries. See Momordica, below.
4966	Benincasa cerifera		tA	yel.	6	10	Black, wax-like gourd.
4968	Bryonopsis laciniosa erythrocarpa	2		red	5	10	Very ornamental.
4970	Coccinia Indica	2 3			6	10	Oblong fruit, marked with white lines, turning scarlet.
4972	Cucumis erinaceus (Hedge-hog						imes, turning scariet.
4973	Gourd)acutangulus (Rag Gourd)	2	hhA	yel.	8	5 5	Of extremely rapid growth, and
4974	flexuosus (Snake Cucumber)	2 3			10	5	bears curious fruits. 4973 is the Rag or Dish-cloth Gourd, the
4976	grossulariæformis (Gooseberry Gourd)	2			6	5	peculiar interior of which is useful in the kitchen when prop-
4978	odoratissimus (Pomegranate Melon)					. 5	erly prepared.
49 80	perennis (very fine)	2 3	hhP		15	5	
	Cucurbita						See Gourds.
4981	Cyclanthera explodens	2	hhA		. 8	10	Curious.
4981a	Echinocystis lobata			green	12	10	(Wild Cucumber.)
4 981 <i>b</i>	Eopepon vitifolius	3	hhP	white	10	25	Ornamental.
4982	Gourds— Mock Orange	2	tA	yel.	15	5	
4983	Egg-shaped			, yer.	10	5	
$\frac{4984}{4986}$	Apple-shaped					5 5	Excellent for covering verandas
4987	Onion-shaped					5	or trellis-work, and for training
4988 4989	Hercules' Club Sugar Trough				15	5 5	over arbors, fences, etc. Of very rapid growth, with curious
4990 4991	lagenaria (Bottle Gourd)					5 5	fruits and highly ornamental foliage. Cultivate the same as
4992	-Miniature Powder Horn					5	melons or squashes.
4993 4997	Dipper				10-15	5 5	
1001	Collection, including				10 10		
	12 vars. Gourds, small					50	
5007	Melothria scabra	3	hhA	l. b.	10	10	Tropical vine.
5008 5010	Momordica balsamina			yel.		5 5	The well-known Balsam Pear and Balsam Apple.
5012	Elaterium					5	(Squirting Cucumber.)
5013	involucrata					25	
5014	Mukia scabrella	3				10	Fruit reddish when ripe.
5018	Phaseolus multiflorus	2 3	tA	scar.	15	.5	(Scarlet Runner Bean.)
5020	Scotanthus tubiflorus	3	tP	white		25	Bears pretty fruit.
5022	Solanum, White Egg-plant		tA		1	5	1
5024 5025	Scarlet Egg-plant Striped Egg-plant			scar.	2	5 5	
5038	pseudo-capsicum nanum		gP	white	1	10	The Solanums are very ornamen-
$5040 \\ 5042$	Wetherill's Hybridrobustum.	2 3	tA	bl.	2 3	10 10	tal fruit-bearing plants, and
5046	capsicastrum		gP	yel.	2	10	thrive best in light, rich soil. All are worth cultivating.
5047 $5047a$	Hendersoni			pur. white	3	10 10	
	Collection, including 6 vars. Solanum					45	
	Squirting Cucumber						See Momordica Elaterium.
5048	Trichosanthes colubrina	3			4	10	(Speke Count) Se called from
5050	coccinea	2		yel.		10	(Snake Gourd.) So called from the shape of its fruit.
5052	palmata			white		10	-
	Wild Cucumber						See Echinocystis lobata.



SEEDS OF EVERLASTINGS.

For the Formation of Wreaths and Winter Bouquets.

AG	NUMBER and NAME. F-4/oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and p.	Color of the Flores	Height in Fox	Price per	General Observations.
5054 5056 5057 5058 5059	Acroclinium roseum —album —Mixed —Double Rose —White		hhA	v. & ro. white mixed rose white	1	cts. 5 5 5 10 10	Exceedingly graceful plants, with everlasting flowers; much used for winter decorations. The flower heads should be gathered when young, if to be preserved.
$5060 \\ 5061$	Ammobium alatumgrandiflorum		hhP		2	5 5	Pretty, and easily cultivated.
5062 5064 5065 5066 5070 5071 5072 5073 5075	Gomphrena globosa —alba —violacea —carnea —striata —nana compacta rubra ——alba —Mixed aurea superba Collection, including	2 3	hA	white violet pink strip. v. red white mixed orange	1 1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	The Globe Amaranths are known by their round heads of flowers; also called "Bachelors' Buttons." An old favorite for winter bouquets. The best soil is a mixture of sandy loam, stable manure and some silver sand.
5076 5078 5079 5080 5081 5082 5098 5100	6 vars. Globe Amarinth Helichrysum bracteatum —album —atrocaceineum —atrococeineum —Mixed macranthum monstrosum, Double —Dwarf, Double Collections, including— 12 vars. Double 10 "" 8 "" 6 "" 6 "" 6 ""			yel. white d. red d. scar. mixed rose mixed	2 1 2 ½	30 5 5 5 5 5 5 5 5 5 5 5 5 40 30 30	("Eternal Flowers.") All are greatly admired for their beauty. The flowers are large and the colors bright. They are highly prized for winter bouquets. Flowers intended for drying should be gathered when partially unfolded, and suspended with their heads downward in a cool shed. Succeed best in rich, loamy soil.
5107 5108 5110 5114 5115	Helipterum Sanfordii corymbiflorum Rhodanthe maculata —alba —Mixed		tA	yel. white r. & w. white mixed	1	10 10 10 10 10	Resemble Helichrysum, and are useful in the same way. Very beautiful, delicate looking Everlastings, much prized for
5118 5119 5120 5122 5125 5126 5127	Manglesii Shortia Californica Xeranthemum annuum —album —multiflorum — album —superbissimum fl. pl. Collection, including—	2	hA	ye!. pur. white fur. white pur.	½ 1 2 	10 5 5 5 5 5 5	winter bouquets. Handsome yellow Everlasting. One of the oldest Everlastings; the flowers retain their color and form longest of all.
	6 vars. Xeranthemum					30	

ORNAMENTAL GRASSES.

Many of these Grasses, if cut before they are entirely ripe, will be found useful in the formation of winter bouquets, in connection with the Everlastings.

		ing/	tion	Jost / de	300	Ket
NUMBER and NAME.	Time of	Hardiness and n	Color of the Flore	Height in Face	Price per	General Observations.
\$3 /4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.		Har	Colo	Hei	Pric	
5128 *Agrostis nebulosa	ź	hA	apet.	1	cts. 5 5 10	Very fine for vases and bouquets. The plumes of A. nebulosa are very delicate.
5136 *Andropogon argenteus	3	hP		3	5	Dense flowers, very silky, with bright white hairs.
5138 Arundo Donax				10	5 10	Fine subtropical plants of stately growth; ornamental in habit.
5144 Avena sterilis	2 3	hA		3	5	(Animated Oats.) Curious.
5150 Briza geniculata. 5152 gracilis. 5154 maxima.				1 1½	5 5 5	Quaking Grass.) No. 5154 is very pretty for bouquets.
5158 Bryzopyrum siculum				3/4	5	Dwarf species of Spike Grass.
5160 Bromus brizæformis 5162 macrostachyus 5164 madritensis		hP		2	5 5 5	No. 5160 is very fine for winter bouquets. To this genus belongs the Cheat Grass, a well-known pest.
5165 Chloropsis Blanchardiana		tP			25	Dwarf; very fine for edging.
5166 Chloris barbata vera 5168 truncata				1 3⁄4	5 5	Elegant for groups, and also good for baskets.
5170 Chrysurus cynosuroides		hA		1	5	Pretty for edging.
5172 Coix lachryma				1½	5 10	(Job's Tears.) So called from the resemblance of the seed to a tear-drop.
5175 Cryptopyrum Richardsoni	2			2	10	Very fine grass.
5176 Eleusine barcinonensis				1	5 5 5	(Crab or Yard Grass.) E. Indica is the Wire Grass.
5178 Elymus hystrix	1	hP		4	5	From the Crimea. Odd.
5180 Eragrostis elegans	2	hA		1	5 .	(Love Grass.) Pretty Grasses,
5182 amabilis 5183 Abyssinica 5184 maxima 5185 suaveolens					5 5 5 5	growing about a foot high, and characterized by their beautiful dancing spikelets; fine for bouquets.
5188 Erianthus Rayennæ 5190 *—foliis variegatis	2 3	hP	1	10	5 10	(Plume Grass.) A very fine and stately-looking grass.
5192 Eulalia Japonica	1			5	10	Among the most beautiful of the tall-growing grasses.
5196 Festuca glauca				2	10	(Fescue Grass.) Ornamental.
5198 Cymnothrix (Pennisetum) caudata 5202 latifolia		tP 		8		Grown chiefly as curious and ornamental grasses.
5205 * Cynerium argenteum. 5207 *—fol. variegatis					5 10 10 10	(Pampas Grass.) This is the no- blest of the tall-growing grasses, and bears magnificent plumes, much used in floral decoration.
5208 jubatum		hA		2	5	(Squirrel-tail Grass.)
5213 Isolepis gracilis			1	1/2	- 10	Very pretty rush-like grass.
5216 Lagurus ovatus				2	5	(Hare's-tail Grass.)
5218 Lasiagrostis argentea		hP.		3	5	Fine for winter bouquets.
5225 Panicum virgatum		hA		3	5 10	Very showy and hardy perennial grasses.

NUMBER and NAME. ***Jor. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and p.	Color of the Flore	Height in Feet	Price per	General Observations.
5228 Pennisetum villosum 5228a Rupellianum (new)	2 3	hA 	apet.	1½ 3	cts. 5 25	Ornamental grass. 5228a has beautiful crimson plumes.
5229 Poa amabilis			apet.	2	5	Pretty for bouquets.
5230 Setaria macrochæta				1½	5	Ornamental grass.
5234 *Stipa pennata		hP ····			5 10	(Feather Grass.) Grown for their very graceful plumes.
5237 Tricholæna violacea	2 3				10	A very pretty grass.
5242 Tripsacum dactyloides				4	5	(Sesame Grass.) Singular.
5248 Zea Japonica 5255 Miniature Maize 5256 Cuzko 5258 quadricolor New; fine				3	5 5 5 5	$ \begin{cases} \text{Ornamental varieties of Corn.} & Z. \\ Japonica \text{ has beautifully striped} \\ \text{leaves.} \end{cases} $
	(COLLI	ECTION	ıs.		
95 reminting graces Ornamental						40.75

25	varieties	grasses,	Ornament	tal\$0 ′	75
12	6.6	6.6	6.6		50

PALM SEEDS.


The Palm seeds we offer are imported direct from approved sources in Australia, New Zealand, South America, Central America and the West Indies, and are unexcelled in quality and purity. Fresh seeds arrive throughout the year, as the various species mature, but the greater number come during the spring and summer.

		Pkt.	100 seeds	Pkt.	100 seeds
Areca Baueri	12 seeds	, \$0 25	\$1 25	Dracæna Draco	\$1 50
" lutescens	12 "	25	1 25	rubra25 " 25	75
sapida		10	1 00	Geonoma Schottiana 8 " 25	2 50
Brahea filifera (Washi	ingtonia)25 "	10	30	" gracilis 8 " 25	2 50
robusta	15 "	10	60	Kentia Belmoreana	1 50
Chamærops Canarien	sis 8 "	10	1 00	" Forsteriana12 " 25	1 50
elegans a	rgentea12 "	25	1 25	Canterburyana (Um-	1 00
" excelsa.	25 "	10.	30	brella Palm)12 " 50	3 00
" hamilis.	20 "	10	40	" Morei	4 00
Cocos australis		25	2 50	Latania Borbonica12 " 10	50
" Bonnettii	8 "	25	2 50		90
campestris	10 "	25	2 25	Musa Ensete (Abyssinian Ba-	0.00
ff plumosa	10 "	25	2 25	nana)10 " 25	2 00
flexuosa	10 "	25	2 25	Oreodoxa regia (Royal Palm) 8 " 10	1 00
Weddelliana	8 "	. 25	2 50	Pandanus utilis (Screw Pine)15 " 25	1 25
Yatai	6 "	25	3 50	Phœnix Canariensis	60
Corypha australis	(Cabbage			dactylifera (Date Palm).12 " 10	50
Palm)	10 "	10	60	" reclinata	1 25
Cycas revolutaea	ach, 5 cts 6 "	25	3 50	" rupicola	2 00
Dracæna australis	20 "	10	25	" tenuis 8 " 10	1 00
" indivisa	25 "	10	25	Ptychosperma Alexandræ12 " 25	1 50
ii line	eata25 "	10	25	Seaforthia elegans 8 " 10	1 00

In April we shall have a large importation of Cycas revoluta (Sago Palm) stems direct from Japan in various sizes.

HONORS TO J. M. THORBURN & CO. FROM THE AMERICAN INSTITUTE . .

The FIRST PREMIUM (Silver Medal) was awarded to J. M. THORBURN & Co. at the American Institute Fair, 1898, for a general exhibit of Vegetables grown entirely from their own HIGH-CLASS SEEDS, and of Flowering Bulbs, Mushroom Spawn, and Seeds.



1,000

Doz. 100

GLADIOLUS.

VARIOUS MIXED GLADIOLI.

1,000

Mixed	Varieties of Red and			Mixed Yellow and Orange\$0 60 \$3 (00 \$26 (00
	Scarlet\$0 35 \$1	50 \$	810 00	" Hybrids. All colors 35 1	50 11 (00
66	White and Light. Stan-	0=	70.00	" Finest Selected Seedlings.		
	Comment of the commen	25	18 00	All colors 40 1	75 12 (00
66	White and Light. Extra fine for florists' use 75 4	00	32 00	" Lemoine's. Fine, Bright		
84		75	22 00	colorings and odd mark-		
11		00	15 00	ings 40 2	00 15 (00
	Pink ±0 2	00	10 00	11165 10 2	70 10	00
	EINE NAM	ED	TIV	DDID CLADIOLI		
	FINE NAM	IED	η П.	BRID GLADIOLI.		
		ach	Doz.		ach Doz	z.
	n. Dark amaranth, white stripes\$0	10	\$0.75	Fra Diavolo. Long compact spike of large		
	Courbet. Tall spike of large car-			orange-rose flowers, flushed violet-red at	70 07	00
	violet flowers; lower petals have a	7.0	ਰਵ	edges of sepals; large pale yellow blotch.\$0	10 \$1	00
	blotch, streaked cherry-rose	10	75	Ida. White ground, slightly tinted with		
	Rose, suffused with lake, flamed armine amaranth, clear yellow spots	10	75	rose, flamed with carmine-rose, lower	10	75
	nee. Pure white; large violet-red	10	10	petals light yellow	10	75
hlotek	, ground of the corolla velvety violet,		-	Lamarck. Cherry colored, slightly tinted	10	me.
	petals tinted lilac	15	1 50	orange, blazed red, large pure white stain.		75
	Rosy lilac, with a large light rose			Le Phare. Brilliant fiery red; very showy.	10 1	00
	, finely striped white in the center	10	75	Leviathan. Enormous flowers, delicate		
Archdu	chesse Marie-Christine. White			bright rose, flamed and striped carmine;	10	
	ly tinged lilac, flamed rosy carmine.	10	75	amaranth blotch on creamy white ground	10	75
	e. Fine satin rose, flamed with			Loredan. Bright cherry-rose, speekled	15 1	0=
	t carmine	10	75	cherry-white and slightly shaded slate color.	15 1	25
	Brilliant light orange-red,	10	1 00	Mme. Furtado. Fine rose, shading off to	10 1	00
	ion. Large, well-expanded flowers	10	1 00	rosy white, flamed with ruby Maria Dumortier. White, slightly streaked	10 1	00
	leshy white color, tinged at the edges			with rose, violet-purple blotch	10 1.	.00
	the richest carmine	15	1 25	Matador. Fine spike with splendid flow-	10 1.	00
	eur. Long, compact spike of large	10	1 -0	ers of brilliant carmine-red, striped and		
	rs, white in center; sepals flushed			blotched pure white	10	75
	ne-red on a pale lilac ground	10	1 00	Noemi. Light rosy lilac		75
Eldora	do. Clear yellow, the lower petals			Pericles. Light rose, flamed with carmine-		
	ked with red	20	2 00	purple, large pure white blotch	10	75
	eth. Dark rose, flamed with bright			Reverend Berkeley. Light rose, tinted		
	ne-purple; large purple-carmine	4.0		violet-carmine, feathered white blotch	10	75
	with white stripes	10	75	Seduction. Rosy, salmon-colored flowers;		
	oucle. Dark carmine-red, verging			throat very clear with large white blotch,		
	enade, pure white band and blood-red on lower petals	10	1 00	feathered carmine	10 1	00
	rd. White, tinged with carmine	10	1 00	Sirene. Delicate rose, slightly tinted		
	e Ramey. Flowers large, purplish	20		orange, flamed with red; red blotch on	70 7	0.0
	anth, with a sheen of ivory-lilac,			yellow ground		00
	slightly mottled with slate	10	1 00	Snow White. Superb pure white	20 2	00
Fatma	. Very large flowers of ivory-white			Sultana. Bright satin-rose, flamed carmine,	70 7	00
	sely striped and suffused bright rosy			purple-carmine blotch on white ground		00
	on; violet blotch on creamy ground	10	1 00	Surprise. Rose-amaranth; late blooming.	10	75
	n David. Cherry, light carmine,	7.0	~-	Teresita. Upper petals pure white, suf-		
	ered white blotch	10	75	fused rose and striped carmine at the	10 1	00
	Het. Well opened flowers with ivory-			edges; lower petals rose, striped violet.	10 1	00
	throat, richly tinted and striped with	10	75	with white; very fine	10 1	00
	ine at the edges	10	1 00	Venus. Pure white, flamed light rose		00
Flamb	Dance Large nowers of hery scarlet	10	1 00	wenus. Ture white, named fight rose	10 1	00

NEW GIANT CHILDSI GLADIOLI.

Price, 20 cts. each, 6 for 90 cts., 12 for \$1.50.

These are much more vigorous than others. They are very tall and erect, often standing 4 or 5 feet high, with spikes of bloom over 2 feet long. The flowers are of great substance and of gigantic size, frequently 7 to 9 inches across. The form of both flower and spike is perfection itself, and they last long in bloom before fading, owing to their great substance and vigor, but the most remarkable feature is their coloring. Every color known among Gladioli is represented, and many never before seen, particularly blues, smoky grays and purple blacks, all having beautifully mottled and spotted throats, made up of white, crimson, pink, yellow, etc.

Brilliant. Beautiful orange-red, with carmine and white throat. Superior to Flamboyant, Meyerbeer, and other red varieties.

Boston. Flaming orange-scarlet, with large, pure white, violet mottled throat.

Dr. Sellew. Large spike and very large flowers of great substance. Deep, rich, rosy crimson, slightly penciled darker. Throat pure white, mottled and spotted.

Ethel. Beautiful soft rose, white and crimson throat. Hohokus. Large flaming crimson, with bright ma-

genta mottled throat.

Livonia. Light red, with white mottled throat.

Nezinscott. Bright blood-scarlet, with deep, velvety crimson-black blotches, white mottling in throat.

Princeton. Large flaming red, with violet and white mottlings in throat. Spikes of great length.

Savannah. Deep blood-red, with white mottled throat.

Makes a speedid spike.

Makes a speedid spike.

Sacramento. Deep, bright, coral scarlet, with clear and distinct white mottlings in throat.

Splendor. A splendid large flower of the softest, sweetest rose color. Large magenta stain, with purple and white mottling.

Torch Light. Very fine spikes of large, light flaming scarlet flowers. Throat mottled white and violet.

DOUBLE DAHLIAS.

PRICE: All named sorts 15 cents each, \$1.50 per dozen.



SHOW AND FANCY DAHLIAS.

A. D. Livoni. The best clear, soft pink show Dahlia.

Medium size; perfect form; beautifully quilled. Arabella. Sulphur, tipped pink and lavender. Dandy. Ground color pure pink, striped and penciled black, though sometimes solid black, and occasionally solid pink; a very attractive variety.

Emily. Very large; fine form; color varies from rosy lavender to white.

Miss Browning. Pure yellow, tipped pure white, occasionally solid yellow.

Mrs. Dexter. Very large; fine form; a beautiful shade of salmon.

Penelope. Pure white, delicately flaked lavender; invaluable for cutting and decorations.

Pluton. The finest of all yellow show Dahlias, being a pure, clear yellow; of large size and perfect form.

Priscilla. Yellow, tipped scarlet; quilled. Red Head. Very large, deep red; dwarf.

Ruby Queen. Clear ruby red, richly shaded; early and profuse bloomer.

Triomphe de Solferino. Of immense size, and a deep red color; dwarf and compact grower.

CACTUS DAHLIAS.

Black Prince. Intense velvety maroon, almost black. Clifford W. Bruton. Solid, clear, pure yellow; large, full double flower.

King of Cactus. Deep magenta, overlaid rosv crimson.

Maid of Kent. Cherry-red, tipped white.

Miss Barry. Deep rosy lake; twisted petals; very beautiful.

ymphæa. The most delicately beautiful Dahlia ever introduced. Medium size; always full to the Nymphæa. center; clear, distinct, light pink, tinted lighter toward the center; strong grower, most profuse bloomer, graceful habit.

POMPON, or BOUQUET DAHLIAS.

Miss Lou Kramer. Yellow, heavily tipped bright crimson.

Prince Charming. White, penciled, suffused and

tipped pink.

Snowclad. The finest white pompon; perfect form. Variegatum. Small flowers, ranging from cinnamonmaroon to pink-white.

Yellow Bird. Pure yellow; profuse blooming. Vivid. Bright, deep, crimson scarlet.

MIXED DAHLIAS, \$1.25 per doz., \$10 per 100.

THIES

		AES.						
Auratum (Golden-Banded Lily).	Doz.	Leichtlinii. Orange-red, with crimson	Doz.					
7 to 9 inches circumferenceper 100, \$6.\$0 10	\$1 00		2 50					
9 to 11 inches circumference.per 100, \$10. 15	1 50	" Canary Yellow 40	4 00					
11 to 13 inches circumference.per 100, \$14. 25	2 50							
Auratum macranthum, or platyphyllum. 40	4 00	Speciosum album præcox. Pure white,	2 50					
" rubro vittatum 75	8 00							
ff pictum 50	5 00		1 50					
Wittei, 4 to 6 feet 75	7 50	" Melpomene. Very						
"Virginale. Very large, pure			2 50					
white 75	7 50	Tigrinum (Tiger Lily). Orange-salmon,						
Batemanni. Bright apricot	1 50.		1 00					
Brownii, Most beautiful flowers of im-		splendens. Rich scarlet, with						
mense size, inside creamy white, outside			1 25					
shaded chocolate-purple 50	5 00	" flore pleno. Double Tiger						
Chalcedonicum (The true Scarlet Turk's		Lily 12	1 25					
Cap Lily). Brilliant scarlet 60	6 00	Umbellatum Mixed 10	1 00					
Colchicum (Monadelphum). Clear citron,		Wallacei. Rich orange, spotted maroon 15	1 50					
black spots 1 00		Washingtonianum. Large, trumpet-						
Humboldtii. Orange-red, spotted claret., 25	2 50	shaped flowers, pure white, tinged purple						
Krameri. White, slightly tinged with red. 15	1 50		3 00					
The state of the s	1 00 1							
MONTBRETIAS.								

	111	7111	11211101		
Each	Doz.	100	Each	Doz.	100
Bouquet Parfait. Bright vermil-			Elegans. Bright yellow, streaked		
ion, yellow center\$0 08	\$0 75	\$4 00	vermilion\$0 05	\$0 40	\$2 50
Crocosmiæflora. Bright orange,			Etoile de Feu. Vermilion, yellow		
tinged scarlet	40	2 50	center 08	75	4 00
Drap d'Or. Rich yellow 08	75	4 00	Pottsii. Orange and scarlet 05	40	2 50
Eldorado. Large, golden yellow 08	75	4 00	Rosea. Salmon-rose color 08	75	4 00
Large, golden Jenow	10	± 00	itoseai paimon lose color	10	2 00

PRIMULA SIEBOLDII. (HARDY JAPANESE PRIMROSES.)

	Doz.		Doz.
Atlas. Brilliant carmine; white center\$0 20	\$2 00	Madame Emile Gallee. White and lilac. \$0 20	\$2 00
Clarkiæflora. Lovely magenta 20	2 00	Mine d'Argent. Large, milky white flowers 20	2 00
La Lique. Rosy violet; white center 20	2 00	Victor. Beautiful clear pink 20	2 00

DWARF FRENCH CANNAS.

PRICE: All 15 cents each, \$1.50 per dozen.

Italia. Large, scarlet, with yellow border.

Austria. Very large; canary yellow.

Queen Charlotte. Like Madame Crozy.

Alphonse Bouvier. Rich crimson; foliage green.

Charles Henderson. Crimson. Compact.

Madame Crozy. Scarlet, bordered golden yellow.

Egandale. Dark foliage, cherry-red flowers.
Florence Vaughan. Golden yellow, spotted red.
Paul Marquant. Salmon-scarlet, foliage dark green.
Geoffrey St. Hilaire. Light scarlet, bronze foliage.
President Carnot. Orange-scarlet, chocolate foliage.
Brenningsii. Variegated foliage; scarlet flowers.

BEAUTIFUL DOUBLE DELPHINIUMS. (PERENNIAL LARKSPUR.)

Each		Eac	h Doz.
Beaumarchais. Blue, with rosy center \$0 30	\$3 00	Prince of Naples. Semi-double\$0	0 \$3 00
Dr. Brahmann. Blue and violet 30	3 00	Scribe. Lilac, white bordered	3 00
Irene. Sky-blue and pink, white eye 30	3 00	Tour d'Eiffel. Brilliant blue, striped	3,00

NEW LARGE-FLOWERED JAPAN IRIS. (IRIS KÆMPFERI.)

NEW	DOLLDIE	LARGE-FLOWERING	NEW SIN

E:	ien P	er doz.
Beauty. Silvery lilac, veined purple\$0		\$2 00
Blue Jay. Large, fine azure-blue	20	2 00
Charmer. Light blue, white center	20	2 00
Mahogany. Deep mahogany-red	20	2 00
Mt. Fell. Grayish white, veined sky-blue.	20	2 00
Orion. Pure white, bordered lilac	20	2 00
Pyramid. Violet-blue, with white veins	20	2 00
Snow White. White, with gold center	20	2 00

NEW SINGLE LARGE-FLOWERING.

					er doz.
Bluebire	d. Clear	dark blue	\$0	20	\$2 00
Como.	Reddish	amaranth,	white center	20	2 00

NEW SINGLE LARGE-FLOWERING—con			
Ea	ich P	er d	oz.
Exquisite. Fine porcelain-blue\$6	20	\$2	00
Shadow. Dark indigo-blue	20		00
Snowbound. Large, pure white	20	2	00
Souvenir. Lovely rose-pink	20	2	00
Neptune. Reddish gray, freely grained	20	2	00
Quakeress. Light lavender, tinged rose.	20	2	00

OLDER VARIETIES OF IRIS.

					each Pe		10	U
Germai	nica.	Mixed	l, all	colors 8	80 06	\$0 50	\$2	50
Kæmpf	eri.	Japan	Iris.	Mixed	08	60	3	50
Spanis	h Iris,	Mixe	d Ye	llow	05	40	2	00
66	66	66	Bit	ıe	05	40	2	00
66	66	66		nite		40	2	00
66	-66	66	AII	Colore	05	20	7	00

MISCELLANEOUS BULBS AND ROOTS.

AMARYLLIS- E	ach	Per doz.	100
Belladonna. Violet and white \$0	20	\$2 00	
Belladonna Major	30	3 00	
Equestris (Barbados Lily)	20	2 00	
Formosissima (Jacobæan Lily)	15	1 50	
Johnsonii (Spice Lily)	50	6 00	
Longifolia rosea. Rose, hardy	30	3 00	
ANEMONE-			
Scarlet, Feu Superbe. Double.	05	45	\$3 00
" L'Eclair. Large flowers.	05	45	3 00
" Single Mixed. 2 for 5c.		20	1 00
Mignonne. Double, rose	05	45	3 00.
Chrysanthemiflora Mixed	12	1 25	8 00
Japonica alba. Pure white	05	35	2 00
" rosea. Rosy carmine	08	45	3 00
" rubra. Dark red	08	45	3 00
" Lady Ardilaun	20	2 00	12 00
" Whirlwind	10	1 00	6 00
ARUM Dracunculus	15	1 50	
BECONIAS, TUBEROUS-			
Single Orange	10	1 00	6 00
" Scarlet	10	1 00	6 00
" Rose	10	1 00	6 00
" White	10	1 00	6 00
" Yellow	10	1 00	6 00
" Mixed	10	1 00	5 00
Double White	25	2 25	15 00
" Yellow	25	2 25	15 00
Scarlet	25	2 25	15 00
Wilked	20	2 00	14 00
BESSERA elegans (Coral Drops).	05	50	3 50
CALADIUM esculentum	20	2 00	

E	ach	Per doz.	100
CINNAMON Vine Roots\$0		\$0 60	\$3 50
COOPERIA-			
Drummondii (Evening Star)	05	45	3 00
Pedunculata. White, fragrant	05	45	3 00
Oberwetteri. Bright green	05	45	3 00
CYCLOBOTHRA flava	05	40	2 50
DICENTRA spectabilis (Dielytra).	20	2 00	12 00
HYACINTHUS candicans	05	40	2 50
MADEIRA Vine Roots	10	1 00	
MILLA biflora. Pure waxy white.	05	40	2 50
NERINE Japonica	15	1 50	
PÆONY-			
Chinensis, Double White	30	3 00	
" Crimson	20	2 00	
" " Pink	20	2 00	
" Mixed	15	1 50	
Arborea (Tree Pæony) 1			
Tenuifolia, Single. Crimson	25	2 50	
" Double. Crimson	30	3 00	
PYRETHRUM roseum, Double	30	3 00	
TICRIDIA (Tiger Flower)—			
Grandiflora alba. White	10	75	4 00
Conchiflora. Yellow Tiger Flower	08	60	3 50
TROPÆOLUM-			
Tricolorum Jarrattii	15		
Polyphyllum. Bright yellow	15	1 50	
TUBEROSES, Dwarf Double	05	35	1 50
ZEPHYRANTHES rosea. Rose.	05	50	3 00
ZYCADENUS Fremonti	08	75	5 00

INDEX.

PAGE	PACE.	
Agrimony	Furze · · · · · · · · · · · · · · · · · · ·	Pennyroyal
Alfalfa 49	Fumigator	Pickles, Vegetables Used for
Angelica	Garden Lines, Pencils and Reels 55	Pincers
Anise	Glazing Points	Pincers
Artichela	Grane Soods	Plant Stakes
Arnica 43 Artichoke 11, 50 Asparagus (Roots, 50) 11 Knives 55	Grafting Wax	Polygonum 53 Poppy, Opium 53
Knives	Grass Catcher Boxes 62	Potato Manure
Asperula	"Edging Knives	Potatoes
Asperula	Edging Knives	Potatoes
Atomizers	Deeus 45-49	Primula
Balm	Grasses, Ornamental	Pruners
Barley	Gromwell	Pumpkin
Reans Dwarf Way	Gumbo	Radish
Beans, Dwarf Wax	Hanging Baskets, Flowers for . 3d p. cov.	Poffic
" English Dwarf	Hedge Plant Seeds 44	Rakes
Horse and Soja	Hedge Shears 55, 57	Rakes
Fole of Running	Hemlock	Rampion
Beets	Hemp	Dabe
Bellows	Herb Seeds	Reels and Lines
Bene	Hooks, Bill and Brush 55	Reana
Bird Seeds, etc 50	Hoes	Rhubarb (Roots, 50) 38
Boneset	Hop Seed	Rib Grass 50, 53
Books	Horehound	Rollers
Borage	Horticultural Implements	Rhubarb (Roots, 50) 38 Rib Grass 50, 53 Rollers 60 Roquette 35 Rosemary 43
Bordeaux Mixture 64	Hose Menders	Rough Rice 50
Borecole	Hotbed, Directions for Making 4	Rough Rice
Broccoli	Hyssop	Rue
Broom Corn	Ice Plant	Kye
Brussels Spronte	Indigo Seed	Saffron
Brussels Sprouts	Iris	Sacaline 53 Saffron 43 Sainfoin 53
Burnet	Iris pabularia	Sage
Cabbage (Plants, 50) 18	Jadoo Fiber and Liquid 64	Salads, Vegetables Used for
Canaigre	Jerusalem Corn	Salt-bush Australian
Calendar for Seed-sowing . 4th page cover	Johnson Grass 54	Salsify
Canary Seed	Jute	Saucers, Flower Pot
Cannas	Kale	Saws
Cannas	Kidney Vetch 49	Scissors
Caraway	Kitchen Garden Seeds 2d page cover	Scolymus
Cardoon	Kalin Corn 53 Kale 25, 53 Kidney Vetch 49 Kitchen Garden Seeds 2d page cover Knives 55, 60 Kohlrabi 25	Saws 56 Scissors 56 Scolymus 38 Scorzonera 39 Scurvy Grass 53
Carnation Supports	Konfrabi	Seurvy Grass
Carrots	Labels	Scythe Stones and Rifles
Catnip	Lavender	Seed Drills 59 Seradella 53 Shears 55, 56, 57, 58 Shovels and Spades 57 Shrub Seeds 66-70 Silver Beet 38 Shiver Beet 38
Catnip	Lavender	Seradella
California 20 Celeria 20 Celery (Plants, 50) 20 Cereals 51 Chamomile 43 Chervil 21 21 22 23 24 25 25 25 25 25 25 25	Mowers	Shears 55, 56, 57, 58
Celery (Plants, 50) 20	" Rakes	Shovels and Spades 57
Chamamila 42	"Sprinklers	Silver Root
Chervil	Leek	Skirret
Chicory	Lentils	Snails ,
Chinese Vegetables 9	Les pedeza	Snails,
Cinnamon vine Roots	Lettuce (Plants, 50) 26, 53	Sorghum 54
Clovers	Lilles	Sorrel
Collards 21	Lilies	Sorrel 39 Spinach 31, 39 Sprayers 63 Sprinklers 57, 60 Sprouts 38 38 34
Collards	Lovage	Sprinklers
Colleg's of Flower Seeds, 3d page cover	Lupins	Sprouts
Coriander . 43 Corn, Field Varieties . 51 " Sweet or Sugar . 22 Corn Salad, or Fetticus . 21	Madder	
Corn, Field Varieties 51	Madia	Squash
Corn Soled or Fettions 21	Manures	Stocks Choice Collection: of 104
Cotton	Marigold, Pot	Strawberry Plants 50 Sunflower 50, 54
Cress	Marjoram, Pot and Sweet	Sunflower 50, 54
Cotton 52 Cress 21 Cucumber 23, 24 Cytisus 52	Marshmallow	Sweet Peas
Cytisus	Martynia	Swiss Chard
Danilas	Mastica	Tarragon (Plants 50) 43
Dandelion	Mats 56 Maw 50 Melon, Musk 28	Sunnower 30,34 Sweet Feas 110,111 Swinges 60 Tarragon (Plants, 50) 43 Tansy 43 Teasels 54 Teosinte 53
Delphiniums	Melon, Musk 28	Teasels 54
Dhours 59	Water	Teosinte
Dibbles	Millet 50, 51, 53	Thermometers
Dill	Miscellaneous Bulbs and Roots 119 Miscellaneous Seeds 52-54	Thyme, English and French 43
Elecampane	Mole Traps	Tools
Elecampane (Plants, 50)	Mole Traps	Thyme, English and French
Endive	Mushroom Spawn 27	Tomato Supports 57
Esculent Plants and Roots 50	Mustard	Tree and Shrub Seeds
Esparsette	Nasturtium	Turnin 42
Everlastings	Novelties	Vases, Flower
Evergreen Tree Seeds	Okra	Vegetables, Directions for Culture : . 3
Fertilizers 65	Onion	Vegetable Seeds
Fennel, Florence or Naples	Onion Sets, etc	Marrow
Fenugreek	Onobrychis	Vetches 50 54
Flat Pea	Orach	Vines and Climbers 107-111
Flax Seed	Ordering, Directions for 2	Vettenes 30,57 Vines and Climbers 107-111 Walnut 44 Watering Pots 29 Watering Pots 57 58 57
Flax Seed	Ornamental Gourds 112	Watermelons
Direc'ns for Culture . 71-73 General List	Osage Orange	Watering Pots 57
Flower Tubs General List	Pæony	Weeders
Flower Tubs	Palm Tubs	Wheelbarrows
Forks	Palm Tubs 57 Parsley 31 Parsnips 31	Wheelbarrows
Foxglove	Parsnips	Witloof
Fruit-bearing Vines and Plants 112	Peas	Worms
Fruit Seeds 44	repper (Plants, 50) 35	Tarrow

COLLECTIONS OF FLOWER SEEDS.

Free by Mail at Prices Affixed.

Long experience in selecting enables us to make collections which are invariably satisfactory to purchasers, and our usual full assortment the present season, embracing every desirable novelty and standard sort, insures assortments of the rarest varieties and finest qualities, all of the growth of the past season, and in every case strictly TRUE TO NAME.

Varieties	Varieties Price
100 Annuals, Biennials and Perennials\$4 00	50 Choice Greenhouse Seeds\$8 00
	25 " " "
25 "	12 " " … 2 50
12 " 50	50 Choice American Seeds for European Culture 4 00
25 More Rare Annuals 2 00	25 " " " " " " " 2 00"
10 " " 10 1 00	12 Annuals for Bees 50
20 Choice Hardy Riennials and Perennials 1 00	

All Strictly our Own Selections.

LIST OF FLOWERS SUITABLE FOR BOUQUETS.

Per	kt.	Per	pkt.
Abronia umbellata\$0	05	Globe Amaranths, assorted\$	05
Ageratum Mexicanum	05	Godetia, assorted	05
" album	05	Gypsophila paniculata	05
Alyssum maritimum	05	muralis	05
Amarantus tricolor	05	Hellotropium grandiflorum	. 10
Ammobium alatum	05	Iberis odorata	.05
Aquilegia chrysantha	10	umbellata	05
Aster chrysanthemiflora	10	amara	05
Balsams, Camellia-flowered	10	Kaulfussia amelloides	05
Cacalia coccinea	05	Leptosiphon (Gilia) densiflorus	05
Calliopsis lanceolata	10	Lobella Erinus (gracilis)	05
Callirhoe pedata	05	Malope grandiflora	05
Centranthus macrosiphon	05	Mimulus moschatus	10
" Dwarf	05	Phlox Drummondii grandiflora	10
Chrysanthemum inodorum	10	Reseda odorata, "Machet" (Mignonette)	10
Collinsia bicolor	05	Silene, Mixed	05
verna	05	Smilax (Myrsiphyllum asparagoides)	10
Cosmos hybridus	05	Spraguea umbellata	25
Cuphea strigulosa	10	Statice, assorted	05
miniata	05	Stevia serrata	10
purpurea	05	Stocks, Ten Weeks	10
Dlanthus Chinensis	05	Verbena, assorted, finest	10
Digitalis, assorted	05	Viola tricolor (finest)	25
Gaillardia picta, "Aurora Borealis"	05	Viscaria oculata	05
Gilia tricolor	05	Zinnia, all the double varieties	. 05

LIST OF FLOWERS SUITABLE FOR HANGING BASKETS.

Per pkt	t.	-Per	pkt.
Ageratum Mexicanum nanum\$0 0		obelia Erinus and varieties (gracilis)\$0	05
Alyssum maritimum 0	5 L	ove-Lies-Bleeding	.05
Aubrietia deltoidea 1	0 L	upinus nanus	05
Calandrinia umbellata 1	.0	sub-carnosus	05
Cerastium tomentosum 2	5 N	Mignonette	05
Clintonia (Downingia) pulchella 1	0 N	Mimulus moschatus	10
Convolvulus Mauritanicus 1	0 N	Vemophila insignis	05
aureus superbus 1	.0	maculata	05
Cosmidium Burridgeanum 0	5 P	Pansy, varieties (finest)	25
Dwarf Nasturtiums 0	5 P	Petunia, spotted and striped	25
Eschscholtzla tenuifolia 0	5 P	Portulaca, Double	10
Eucharidium grandiflorum 0	5 8	Sanvitalia procumbens (Double)	05
Fenzlia dianthiflora 2	5 8	Saponaria Calabrica	05
Cilia nivalis 0	5 8	Sedum cœruleum	10
rosea splendens 0	5 8	Silene pendula ruberrima	05
Iberis amara 0	5 5	Spraguea umbellata	25
Limnanthes Douglasii 0	5 V	/erbena (finest)	10
Lobb's Nasturtium 0	5 V	/irginian Stock	05

Address orders to

J. M. THORBURN & CO.,

36 Cortlandt Street, NEW YORK.

THAT MAY BE SOWN IN EACH MONTH FROM FEBRUARY TO SEPTEMBER IN THE VICINITY THORBURN'S LIST OF VEGETABLE SEEDS

The state of the s	
THE THORBURN POTATO. The very best Extra Early Potato grown.	FEBRUARY.
Early Beets Brussels Sprouts Brussels Sprouts Brussels Sprouts Brussels Sprouts Brussels Sprouts Early Cabbage Forcing Carrot Cauliflower Callery Cucumber Egg-Plant Koblrabi Lettuce Melon Parsley Pras Pras Protatoes Radish Tomato Sow in Open Ground. Beens, B. Windsor Long Pod Mayagan Mayagan Garrot Cress Leek Onion Peas Radish Spinalo Peas Radish Spinalo Sweet Peas Radish Spinalo Pas Radish Spinalo Potatoes Radish Spinalo Radish Spinalo Radish Radish Radish Radish Radish Spinalo Radish	MARCH.
Sweet Corn Cucumber Egg-Plant Melon Pepper Tomalo Sow in Open Ground. Asparagus English Beans Beets Brussels Sprouts Early Cabbage Carrot Cauliflower Cauliflower Callery Cress White Endive Kalle Kollrabi Leek Lettuce Onion Parsnip Peas Potatoes Radish Spinach Early Turnip Sage Sweet Peas	APRIL.
Artichoke Asparagus Beans, Bush and Running Beets Broccoli Brussels Sprouts Late Cabbage Carrot Cauliflower Calliflower Calliflower Calliflower White Endive Kalle Koblrabi Leeth Lettuce Melon Onion Parsley Parsnip Peas Potatoes Radish Rbubarb Salsify Salsify Spinach Tomato Tomato Carry Parnip Parsity Parsnip Peas Radish Rbubarb Salsify Spinach Tomato Tomato Salisify Spinach Tomato Tomato Tomato Salisify Spinach Tomato Spina	- FG
Beans, Lima and all other sorts Braces is Broccoli Brussels Sprouts Early Cabbage Cautiflower Sweet Corn Cress Cucumber Endre Endre Robbrahi Lettuce Malon Nasturium Okera Early Peas Potaloes Pumpkin Radisb Squasb Herbs Squasb Squasb Herbs	
THORBURN Extra Early Market Peas ARE THE BEST. Reams Beans Beans Corn Salad Cress Cucumber Corn Salad Cress Cucumber Chara Corn Salad Cress Chara Corn	
THORBURN GILT-EDGE CAULIFLOWER Largest, Surest and Finest.	AUGUST.
THORBURN MAXIMUM LETTUCE Largest, Solidest, Crispest and Best.	SEPTEMBER.

J. M. THORBURN & CO. SEEDSMEN NEW YORK